





FgArea: [' 0']
NC11 P2-9
2026-03-13 (Day 198)


fgNum 1 (at_row = 80.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']





P2-9_0: M_E




P2-9_0: M_W




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN




Plot Fv and fertilizer usage









Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	80	20.0	0.216	多云	预期@07:50 手动 (未用传感器)
09:30	80	20.0	0.216	多云	预期@09:30 手动 (未用传感器)
11:00	80	20.0	0.216	多云	预期@11:00 手动 (未用传感器)
12:10	80	20.0	0.216	多云	预期@12:10 手动 (未用传感器)
13:15	80	20.0	0.216	多云	预期@13:15 手动 (未用传感器)
14:30	80	20.0	0.216	多云	预期@14:30 手动 (未用传感器)
总计	480.0 (6次)	120.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	80	20.0	0.216	多云	假设@07:55 未知程序 (未用传感器)
09:20	80	20.0	0.216	阴	假设@09:20 未知程序 (未用传感器)
10:30	80	20.0	0.216	阴	假设@10:30 未知程序 (未用传感器)
11:30	80	20.0	0.216	阴	假设@11:30 未知程序 (未用传感器)
12:30	80	20.0	0.216	阴	假设@12:30 未知程序 (未用传感器)
13:25	80	20.0	0.216	晴	假设@13:25 未知程序 (未用传感器)
14:30	80	20.0	0.216	晴	假设@14:30 未知程序 (未用传感器)
总计	560.0 (7次)	140.0			建议进液EC: 1460, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	80	20.0	0.216	晴	假设@07:55 未知程序 (未用传感器)
09:15	80	20.0	0.216	晴	假设@09:15 未知程序 (未用传感器)
10:25	80	20.0	0.216	晴	假设@10:25 未知程序 (未用传感器)
11:25	80	20.0	0.216	晴	假设@11:25 未知程序 (未用传感器)
12:25	80	20.0	0.216	晴	假设@12:25 未知程序 (未用传感器)
13:20	80	20.0	0.216	晴	假设@13:20 未知程序 (未用传感器)
14:20	80	20.0	0.216	晴	假设@14:20 未知程序 (未用传感器)
总计	560.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	83	20.0	0.216	晴	假设@08:00 未知程序 (未用传感器)
09:40	83	20.0	0.216	晴	假设@09:40 未知程序 (未用传感器)
11:10	83	20.0	0.216	晴	假设@11:10 未知程序 (未用传感器)
12:10	83	20.0	0.216	晴	假设@12:10 未知程序 (未用传感器)
13:05	83	20.0	0.216	晴	假设@13:05 未知程序 (未用传感器)
14:00	83	20.0	0.216	晴	假设@14:00 未知程序 (未用传感器)
15:05	83	20.0	0.216	晴	假设@15:05 未知程序 (未用传感器)
总计	581.0 (7次)	140.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	87	20.0	0.216	晴	假设@08:00 未知程序 (未用传感器)
09:15	87	20.0	0.216	晴	假设@09:15 未知程序 (未用传感器)
10:25	87	20.0	0.216	晴	假设@10:25 未知程序 (未用传感器)
11:30	87	20.0	0.216	晴	假设@11:30 未知程序 (未用传感器)
12:20	87	20.0	0.216	晴	假设@12:20 未知程序 (未用传感器)
13:10	87	20.0	0.216	晴	假设@13:10 未知程序 (未用传感器)
14:10	87	20.0	0.216	晴	假设@14:10 未知程序 (未用传感器)
15:05	87	20.0	0.216	晴	假设@15:05 未知程序 (未用传感器)
总计	696.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0

