





FgArea: [' 0']
NC11 P2-9
2026-03-14 (Day 199)


fgNum 1 (at_row = 80.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']





P2-9_0: M_E




P2-9_0: M_W




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN



Plot Fv and fertilizer usage







Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2-9_0








FgDaily
















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:50 | 80 | 20.0 | 0.216 | 多云 | 预期@07:50 手动 (未用传感器) |
| 10:05 | 80 | 20.0 | 0.216 | 阴 | 预期@10:05 手动 (未用传感器) |
| 11:25 | 80 | 20.0 | 0.216 | 阴 | 预期@11:25 手动 (未用传感器) |
| 12:25 | 80 | 20.0 | 0.216 | 阴 | 预期@12:25 手动 (未用传感器) |
| 13:35 | 80 | 20.0 | 0.216 | 阴 | 预期@13:35 手动 (未用传感器) |
| 14:55 | 80 | 20.0 | 0.216 | 阴 | 预期@14:55 手动 (未用传感器) |
| 总计 | 480.0 (6次) | 120.0 | | | 建议进液EC: 1480, PH: 6.0 |








| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:55 | 80 | 20.0 | 0.216 | 多云 | 假设@07:55 未知程序 (未用传感器) |
| 11:15 | 80 | 20.0 | 0.216 | 阴 | 假设@11:15 未知程序 (未用传感器) |
| 总计 | 160.0 (2次) | 40.0 | | | 建议进液EC: 1440, PH: 6.0 |








| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:55 | 80 | 20.0 | 0.216 | 多云 | 假设@07:55 未知程序 (未用传感器) |
| 09:20 | 80 | 20.0 | 0.216 | 阴 | 假设@09:20 未知程序 (未用传感器) |
| 10:30 | 80 | 20.0 | 0.216 | 阴 | 假设@10:30 未知程序 (未用传感器) |
| 11:30 | 80 | 20.0 | 0.216 | 阴 | 假设@11:30 未知程序 (未用传感器) |
| 12:30 | 80 | 20.0 | 0.216 | 阴 | 假设@12:30 未知程序 (未用传感器) |
| 13:25 | 80 | 20.0 | 0.216 | 晴 | 假设@13:25 未知程序 (未用传感器) |
| 14:30 | 80 | 20.0 | 0.216 | 晴 | 假设@14:30 未知程序 (未用传感器) |
| 总计 | 560.0 (7次) | 140.0 | | | 建议进液EC: 1460, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 07:55 | 80 | 20.0 | 0.216 | 晴 | 假设@07:55 未知程序 (未用传感器) |
| 09:15 | 80 | 20.0 | 0.216 | 晴 | 假设@09:15 未知程序 (未用传感器) |
| 10:25 | 80 | 20.0 | 0.216 | 晴 | 假设@10:25 未知程序 (未用传感器) |
| 11:25 | 80 | 20.0 | 0.216 | 晴 | 假设@11:25 未知程序 (未用传感器) |
| 12:25 | 80 | 20.0 | 0.216 | 晴 | 假设@12:25 未知程序 (未用传感器) |
| 13:20 | 80 | 20.0 | 0.216 | 晴 | 假设@13:20 未知程序 (未用传感器) |
| 14:20 | 80 | 20.0 | 0.216 | 晴 | 假设@14:20 未知程序 (未用传感器) |
| 总计 | 560.0 (7次) | 140.0 | | | 建议进液EC: 1440, PH: 6.0 |





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 08:00 | 83 | 20.0 | 0.216 | 晴 | 假设@08:00 未知程序 (未用传感器) |
| 09:40 | 83 | 20.0 | 0.216 | 晴 | 假设@09:40 未知程序 (未用传感器) |
| 11:10 | 83 | 20.0 | 0.216 | 晴 | 假设@11:10 未知程序 (未用传感器) |
| 12:10 | 83 | 20.0 | 0.216 | 晴 | 假设@12:10 未知程序 (未用传感器) |
| 13:05 | 83 | 20.0 | 0.216 | 晴 | 假设@13:05 未知程序 (未用传感器) |
| 14:00 | 83 | 20.0 | 0.216 | 晴 | 假设@14:00 未知程序 (未用传感器) |
| 15:05 | 83 | 20.0 | 0.216 | 晴 | 假设@15:05 未知程序 (未用传感器) |
| 总计 | 581.0 (7次) | 140.0 | | | 建议进液EC: 1440, PH: 6.0 |

