





FgArea: [' 0']
NC11 P2-9
2026-04-03 (Day 219)


fgNum 1 (at_row = 80.0)

















1 (fgArea = NA)







Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot [' ECopt']





P2-9_0: M_E




P2-9_0: M_W




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]



Plot ET/VN





Plot Fv and fertilizer usage








Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa






FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:15	80	20.0	0.216	多云	预期@07:15 手动 (未用传感器)
08:25	80	20.0	0.216	小雨	预期@08:25 手动 (未用传感器)
09:50	80	20.0	0.216	小雨	预期@09:50 手动 (未用传感器)
10:45	80	20.0	0.216	小雨	预期@10:45 手动 (未用传感器)
11:35	80	20.0	0.216	小雨	预期@11:35 手动 (未用传感器)
12:20	80	20.0	0.216	小雨	预期@12:20 手动 (未用传感器)
13:00	80	20.0	0.216	小雨	预期@13:00 手动 (未用传感器)
13:45	80	20.0	0.216	小雨	预期@13:45 手动 (未用传感器)
14:35	80	20.0	0.216	小雨	预期@14:35 手动 (未用传感器)
15:45	80	20.0	0.216	多云	预期@15:45 手动 (未用传感器)
总计	800.0 (10次)	200.0			建议进液EC: 1440, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	80	20.0	0.216	多云	假设@07:20 未知程序 (未用传感器)
08:40	80	20.0	0.216	晴	假设@08:40 未知程序 (未用传感器)
09:40	80	20.0	0.216	多云	假设@09:40 未知程序 (未用传感器)
10:25	80	20.0	0.216	晴	假设@10:25 未知程序 (未用传感器)
11:00	80	20.0	0.216	晴	假设@11:00 未知程序 (未用传感器)
11:35	80	20.0	0.216	晴	假设@11:35 未知程序 (未用传感器)
12:15	80	20.0	0.216	晴	假设@12:15 未知程序 (未用传感器)
12:45	80	20.0	0.216	晴	假设@12:45 未知程序 (未用传感器)
13:15	80	20.0	0.216	晴	假设@13:15 未知程序 (未用传感器)
13:50	80	20.0	0.216	晴	假设@13:50 未知程序 (未用传感器)
14:45	80	20.0	0.216	晴	假设@14:45 未知程序 (未用传感器)
15:30	80	20.0	0.216	晴	假设@15:30 未知程序 (未用传感器)
总计	960.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	80	20.0	0.216	晴	假设@07:20 未知程序 (未用传感器)
08:30	80	20.0	0.216	晴	假设@08:30 未知程序 (未用传感器)
09:30	80	20.0	0.216	晴	假设@09:30 未知程序 (未用传感器)
10:15	80	20.0	0.216	晴	假设@10:15 未知程序 (未用传感器)
10:55	80	20.0	0.216	晴	假设@10:55 未知程序 (未用传感器)
11:35	80	20.0	0.216	晴	假设@11:35 未知程序 (未用传感器)
12:15	80	20.0	0.216	晴	假设@12:15 未知程序 (未用传感器)
12:50	80	20.0	0.216	晴	假设@12:50 未知程序 (未用传感器)
13:25	80	20.0	0.216	多云	假设@13:25 未知程序 (未用传感器)
14:00	80	20.0	0.216	多云	假设@14:00 未知程序 (未用传感器)
14:40	80	20.0	0.216	多云	假设@14:40 未知程序 (未用传感器)
15:30	80	20.0	0.216	多云	假设@15:30 未知程序 (未用传感器)
总计	960.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	80	20.0	0.216	多云	假设@07:20 未知程序 (未用传感器)
09:05	80	20.0	0.216	阴	假设@09:05 未知程序 (未用传感器)
10:20	80	20.0	0.216	阴	假设@10:20 未知程序 (未用传感器)
11:05	80	20.0	0.216	阴	假设@11:05 未知程序 (未用传感器)
11:45	80	20.0	0.216	阴	假设@11:45 未知程序 (未用传感器)
12:25	80	20.0	0.216	多云	假设@12:25 未知程序 (未用传感器)
13:15	80	20.0	0.216	多云	假设@13:15 未知程序 (未用传感器)
14:45	80	20.0	0.216	多云	假设@14:45 未知程序 (未用传感器)
总计	640.0 (8次)	160.0			建议进液EC: 1440, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	80	20.0	0.216	雾	假设@07:25 未知程序 (未用传感器)
08:30	80	20.0	0.216	雾	假设@08:30 未知程序 (未用传感器)
09:30	80	20.0	0.216	多云	假设@09:30 未知程序 (未用传感器)
10:15	80	20.0	0.216	多云	假设@10:15 未知程序 (未用传感器)
11:00	80	20.0	0.216	晴	假设@11:00 未知程序 (未用传感器)
11:40	80	20.0	0.216	晴	假设@11:40 未知程序 (未用传感器)
12:20	80	20.0	0.216	晴	假设@12:20 未知程序 (未用传感器)
12:55	80	20.0	0.216	晴	假设@12:55 未知程序 (未用传感器)
13:30	80	20.0	0.216	晴	假设@13:30 未知程序 (未用传感器)
14:05	80	20.0	0.216	晴	假设@14:05 未知程序 (未用传感器)
14:40	80	20.0	0.216	晴	假设@14:40 未知程序 (未用传感器)
15:20	80	20.0	0.216	晴	假设@15:20 未知程序 (未用传感器)
总计	960.0 (12次)	240.0			建议进液EC: 1440, PH: 6.0

