













FgArea: [' 0']
NC11 P2
2026-03-14 (Day 171)

fgNum 1 (at_row = 45.0)




fgNum 2 (at_row = 134.0)









1 (fgArea = NA)




2 (fgArea = NA)




Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]










Plot ['ECopt']




P2A1_0: M_E





Plot Sensor and FgRec Data




Plot preM vs WCperM




Plot [['ETcA_VN', 'ETcA_ws'], ['ETcB_VN', 'ETcB_ws']]




Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage



Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot for P2A1_0





d




FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:50	167	20.0	0.441	多云	预期@07:50 自主 (未用传感器)
09:30	167	20.0	0.441	多云	预期@09:30 自主 (未用传感器)
10:50	167	20.0	0.441	阴	预期@10:50 自主 (未用传感器)
11:50	167	20.0	0.441	阴	预期@11:50 自主 (未用传感器)
12:40	167	20.0	0.441	阴	预期@12:40 自主 (未用传感器)
13:35	167	20.0	0.441	阴	预期@13:35 自主 (未用传感器)
14:40	167	20.0	0.441	阴	预期@14:40 自主 (未用传感器)
总计	1169.0 (7次)	140.0			建议进液EC: 1700, PH: 6.0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	152	20.0	0.441	多云	假设@07:55 自动 (未用传感器)
总计	152.0 (1次)	20.0			建议进液EC: 1700, PH: 6.0

滴头平均流速偏小 (0.18 vs def 0.5), 请检查
 施肥机灌溉量与预期值不符 (29.0 : 20.0), 可能由于一阀多区不均匀
 默认实际灌溉20.0 ml.


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	153	20.0	0.441	多云	假设@07:55 自动 (未用传感器)
09:35	153	20.0	0.441	阴	假设@09:35 自动 (未用传感器)
10:35	153	20.0	0.441	阴	假设@10:35 自动 (未用传感器)
11:45	153	20.0	0.441	阴	假设@11:45 自动 (未用传感器)
13:15	153	20.0	0.441	晴	假设@13:15 自动 (未用传感器)
14:05	153	20.0	0.441	晴	假设@14:05 自动 (未用传感器)
14:55	153	20.0	0.441	晴	假设@14:55 自动 (未用传感器)
总计	1071.0 (7次)	140.0			建议进液EC: 1700, PH: 6.0

滴头平均流速偏小 (0.18 vs def 0.5), 请检查
 施肥机灌溉量与预期值不符 (28.0 : 20.0), 可能由于一阀多区不均匀
 默认实际灌溉20.0 ml.











时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	780	20.0	0.441	晴	假设@07:55 自动 (未用传感器)
09:05	780	20.0	0.441	晴	假设@09:05 自动 (未用传感器)
10:10	780	20.0	0.441	晴	假设@10:10 自动 (未用传感器)
11:00	780	20.0	0.441	晴	假设@11:00 自动 (未用传感器)
12:30	780	20.0	0.441	晴	假设@12:30 自动 (未用传感器)
13:35	780	20.0	0.441	晴	假设@13:35 自动 (未用传感器)
14:20	780	20.0	0.441	晴	假设@14:20 自动 (未用传感器)
15:10	780	20.0	0.441	晴	假设@15:10 自动 (未用传感器)
总计	6240.0 (8次)	160.0			建议进液EC: 1700, PH: 6.0


滴头平均流速偏小 (0.18 vs def 0.5), 请检查

施肥机灌溉量与预期值不符 (133.0 : 101.0), 可能由于一阀多区不均匀

上次灌溉时长 (779) 与预期 (154.0) 不符, 可能由于多阀同灌按参考区灌溉

默认实际灌溉101.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	154	20.0	0.441	晴	假设@08:00 未知程序 (未用传感器)
09:40	154	20.0	0.441	晴	假设@09:40 未知程序 (未用传感器)
11:05	154	20.0	0.441	晴	假设@11:05 未知程序 (未用传感器)
12:35	154	20.0	0.441	晴	假设@12:35 未知程序 (未用传感器)
13:45	154	20.0	0.441	晴	假设@13:45 未知程序 (未用传感器)
14:30	154	20.0	0.441	晴	假设@14:30 未知程序 (未用传感器)
15:20	154	20.0	0.441	晴	假设@15:20 未知程序 (未用传感器)
总计	1078.0 (7次)	140.0			建议进液EC: 1700, PH: 6.0

