













FgArea: [' E1']
NC11 P2
2025-11-18 (Day 55)

fgNum 1 (at_row = 45)




fgNum 2 (at_row =)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage




Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2A1_E1






FgDaily












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	107	15.0	0.096	晴	预期@07:35 手动(未用传感器)
08:10	107	15.0	0.096	晴	预期@08:10 手动(未用传感器)
08:45	107	15.0	0.096	晴	预期@08:45 手动(未用传感器)
09:15	107	15.0	0.096	晴	预期@09:15 手动(未用传感器)
09:45	107	15.0	0.096	晴	预期@09:45 手动(未用传感器)
10:15	107	15.0	0.096	晴	预期@10:15 手动(未用传感器)
10:45	107	15.0	0.096	晴	预期@10:45 手动(未用传感器)
11:40	107	15.0	0.096	晴	预期@11:40 手动(未用传感器)
12:35	107	15.0	0.096	晴	预期@12:35 手动(未用传感器)
13:25	107	15.0	0.096	晴	预期@13:25 手动(未用传感器)
14:25	107	15.0	0.096	晴	预期@14:25 手动(未用传感器)
总计	1177.0 (11次)	165.0			建议进液EC: 1530, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	107	15.0	0.096	晴	假设@07:40 未知程序 (未用传感器)
08:20	107	15.0	0.096	晴	假设@08:20 未知程序 (未用传感器)
09:00	107	15.0	0.096	晴	假设@09:00 未知程序 (未用传感器)
09:40	107	15.0	0.096	晴	假设@09:40 未知程序 (未用传感器)
10:20	107	15.0	0.096	晴	假设@10:20 未知程序 (未用传感器)
11:00	107	15.0	0.096	晴	假设@11:00 未知程序 (未用传感器)
11:35	107	15.0	0.096	晴	假设@11:35 未知程序 (未用传感器)
12:35	107	15.0	0.096	晴	假设@12:35 未知程序 (未用传感器)
13:40	107	15.0	0.096	晴	假设@13:40 未知程序 (未用传感器)
总计	963.0 (9次)	135.0			建议进液EC: 1940, PH: 6.0













时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	100	15.0	0.096	多云	假设@07:30 未知程序 (未用传感器)
08:10	100	15.0	0.096	多云	假设@08:10 未知程序 (未用传感器)
08:50	100	15.0	0.096	多云	假设@08:50 未知程序 (未用传感器)
09:30	100	15.0	0.096	晴	假设@09:30 未知程序 (未用传感器)
10:10	100	15.0	0.096	晴	假设@10:10 未知程序 (未用传感器)
10:45	100	15.0	0.096	晴	假设@10:45 未知程序 (未用传感器)
11:20	100	15.0	0.096	晴	假设@11:20 未知程序 (未用传感器)
12:00	100	15.0	0.096	晴	假设@12:00 未知程序 (未用传感器)
13:10	100	15.0	0.096	晴	假设@13:10 未知程序 (未用传感器)
14:20	100	15.0	0.096	晴	假设@14:20 未知程序 (未用传感器)
总计	1000.0 (10次)	150.0			建议进液EC: 1920, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	120	15.0	0.096	多云	假设@07:40 手动(未用传感器)
08:20	120	15.0	0.096	雾	假设@08:20 手动(未用传感器)
09:00	120	15.0	0.096	晴	假设@09:00 手动(未用传感器)
09:40	120	15.0	0.096	晴	假设@09:40 手动(未用传感器)
10:15	120	15.0	0.096	晴	假设@10:15 手动(未用传感器)
10:50	120	15.0	0.096	晴	假设@10:50 手动(未用传感器)
11:25	120	15.0	0.096	晴	假设@11:25 手动(未用传感器)
12:00	120	15.0	0.096	晴	假设@12:00 手动(未用传感器)
13:00	120	15.0	0.096	晴	假设@13:00 手动(未用传感器)
14:15	120	15.0	0.096	晴	假设@14:15 手动(未用传感器)
总计	1200.0 (10次)	150.0			建议进液EC: 1830, PH: 6.0

滴头平均流速偏小(0.17), 请检查
 上次灌溉时长未按模型建议(119 vs 100.0)
 默认实际灌溉18.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	120	15.0	0.096	多云	假设@07:35 手动 (未用传感器)
08:10	120	15.0	0.096	多云	假设@08:10 手动 (未用传感器)
08:45	120	15.0	0.096	多云	假设@08:45 手动 (未用传感器)
09:20	120	15.0	0.096	晴	假设@09:20 手动 (未用传感器)
09:55	120	15.0	0.096	晴	假设@09:55 手动 (未用传感器)
10:30	120	15.0	0.096	晴	假设@10:30 手动 (未用传感器)
11:05	120	15.0	0.096	晴	假设@11:05 手动 (未用传感器)
12:10	120	15.0	0.096	晴	假设@12:10 手动 (未用传感器)
13:15	120	15.0	0.096	晴	假设@13:15 手动 (未用传感器)
14:25	120	15.0	0.096	晴	假设@14:25 手动 (未用传感器)
总计	1200.0 (10次)	150.0			建议进液EC: 1530, PH: 6.0

滴头平均流速偏小 (0.17), 请检查
上次灌溉时长未按模型建议 (119 vs 100.0)
默认实际灌溉18.0 ml.

