













FgArea: [' E1']
NC11 P2
2025-11-20 (Day 57)

fgNum 1 (at_row = 45)




fgNum 2 (at_row =)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot ['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o', ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage





Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa







Trend plot forP2A1_E1

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	107	15.0	0.096	晴	预期@07:45 手动 (未用传感器)
08:20	107	15.0	0.096	晴	预期@08:20 手动 (未用传感器)
08:55	107	15.0	0.096	晴	预期@08:55 手动 (未用传感器)
09:30	107	15.0	0.096	晴	预期@09:30 手动 (未用传感器)
10:05	107	15.0	0.096	晴	预期@10:05 手动 (未用传感器)
10:40	107	15.0	0.096	晴	预期@10:40 手动 (未用传感器)
11:15	107	15.0	0.096	晴	预期@11:15 手动 (未用传感器)
12:00	107	15.0	0.096	晴	预期@12:00 手动 (未用传感器)
12:55	107	15.0	0.096	晴	预期@12:55 手动 (未用传感器)
14:00	107	15.0	0.096	晴	预期@14:00 手动 (未用传感器)
总计	1070.0 (10次)	150.0			建议进液EC: 1740, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	107	15.0	0.096	多云	假设@07:40 未知程序 (未用传感器)
08:15	107	15.0	0.096	雾	假设@08:15 未知程序 (未用传感器)
08:50	107	15.0	0.096	雾	假设@08:50 未知程序 (未用传感器)
09:25	107	15.0	0.096	雾	假设@09:25 未知程序 (未用传感器)
10:00	107	15.0	0.096	晴	假设@10:00 未知程序 (未用传感器)
10:35	107	15.0	0.096	晴	假设@10:35 未知程序 (未用传感器)
11:10	107	15.0	0.096	晴	假设@11:10 未知程序 (未用传感器)
12:10	107	15.0	0.096	晴	假设@12:10 未知程序 (未用传感器)
13:05	107	15.0	0.096	晴	假设@13:05 未知程序 (未用传感器)
14:00	107	15.0	0.096	晴	假设@14:00 未知程序 (未用传感器)
总计	1070.0 (10次)	150.0			建议进液EC: 1780, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	107	15.0	0.096	晴	假设@07:40 未知程序 (未用传感器)
08:20	107	15.0	0.096	晴	假设@08:20 未知程序 (未用传感器)
09:00	107	15.0	0.096	晴	假设@09:00 未知程序 (未用传感器)
09:35	107	15.0	0.096	晴	假设@09:35 未知程序 (未用传感器)
10:10	107	15.0	0.096	晴	假设@10:10 未知程序 (未用传感器)
10:45	107	15.0	0.096	晴	假设@10:45 未知程序 (未用传感器)
11:20	107	15.0	0.096	晴	假设@11:20 未知程序 (未用传感器)
12:15	107	15.0	0.096	晴	假设@12:15 未知程序 (未用传感器)
13:30	107	15.0	0.096	晴	假设@13:30 未知程序 (未用传感器)
总计	963.0 (9次)	135.0			建议进液EC: 2030, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	107	15.0	0.096	晴	假设@07:40 未知程序 (未用传感器)
08:20	107	15.0	0.096	晴	假设@08:20 未知程序 (未用传感器)
09:00	107	15.0	0.096	晴	假设@09:00 未知程序 (未用传感器)
09:40	107	15.0	0.096	晴	假设@09:40 未知程序 (未用传感器)
10:20	107	15.0	0.096	晴	假设@10:20 未知程序 (未用传感器)
11:00	107	15.0	0.096	晴	假设@11:00 未知程序 (未用传感器)
11:40	107	15.0	0.096	晴	假设@11:40 未知程序 (未用传感器)
12:30	107	15.0	0.096	晴	假设@12:30 未知程序 (未用传感器)
13:40	107	15.0	0.096	晴	假设@13:40 未知程序 (未用传感器)
总计	963.0 (9次)	135.0			建议进液EC: 1940, PH: 6.0



时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:30	100	15.0	0.096	多云	假设@07:30 未知程序 (未用传感器)
08:10	100	15.0	0.096	多云	假设@08:10 未知程序 (未用传感器)
08:50	100	15.0	0.096	多云	假设@08:50 未知程序 (未用传感器)
09:30	100	15.0	0.096	晴	假设@09:30 未知程序 (未用传感器)
10:10	100	15.0	0.096	晴	假设@10:10 未知程序 (未用传感器)
10:45	100	15.0	0.096	晴	假设@10:45 未知程序 (未用传感器)
11:20	100	15.0	0.096	晴	假设@11:20 未知程序 (未用传感器)
12:00	100	15.0	0.096	晴	假设@12:00 未知程序 (未用传感器)
13:10	100	15.0	0.096	晴	假设@13:10 未知程序 (未用传感器)
14:20	100	15.0	0.096	晴	假设@14:20 未知程序 (未用传感器)
总计	1000.0 (10次)	150.0			建议进液EC: 1920, PH: 6.0

