













FgArea: [' E1']
NC11 P2
2025-12-19 (Day 86)

fgNum 1 (at_row = 45)




fgNum 2 (at_row =)









1 (fgArea = NA)




2 (fgArea = NA)









Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]




Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc_raw:ro', 'taoc_avg:r-']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PHO:g-o']]







Plot ET/VN




Plot Fv and fertilizer usage




Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa





Trend plot forP2A1_E1







FgDaily




















| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:30 | 112 | 18.0 | 0.115 | 多云 | 预期@09:30 自主 (未用传感器) |
| 10:20 | 112 | 18.0 | 0.115 | 多云 | 预期@10:20 自主 (未用传感器) |
| 11:45 | 112 | 18.0 | 0.115 | 晴 | 预期@11:45 自主 (未用传感器) |
| 12:55 | 112 | 18.0 | 0.115 | 晴 | 预期@12:55 自主 (未用传感器) |
| 14:10 | 112 | 18.0 | 0.115 | 晴 | 预期@14:10 自主 (未用传感器) |
| 总计 | 560.0 (5次) | 90.0 | | | 建议进液EC: 1800, PH: 6.0 |




| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 12:05 | 112 | 18.0 | 0.115 | 阴 | 假设@12:05 自动 (未用传感器) |
| 12:45 | 112 | 18.0 | 0.115 | 阴 | 假设@12:45 自动 (未用传感器) |
| 总计 | 224.0 (2次) | 36.0 | | | 建议进液EC: 1800, PH: 6.0 |


滴头平均流速偏小 (0.17) , 请检查
默认实际灌溉16.0 ml.














| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:25 | 117 | 18.0 | 0.115 | 雾 | 假设@09:25 自动 (未用传感器) |
| 10:05 | 117 | 18.0 | 0.115 | 晴 | 假设@10:05 自动 (未用传感器) |
| 11:20 | 117 | 18.0 | 0.115 | 晴 | 假设@11:20 自动 (未用传感器) |
| 12:25 | 117 | 18.0 | 0.115 | 晴 | 假设@12:25 自动 (未用传感器) |
| 13:25 | 117 | 18.0 | 0.115 | 晴 | 假设@13:25 自动 (未用传感器) |
| 14:35 | 117 | 18.0 | 0.115 | 晴 | 假设@14:35 自动 (未用传感器) |
| 总计 | 702.0 (6次) | 108.0 | | | 建议进液EC: 1800, PH: 6.0 |











| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 09:25 | 111 | 18.0 | 0.115 | 多云 | 假设@09:25 自动 (未用传感器) |
| 10:15 | 111 | 18.0 | 0.115 | 多云 | 假设@10:15 自动 (未用传感器) |
| 11:15 | 111 | 18.0 | 0.115 | 晴 | 假设@11:15 自动 (未用传感器) |
| 12:15 | 111 | 18.0 | 0.115 | 晴 | 假设@12:15 自动 (未用传感器) |
| 13:25 | 111 | 18.0 | 0.115 | 晴 | 假设@13:25 自动 (未用传感器) |
| 总计 | 555.0 (5次) | 90.0 | | | 建议进液EC: 1800, PH: 6.0 |

滴头平均流速偏小 (0.17) , 请检查
 上次灌溉时长未按模型建议 (109 vs 120.0)
 默认实际灌溉16.0 ml.





| 时间 | 灌溉时长(秒) | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释 |
|-------|------------|-----------|-----------|----|-----------------------|
| 10:20 | 113 | 18.0 | 0.115 | 晴 | 假设@10:20 自动 (未用传感器) |
| 11:00 | 113 | 18.0 | 0.115 | 晴 | 假设@11:00 自动 (未用传感器) |
| 12:10 | 113 | 18.0 | 0.115 | 晴 | 假设@12:10 自动 (未用传感器) |
| 13:15 | 113 | 18.0 | 0.115 | 晴 | 假设@13:15 自动 (未用传感器) |
| 总计 | 452.0 (4次) | 72.0 | | | 建议进液EC: 1800, PH: 6.0 |

