













FgArea: [' 0' ]  
NC11 P2  
2026-01-14 (Day 112)

fgNum 1 (at\_row = 45)




fgNum 2 (at\_row = 134)









1 (fgArea = NA)




2 (fgArea = NA)









Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]





Plot [ 'ECopt' ]



Plot Sensor and FgRec Data




Plot [['ETcA\_VN', 'ETcA\_ws'], ['ETcB\_VN', 'ETcB\_ws']]







Plot [['ETcAraw:o', 'ETcA']]




Plot [['ETcBraw:o', 'ETcB']]









Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]






Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]







Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]







Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]







Plot ET/VN




Plot Fv and fertilizer usage



Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa











Trend plot for P2A2\_0
























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:35	143	20.0	0.441	晴	预期@09:35 自主 (未用传感器)
10:20	143	20.0	0.441	晴	预期@10:20 自主 (未用传感器)
11:25	143	20.0	0.441	晴	预期@11:25 自主 (未用传感器)
12:20	143	20.0	0.441	晴	预期@12:20 自主 (未用传感器)
13:10	143	20.0	0.441	晴	预期@13:10 自主 (未用传感器)
14:10	143	20.0	0.441	多云	预期@14:10 自主 (未用传感器)
总计	858.0 (6次)	120.0			建议进液EC: 1700, PH: 6.0















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:45	153	20.0	0.441	晴	假设@09:45 自动 (未用传感器)
10:15	153	20.0	0.441	晴	假设@10:15 自动 (未用传感器)
11:05	153	20.0	0.441	晴	假设@11:05 自动 (未用传感器)
11:55	153	20.0	0.441	晴	假设@11:55 自动 (未用传感器)
12:40	153	20.0	0.441	晴	假设@12:40 自动 (未用传感器)
13:40	153	20.0	0.441	晴	假设@13:40 自动 (未用传感器)
总计	918.0 (6次)	120.0			建议进液EC: 1700, PH: 6.0

滴头平均流速偏小 (0.18), 请检查

施肥机灌溉量与预期值不符 (28.0 : 20.0), 可能由于一阀多区不均匀  
默认实际灌溉20.0 ml.















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:25	152	20.0	0.441	多云	假设@10:25 自动 (未用传感器)
10:55	152	20.0	0.441	多云	假设@10:55 自动 (未用传感器)
11:45	152	20.0	0.441	晴	假设@11:45 自动 (未用传感器)
12:40	152	20.0	0.441	晴	假设@12:40 自动 (未用传感器)
总计	608.0 (4次)	80.0			建议进液EC: 1700, PH: 6.0

滴头平均流速偏小 (0.18) , 请检查

施肥机灌溉量与预期值不符 (27.0 : 20.0) , 可能由于一阀多区不均匀  
默认实际灌溉20.0 ml.






minute

minute

minute

minute














时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:40	141	20.0	0.441	晴	假设@10:40 自动 (未用传感器)
11:10	141	20.0	0.441	晴	假设@11:10 自动 (未用传感器)
12:00	141	20.0	0.441	晴	假设@12:00 自动 (未用传感器)
12:50	141	20.0	0.441	晴	假设@12:50 自动 (未用传感器)
13:35	141	20.0	0.441	晴	假设@13:35 自动 (未用传感器)
14:25	141	20.0	0.441	晴	假设@14:25 自动 (未用传感器)
总计	846.0 (6次)	120.0			建议进液EC: 1700, PH: 6.0

滴头平均流速偏小 (0.18), 请检查

施肥机灌溉量与预期值不符 (25.0 : 19.0), 可能由于一阀多区不均匀  
默认实际灌溉19.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
10:00	143	20.0	0.441	晴	假设@10:00 未知程序 (未用传感器)
10:30	143	20.0	0.441	晴	假设@10:30 未知程序 (未用传感器)
11:20	143	20.0	0.441	晴	假设@11:20 未知程序 (未用传感器)
12:15	143	20.0	0.441	晴	假设@12:15 未知程序 (未用传感器)
13:15	143	20.0	0.441	晴	假设@13:15 未知程序 (未用传感器)
总计	715.0 (5次)	100.0			建议进液EC: 1700, PH: 6.0

