













FgArea: [' W1' ]  
NC11 P2  
2025-11-19 (Day 56)

fgNum 1 (at\_row = )




fgNum 2 (at\_row = 134)









1 (fgArea = NA)




2 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water\_ec']]



Plot [ 'ECopt' ]




Plot Sensor and FgRec Data






Plot [['taoc', 'taoc\_raw:ro', 'taoc\_avg:r-']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]







Plot [['FRV:b-o', 'FVI:r-o', 'VI:g-o']]




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o', ' PHO:g-o' ]]







Plot ET/VN




Plot Fv and fertilizer usage










Fertilizer Range Source: kerleyL, kerleyH, UnivFL, TNAI, Haifa




Trend plot forP2A2\_W1




















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	107	15.0	0.088	晴	预期@08:10 手动(未用传感器)
08:40	107	15.0	0.088	晴	预期@08:40 手动(未用传感器)
09:10	107	15.0	0.088	晴	预期@09:10 手动(未用传感器)
09:40	107	15.0	0.088	晴	预期@09:40 手动(未用传感器)
10:10	107	15.0	0.088	晴	预期@10:10 手动(未用传感器)
10:40	107	15.0	0.088	晴	预期@10:40 手动(未用传感器)
11:10	107	15.0	0.088	晴	预期@11:10 手动(未用传感器)
11:40	107	15.0	0.088	晴	预期@11:40 手动(未用传感器)
12:30	107	15.0	0.088	晴	预期@12:30 手动(未用传感器)
13:15	107	15.0	0.088	晴	预期@13:15 手动(未用传感器)
14:05	107	15.0	0.088	晴	预期@14:05 手动(未用传感器)
总计	1177.0 (11次)	165.0			建议进液EC: 1870, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	107	15.0	0.088	晴	假设@08:10 未知程序 (未用传感器)
08:45	107	15.0	0.088	晴	假设@08:45 未知程序 (未用传感器)
09:15	107	15.0	0.088	晴	假设@09:15 未知程序 (未用传感器)
09:45	107	15.0	0.088	晴	假设@09:45 未知程序 (未用传感器)
10:15	107	15.0	0.088	晴	假设@10:15 未知程序 (未用传感器)
10:45	107	15.0	0.088	晴	假设@10:45 未知程序 (未用传感器)
11:15	107	15.0	0.088	晴	假设@11:15 未知程序 (未用传感器)
11:50	107	15.0	0.088	晴	假设@11:50 未知程序 (未用传感器)
12:45	107	15.0	0.088	晴	假设@12:45 未知程序 (未用传感器)
13:45	107	15.0	0.088	晴	假设@13:45 未知程序 (未用传感器)
总计	1070.0 (10次)	150.0			建议进液EC: 2030, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:10	100	15.0	0.088	晴	假设@08:10 未知程序 (未用传感器)
08:45	100	15.0	0.088	晴	假设@08:45 未知程序 (未用传感器)
09:20	100	15.0	0.088	晴	假设@09:20 未知程序 (未用传感器)
09:55	100	15.0	0.088	晴	假设@09:55 未知程序 (未用传感器)
10:30	100	15.0	0.088	晴	假设@10:30 未知程序 (未用传感器)
11:05	100	15.0	0.088	晴	假设@11:05 未知程序 (未用传感器)
11:40	100	15.0	0.088	晴	假设@11:40 未知程序 (未用传感器)
12:15	100	15.0	0.088	晴	假设@12:15 未知程序 (未用传感器)
13:15	100	15.0	0.088	晴	假设@13:15 未知程序 (未用传感器)
14:15	100	15.0	0.088	晴	假设@14:15 未知程序 (未用传感器)
总计	1000.0 (10次)	150.0			建议进液EC: 1990, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	100	15.0	0.088	多云	假设@07:55 未知程序 (未用传感器)
08:30	100	15.0	0.088	多云	假设@08:30 未知程序 (未用传感器)
09:05	100	15.0	0.088	晴	假设@09:05 未知程序 (未用传感器)
09:40	100	15.0	0.088	晴	假设@09:40 未知程序 (未用传感器)
10:15	100	15.0	0.088	晴	假设@10:15 未知程序 (未用传感器)
10:45	100	15.0	0.088	晴	假设@10:45 未知程序 (未用传感器)
11:15	100	15.0	0.088	晴	假设@11:15 未知程序 (未用传感器)
11:45	100	15.0	0.088	晴	假设@11:45 未知程序 (未用传感器)
12:25	100	15.0	0.088	晴	假设@12:25 未知程序 (未用传感器)
13:15	100	15.0	0.088	晴	假设@13:15 未知程序 (未用传感器)
14:10	100	15.0	0.088	晴	假设@14:10 未知程序 (未用传感器)
总计	1100.0 (11次)	165.0			建议进液EC: 1990, PH: 6.0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	120	15.0	0.088	雾	假设@08:00 手动(未用传感器)
08:30	120	15.0	0.088	雾	假设@08:30 手动(未用传感器)
09:00	120	15.0	0.088	晴	假设@09:00 手动(未用传感器)
09:30	120	15.0	0.088	晴	假设@09:30 手动(未用传感器)
10:00	120	15.0	0.088	晴	假设@10:00 手动(未用传感器)
10:30	120	15.0	0.088	晴	假设@10:30 手动(未用传感器)
11:00	120	15.0	0.088	晴	假设@11:00 手动(未用传感器)
11:30	120	15.0	0.088	晴	假设@11:30 手动(未用传感器)
12:00	120	15.0	0.088	晴	假设@12:00 手动(未用传感器)
12:40	120	15.0	0.088	晴	假设@12:40 手动(未用传感器)
13:25	120	15.0	0.088	晴	假设@13:25 手动(未用传感器)
14:25	120	15.0	0.088	晴	假设@14:25 手动(未用传感器)
总计	1440.0 (12次)	180.0			建议进液EC: 1970, PH: 6.0

滴头平均流速偏小(0.17), 请检查

上次灌溉时长未按模型建议(120 vs 100.0))

默认实际灌溉18.0 ml.

large discrepancy for begining water status (23:276.0), set to 23 ml.

