




FgArea: [' 0']

NC11 P3-10


2025-05-08 (Day 36)










1 VI vs Du









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-10_0








P3-10_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	245	130.0	晴	预期@07:20 未知程序（未用传感器）
08:20	245	130.0	晴	预期@08:20 未知程序（未用传感器）
09:35	245	130.0	晴	预期@09:35 未知程序（未用传感器）
10:55	245	130.0	晴	预期@10:55 未知程序（未用传感器）
12:00	245	130.0	阴	预期@12:00 未知程序（未用传感器）
13:05	245	130.0	阴	预期@13:05 未知程序（未用传感器）
14:15	245	130.0	阴	预期@14:15 未知程序（未用传感器）
15:40	245	130.0	阴	预期@15:40 未知程序（未用传感器）
总计	1960.0 (8次)	1040.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:50	288	130.0	晴	假设@08:50 自动（未用传感器）
09:50	288	130.0	多云	假设@09:50 自动（未用传感器）
10:50	288	130.0	晴	假设@10:50 自动（未用传感器）
11:50	288	130.0	晴	假设@11:50 自动（未用传感器）
12:50	288	130.0	晴	假设@12:50 自动（未用传感器）
13:50	288	130.0	晴	假设@13:50 自动（未用传感器）
15:00	288	130.0	晴	假设@15:00 自动（未用传感器）
总计	2016.0（7次）	910.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（187.0：153.0），可能由于一阀多区不均匀
上次灌溉时长(288)与预期(245.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉153.0 ml.
昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查







m=885, FV0=0




m=925, FV0=0





















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	250	120.0	晴	假设@07:40 自动（未用传感器）
08:40	250	120.0	晴	假设@08:40 自动（未用传感器）
10:00	250	120.0	阴	假设@10:00 自动（未用传感器）
11:05	250	120.0	晴	假设@11:05 自动（未用传感器）
12:15	250	120.0	晴	假设@12:15 自动（未用传感器）
13:30	250	120.0	晴	假设@13:30 自动（未用传感器）
14:45	250	120.0	多云	假设@14:45 自动（未用传感器）
总计	1750.0（7次）	840.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（162.0：128.0），可能由于一阀多区不均匀
默认实际灌溉128.0 ml.
昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查







m=805, FV0=0




m=860, FV0=0




m=950, FV0=0




m=975, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
15:40	250	130.0	阴	假设@15:40 自动（未用传感器）
总计	250.0（1次）	130.0		建议进液EC：2080.0， PH： 6.0



施肥机灌溉量与预期值不符（162.0 ： 128.0），可能由于一阀多区不均匀
默认实际灌溉128.0 ml.
large discrepancy for begining water status (84:294.0), set to 84 ml.
昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查





m=460, FV0=0




m=850, FV0=0




m=850, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	277	110.0	多云	假设@07:10 自动（未用传感器）
08:10	277	110.0	多云	假设@08:10 自动（未用传感器）
09:40	277	110.0	多云	假设@09:40 自动（未用传感器）
10:45	277	110.0	多云	假设@10:45 自动（未用传感器）
11:50	277	110.0	晴	假设@11:50 自动（未用传感器）
12:55	277	110.0	多云	假设@12:55 自动（未用传感器）
14:05	277	110.0	多云	假设@14:05 自动（未用传感器）
15:40	277	110.0	阴	假设@15:40 自动（未用传感器）
总计	2216.0（8次）	880.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（180.0：136.0），可能由于一阀多区不均匀
上次灌溉时长(277)与预期(224.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉136.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查







m=770, FV0=0



m=815, FV0=0



m=855, FV0=0



m=920, FV0=0

