




FgArea: [' 0']


NC11 P3-10


2025-06-12 (Day 71)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-10_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	294	150.0	2.888	多云	预期@06:55 未知程序 (未用传感器)
07:40	294	150.0	2.888	多云	预期@07:40 未知程序 (未用传感器)
08:25	294	150.0	2.888	多云	预期@08:25 未知程序 (未用传感器)
09:30	294	150.0	2.888	多云	预期@09:30 未知程序 (未用传感器)
10:20	294	150.0	2.888	多云	预期@10:20 未知程序 (未用传感器)
11:05	294	150.0	2.888	多云	预期@11:05 未知程序 (未用传感器)
11:50	294	150.0	2.888	多云	预期@11:50 未知程序 (未用传感器)
12:30	294	150.0	2.888	多云	预期@12:30 未知程序 (未用传感器)
13:15	294	150.0	2.888	多云	预期@13:15 未知程序 (未用传感器)
14:00	294	150.0	2.888	多云	预期@14:00 未知程序 (未用传感器)
14:45	294	150.0	2.888	多云	预期@14:45 未知程序 (未用传感器)
15:35	294	150.0	2.888	多云	预期@15:35 未知程序 (未用传感器)
16:35	294	150.0	2.888	多云	预期@16:35 未知程序 (未用传感器)
总计	3822.0 (13次)	1950.0			建议进液EC: 2080.0, PH: 5.7




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	283	150.0	2.888	晴	假设@07:05 自动 (未用传感器)
07:45	283	150.0	2.888	晴	假设@07:45 自动 (未用传感器)
08:50	283	150.0	2.888	晴	假设@08:50 自动 (未用传感器)
09:35	283	150.0	2.888	晴	假设@09:35 自动 (未用传感器)
10:20	283	150.0	2.888	晴	假设@10:20 自动 (未用传感器)
11:00	283	150.0	2.888	晴	假设@11:00 自动 (未用传感器)
11:35	283	150.0	2.888	晴	假设@11:35 自动 (未用传感器)
12:05	283	150.0	2.888	晴	假设@12:05 自动 (未用传感器)
12:40	283	150.0	2.888	晴	假设@12:40 自动 (未用传感器)
13:15	283	150.0	2.888	晴	假设@13:15 自动 (未用传感器)
13:50	283	150.0	2.888	晴	假设@13:50 自动 (未用传感器)
14:25	283	150.0	2.888	晴	假设@14:25 自动 (未用传感器)
15:00	283	150.0	2.888	晴	假设@15:00 自动 (未用传感器)
15:40	283	150.0	2.888	晴	假设@15:40 自动 (未用传感器)
16:25	283	150.0	2.888	晴	假设@16:25 自动 (未用传感器)
17:30	283	150.0	2.888	晴	假设@17:30 自动 (未用传感器)
总计	4528.0 (16次)	2400.0			建议进液EC: 2080.0, PH: 5.8


施肥机灌溉量与预期值不符 (184.0 : 153.0)，可能由于一阀多区不均匀
默认实际灌溉153.0 ml.
进回液EC差 (1847.0 vs 3877.0) 过高









m=890, FV0=0




m=930, FV0=0




m=975, FV0=0




m=1035, FV0=0








时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	283	150.0	2.888	晴	假设@07:05 自动 (未用传感器)
07:45	283	150.0	2.888	晴	假设@07:45 自动 (未用传感器)
08:25	283	150.0	2.888	晴	假设@08:25 自动 (未用传感器)
09:10	283	150.0	2.888	晴	假设@09:10 自动 (未用传感器)
10:05	283	150.0	2.888	晴	假设@10:05 自动 (未用传感器)
10:55	283	150.0	2.888	晴	假设@10:55 自动 (未用传感器)
11:35	283	150.0	2.888	晴	假设@11:35 自动 (未用传感器)
12:15	283	150.0	2.888	晴	假设@12:15 自动 (未用传感器)
12:55	283	150.0	2.888	晴	假设@12:55 自动 (未用传感器)
13:30	283	150.0	2.888	晴	假设@13:30 自动 (未用传感器)
14:10	283	150.0	2.888	晴	假设@14:10 自动 (未用传感器)
14:50	283	150.0	2.888	晴	假设@14:50 自动 (未用传感器)
15:30	283	150.0	2.888	晴	假设@15:30 自动 (未用传感器)
16:20	283	150.0	2.888	晴	假设@16:20 自动 (未用传感器)
17:20	283	150.0	2.888	晴	假设@17:20 自动 (未用传感器)
总计	4245.0 (15次)	2250.0			建议进液EC: 2080.0, PH: 6.0

施肥机灌溉量与预期值不符 (184.0 : 150.0)，可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
进回液EC差 (1887.0 vs 4143.0) 过高












时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:40	283	150.0	2.888	阴	假设@05:40 自动 (未用传感器)
06:40	283	150.0	2.888	阴	假设@06:40 自动 (未用传感器)
08:15	283	150.0	2.888	多云	假设@08:15 自动 (未用传感器)
10:00	283	150.0	2.888	多云	假设@10:00 自动 (未用传感器)
11:05	283	150.0	2.888	多云	假设@11:05 自动 (未用传感器)
12:05	283	150.0	2.888	多云	假设@12:05 自动 (未用传感器)
13:15	283	150.0	2.888	小雨	假设@13:15 自动 (未用传感器)
14:00	283	150.0	2.888	阴	假设@14:00 自动 (未用传感器)
14:45	283	150.0	2.888	阴	假设@14:45 自动 (未用传感器)
16:00	283	150.0	2.888	多云	假设@16:00 自动 (未用传感器)
总计	2830.0 (10次)	1500.0			建议进液EC: 2080.0, PH: 6.0

施肥机灌溉量与预期值不符 (184.0 : 153.0)，可能由于一阀多区不均匀
默认实际灌溉153.0 ml.
进回液EC差 (1897.0 vs 4205.0) 过高







m=525, FV0=0




m=615, FV0=0




m=670, FV0=0




m=715, FV0=0




m=765, FV0=0




m=830, FV0=0




m=865, FV0=0




m=910, FV0=0




m=965, FV0=0




m=1020, FV0=0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:05	283	150.0	2.888	晴	假设@07:05 自动 (未用传感器)
07:40	283	150.0	2.888	晴	假设@07:40 自动 (未用传感器)
08:15	283	150.0	2.888	晴	假设@08:15 自动 (未用传感器)
09:00	283	150.0	2.888	晴	假设@09:00 自动 (未用传感器)
09:40	283	150.0	2.888	晴	假设@09:40 自动 (未用传感器)
10:20	283	150.0	2.888	晴	假设@10:20 自动 (未用传感器)
10:55	283	150.0	2.888	晴	假设@10:55 自动 (未用传感器)
11:30	283	150.0	2.888	晴	假设@11:30 自动 (未用传感器)
12:00	283	150.0	2.888	晴	假设@12:00 自动 (未用传感器)
12:35	283	150.0	2.888	晴	假设@12:35 自动 (未用传感器)
13:10	283	150.0	2.888	晴	假设@13:10 自动 (未用传感器)
13:45	283	150.0	2.888	晴	假设@13:45 自动 (未用传感器)
14:20	283	150.0	2.888	晴	假设@14:20 自动 (未用传感器)
14:55	283	150.0	2.888	晴	假设@14:55 自动 (未用传感器)
15:30	283	150.0	2.888	晴	假设@15:30 自动 (未用传感器)
16:05	283	150.0	2.888	晴	假设@16:05 自动 (未用传感器)
16:55	283	150.0	2.888	晴	假设@16:55 自动 (未用传感器)
总计	4811.0 (17次)	2550.0			建议进液EC: 2080.0, PH: 6.0


施肥机灌溉量与预期值不符 (184.0 : 153.0)，可能由于一阀多区不均匀
默认实际灌溉153.0 ml.
进回液EC差 (1927.0 vs 3885.0) 过高









m=840, FV0=0




m=870, FV0=0




m=900, FV0=0



m=935, FV0=0



m=970, FV0=0



m=1005, FV0=0

