




FgArea: [' 0']


NC11 P3-10


2025-06-16 (Day 75)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o', ' PH0:g-o']]





Trend plot forP3-10_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:45	294	150.0	2.888	小雨	预期@07:45 未知程序（未用传感器）
08:30	294	150.0	2.888	小雨	预期@08:30 未知程序（未用传感器）
09:15	294	150.0	2.888	小雨	预期@09:15 未知程序（未用传感器）
10:00	294	150.0	2.888	小雨	预期@10:00 未知程序（未用传感器）
10:50	294	150.0	2.888	小雨	预期@10:50 未知程序（未用传感器）
11:35	294	150.0	2.888	小雨	预期@11:35 未知程序（未用传感器）
12:20	294	150.0	2.888	小雨	预期@12:20 未知程序（未用传感器）
13:05	294	150.0	2.888	小雨	预期@13:05 未知程序（未用传感器）
13:50	294	150.0	2.888	小雨	预期@13:50 未知程序（未用传感器）
14:35	294	150.0	2.888	小雨	预期@14:35 未知程序（未用传感器）
15:25	294	150.0	2.888	小雨	预期@15:25 未知程序（未用传感器）
16:20	294	150.0	2.888	小雨	预期@16:20 未知程序（未用传感器）
总计	3528.0（12次）	1800.0			建议进液EC：2200， PH：5.6


模型建议今天进液PH 5.6，由于施肥机不支持自动调控PH，请手动调整
昨天进回液EC数据缺失.
模型建议今天进液EC 2200.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
09:05	288	150.0	2.888	阴	假设@09:05 自动（未用传感器）
10:05	288	150.0	2.888	多云	假设@10:05 自动（未用传感器）
总计	576.0（2次）	300.0			建议进液EC: 2200, PH: 5.6


施肥机灌溉量与预期值不符（187.0 : 153.0），可能由于一阀多区不均匀
默认实际灌溉153.0 ml.
模型建议今天进液PH 5.6，由于施肥机不支持自动调控PH，请手动调整
模型建议今天进液EC 2200.0



m=550, FV0=0




m=610, FV0=0




m


m=610, FV0=0




m=610, FV0=0



m





m




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:55	283	150.0	2.888	雾	假设@07:55 自动（未用传感器）
08:55	283	150.0	2.888	阴	假设@08:55 自动（未用传感器）
09:55	283	150.0	2.888	阴	假设@09:55 自动（未用传感器）
11:10	283	150.0	2.888	阴	假设@11:10 自动（未用传感器）
12:20	283	150.0	2.888	阴	假设@12:20 自动（未用传感器）
总计	1415.0（5次）	750.0			建议进液EC: 2200, PH: 5.6

施肥机灌溉量与预期值不符（184.0 : 150.0），可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
模型建议今天进液PH 5.6，由于施肥机不支持自动调控PH，请手动调整
模型建议今天进液EC 2200.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:55	283	150.0	2.888	阴	假设@05:55 自动（未用传感器）
06:55	283	150.0	2.888	多云	假设@06:55 自动（未用传感器）
08:00	283	150.0	2.888	多云	假设@08:00 自动（未用传感器）
10:00	283	150.0	2.888	阴	假设@10:00 自动（未用传感器）
12:40	283	150.0	2.888	阴	假设@12:40 自动（未用传感器）
13:40	283	150.0	2.888	阴	假设@13:40 自动（未用传感器）
14:40	283	150.0	2.888	阴	假设@14:40 自动（未用传感器）
总计	1981.0（7次）	1050.0			建议进液EC: 2190， PH: 5.6

施肥机灌溉量与预期值不符（184.0 : 150.0），可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
模型建议今天进液PH 5.6，由于施肥机不支持自动调控PH，请手动调整
进回液EC差(1760.0 vs 3330.0) 过高
模型建议今天进液EC 2194.0







m=825, FV0=0




m=875, FV0=0




m=915, FV0=0




m=1075, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:25	283	150.0	2.888	阴	假设@06:25 自动（未用传感器）
07:25	283	150.0	2.888	阴	假设@07:25 自动（未用传感器）
10:00	283	150.0	2.888	多云	假设@10:00 自动（未用传感器）
13:20	283	150.0	2.888	阴	假设@13:20 自动（未用传感器）
14:10	283	150.0	2.888	阴	假设@14:10 自动（未用传感器）
15:10	283	150.0	2.888	多云	假设@15:10 自动（未用传感器）
总计	1698.0（6次）	900.0			建议进液EC: 2130, PH: 5.7

施肥机灌溉量与预期值不符（184.0 : 153.0），可能由于一阀多区不均匀
默认实际灌溉153.0 ml.
模型建议今天进液PH 5.68，由于施肥机不支持自动调控PH，请手动调整
进回液EC差(1803.0 vs 3560.0) 过高
模型建议今天进液EC 2126.0





$m=925$, $FV0=0$



$m=985$, $FV0=0$

