




FgArea: [' 0']


NC11 P3-10


2025-04-10 (Day 8)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt ']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-10_0







P3-10_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:40	125	50.0	晴	预期@09:40（未用传感器）
总计	125.0（1次）	50.0		建议进液EC：1840.0， PH： 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
16:35	120	50.0	晴	假设@16:35（未用传感器）
总计	120.0（1次）	50.0		建议进液EC：2000.0， PH： 6.0

上次灌溉时长(120.0)与预期(106.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
进回液EC差(2155.0 vs 2980.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	多云	假设@06:40（未用传感器）
07:40	120	50.0	多云	假设@07:40（未用传感器）
10:20	120	50.0	晴	假设@10:20（未用传感器）
12:35	120	50.0	多云	假设@12:35（未用传感器）
总计	480.0（4次）	200.0		建议进液EC：2000.0， PH： 6.3

上次灌溉时长(120.0)与预期(93.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉65.0 ml.
进回液EC差(2140.0 vs 2945.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	120	50.0	阴	假设@01:00 (未用传感器)
02:00	120	50.0	阴	假设@02:00 (未用传感器)
03:00	120	50.0	阴	假设@03:00 (未用传感器)
08:35	120	50.0	多云	假设@08:35 (未用传感器)
10:15	120	50.0	多云	假设@10:15 (未用传感器)
11:35	120	50.0	晴	假设@11:35 (未用传感器)
12:55	120	50.0	晴	假设@12:55 (未用传感器)
14:25	120	50.0	晴	假设@14:25 (未用传感器)
总计	960.0 (8次)	400.0		建议进液EC: 1900.0, PH: 6.5

上次灌溉时长(120.0)与预期(91.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40 (未用传感器)
07:40	120	50.0	多云	假设@07:40 (未用传感器)
08:40	120	50.0	晴	假设@08:40 (未用传感器)
10:05	120	50.0	晴	假设@10:05 (未用传感器)
11:05	120	50.0	晴	假设@11:05 (未用传感器)
12:10	120	50.0	晴	假设@12:10 (未用传感器)
13:20	120	50.0	晴	假设@13:20 (未用传感器)
14:45	120	50.0	多云	假设@14:45 (未用传感器)
总计	960.0 (8次)	400.0		建议进液EC: 1900.0, PH: 6.3

上次灌溉时长(120.0)与预期(91.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.

