




FgArea: [' 0']


NC11 P3-12


2025-04-04 (Day 2)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]



Plot [[' FVOPH:r-o' , ' PH0:g-o']]



Trend plot forP3-12_0



FgDaily


d


0.0 -


1.0 -


PH执行 进液EC 回液PH 设置EC 设置PH 进液PH 进回液EC差 回液EC EC执行 进回液PH差 母液EC 母液PH 排灌比 进液量比较 scSum













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	98	50.0	晴	预期@06:45 (未用传感器)
08:50	98	50.0	阴	预期@08:50 (未用传感器)
10:35	98	50.0	阴	预期@10:35 (未用传感器)
12:00	98	50.0	晴	预期@12:00 (未用传感器)
13:20	98	50.0	晴	预期@13:20 (未用传感器)
14:55	98	50.0	晴	预期@14:55 (未用传感器)
总计	588.0 (6次)	300.0		建议进液EC: 1560.0, PH: 5.6





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:10	210	50.0	晴	假设@09:10（未用传感器）
10:25	210	50.0	晴	假设@10:25（未用传感器）
12:30	210	50.0	晴	假设@12:30（未用传感器）
总计	630.0（3次）	150.0		建议进液EC：1560.0， PH： 5.6

上次灌溉时长(210.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉116.0 ml.
large discrepency for begining water status (15:111.0)， set to 35.0 ml.
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

