




FgArea: [' 0']

NC11 P3-12


2025-05-06 (Day 34)










1 VI vs Du









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-12_0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	176	90.0	晴	预期@08:45 未知程序（未用传感器）
09:45	176	90.0	晴	预期@09:45 未知程序（未用传感器）
10:55	176	90.0	晴	预期@10:55 未知程序（未用传感器）
12:05	176	90.0	晴	预期@12:05 未知程序（未用传感器）
13:10	176	90.0	晴	预期@13:10 未知程序（未用传感器）
14:20	176	90.0	晴	预期@14:20 未知程序（未用传感器）
15:45	176	90.0	晴	预期@15:45 未知程序（未用传感器）
总计	1232.0（7次）	630.0		建议进液EC：2080.0， PH： 6.0












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
15:45	250	90.0	阴	假设@15:45 自动（未用传感器）
总计	250.0（1次）	90.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（162.0 ： 128.0），可能由于一阀多区不均匀
上次灌溉时长(250)与预期(176.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉128.0 ml.
large discrepancy for begining water status (64:162.0)， set to 64 ml.
昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查

























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:15	277	80.0	多云	假设@07:15 自动（未用传感器）
08:15	277	80.0	多云	假设@08:15 自动（未用传感器）
09:20	277	80.0	多云	假设@09:20 自动（未用传感器）
10:25	277	80.0	多云	假设@10:25 自动（未用传感器）
11:25	277	80.0	晴	假设@11:25 自动（未用传感器）
12:25	277	80.0	多云	假设@12:25 自动（未用传感器）
13:25	277	80.0	多云	假设@13:25 自动（未用传感器）
14:25	277	80.0	多云	假设@14:25 自动（未用传感器）
16:00	277	80.0	阴	假设@16:00 自动（未用传感器）
总计	2493.0（9次）	720.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（180.0：138.0），可能由于一阀多区不均匀
上次灌溉时长(277)与预期(160.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉138.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查







$m=770$, $FV0=0$




$m=815$, $FV0=0$




$m=855$, $FV0=0$




$m=920$, $FV0=0$





















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:35	250	100.0	晴	假设@08:35 自动（未用传感器）
09:35	250	100.0	晴	假设@09:35 自动（未用传感器）
10:35	250	100.0	晴	假设@10:35 自动（未用传感器）
11:35	250	100.0	晴	假设@11:35 自动（未用传感器）
12:45	250	100.0	晴	假设@12:45 自动（未用传感器）
14:05	250	100.0	晴	假设@14:05 自动（未用传感器）
16:00	250	100.0	晴	假设@16:00 自动（未用传感器）
总计	1750.0（7次）	700.0		建议进液EC: 2080.0, PH: 5.8

施肥机灌溉量与预期值不符（162.0：125.0），可能由于一阀多区不均匀
上次灌溉时长(250)与预期(200.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉125.0 ml.
large discrepancy for begining water status (70:216.0), set to 70 ml.
昨天灌溉EC（2595.0）与设定EC（2000.0）偏差较大，请检查







m=775, FV0=0




m=820, FV0=0




m=890, FV0=0



m=995, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:15	255	100.0	阴	假设@09:15 自动（未用传感器）
11:20	255	100.0	阴	假设@11:20 自动（未用传感器）
13:35	255	100.0	阴	假设@13:35 自动（未用传感器）
总计	765.0（3次）	300.0		建议进液EC: 2080.0, PH: 5.7

施肥机灌溉量与预期值不符（166.0 ： 122.0），可能由于一阀多区不均匀
上次灌溉时长(255)与预期(208.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉122.0 ml.
昨天灌溉EC（2700.0）与设定EC（2000.0）偏差较大，请检查

