




FgArea: [' 0']

NC11 P3-12

2025-05-09 (Day 37)







1 VI vs Du

1400

1200

1000

800

600

400

200

0

500


1000


1500


2000

2500


DU









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcI', 'optETcI'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forP3-12_0





FgDaily








P3-12_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	189	100.0	雨	预期@08:55 未知程序（未用传感器）
10:20	189	100.0	雨	预期@10:20 未知程序（未用传感器）
11:40	189	100.0	雨	预期@11:40 未知程序（未用传感器）
12:55	189	100.0	雨	预期@12:55 未知程序（未用传感器）
14:20	189	100.0	雨	预期@14:20 未知程序（未用传感器）
总计	945.0 (5次)	500.0		建议进液EC: 2080.0, PH: 6.0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	288	100.0	多云	假设@08:05 自动（未用传感器）
09:20	288	100.0	多云	假设@09:20 自动（未用传感器）
10:50	288	100.0	多云	假设@10:50 自动（未用传感器）
12:05	288	100.0	晴	假设@12:05 自动（未用传感器）
13:20	288	100.0	多云	假设@13:20 自动（未用传感器）
总计	1440.0（5次）	500.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（187.0 ： 150.0），可能由于一阀多区不均匀
上次灌溉时长(288)与预期(192.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉150.0 ml.
昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查







$m=905$, $FV0=0$




$m=1010$, $FV0=0$






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	288	100.0	多云	假设@09:00 自动（未用传感器）
10:00	288	100.0	晴	假设@10:00 自动（未用传感器）
11:10	288	100.0	晴	假设@11:10 自动（未用传感器）
12:25	288	100.0	晴	假设@12:25 自动（未用传感器）
13:35	288	100.0	晴	假设@13:35 自动（未用传感器）
14:55	288	100.0	晴	假设@14:55 自动（未用传感器）
总计	1728.0（6次）	600.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（187.0：150.0），可能由于一阀多区不均匀
上次灌溉时长(288)与预期(192.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉150.0 ml.
large discrepancy for begining water status (40:143.0)，set to 40 ml.
昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查







$m=885$, $FV0=0$




$m=925$, $FV0=0$






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	250	80.0	晴	假设@07:45 自动（未用传感器）
08:45	250	80.0	晴	假设@08:45 自动（未用传感器）
09:55	250	80.0	晴	假设@09:55 自动（未用传感器）
11:00	250	80.0	晴	假设@11:00 自动（未用传感器）
12:05	250	80.0	晴	假设@12:05 自动（未用传感器）
13:15	250	80.0	晴	假设@13:15 自动（未用传感器）
14:25	250	80.0	多云	假设@14:25 自动（未用传感器）
15:30	250	80.0	多云	假设@15:30 自动（未用传感器）
总计	2000.0（8次）	640.0		建议进液EC：2080.0， PH： 6.0


施肥机灌溉量与预期值不符（162.0：130.0），可能由于一阀多区不均匀
上次灌溉时长(250)与预期(154.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉130.0 ml.
昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查




m=805, FV0=0




m=860, FV0=0




m=950, FV0=0



m=975, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
16:05	250	90.0	阴	假设@16:05 自动（未用传感器）
总计	250.0（1次）	90.0		建议进液EC: 2080.0, PH: 6.0

施肥机灌溉量与预期值不符（162.0：128.0），可能由于一阀多区不均匀
上次灌溉时长(250)与预期(176.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉128.0 ml.
large discrepancy for begining water status (64:162.0), set to 64 ml.
昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查

