




FgArea: [' 0']


NC11 P3-12


2025-04-08 (Day 6)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-12_0





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	91	50.0	晴	预期@06:35 (未用传感器)
07:35	91	50.0	晴	预期@07:35 (未用传感器)
08:35	91	50.0	晴	预期@08:35 (未用传感器)
10:20	91	50.0	晴	预期@10:20 (未用传感器)
11:40	91	50.0	晴	预期@11:40 (未用传感器)
12:55	91	50.0	晴	预期@12:55 (未用传感器)
14:20	91	50.0	晴	预期@14:20 (未用传感器)
总计	637.0 (7次)	350.0		建议进液EC: 2000.0, PH: 6.3




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	多云	假设@06:40（未用传感器）
07:40	120	50.0	多云	假设@07:40（未用传感器）
08:40	120	50.0	多云	假设@08:40（未用传感器）
10:15	120	50.0	多云	假设@10:15（未用传感器）
11:40	120	50.0	晴	假设@11:40（未用传感器）
13:05	120	50.0	晴	假设@13:05（未用传感器）
14:35	120	50.0	晴	假设@14:35（未用传感器）
总计	840.0（7次）	350.0		建议进液EC：1954.0， PH：6.5

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40（未用传感器）
07:40	120	50.0	多云	假设@07:40（未用传感器）
09:40	120	50.0	晴	假设@09:40（未用传感器）
11:10	120	50.0	晴	假设@11:10（未用传感器）
12:45	120	50.0	晴	假设@12:45（未用传感器）
14:05	120	50.0	多云	假设@14:05（未用传感器）
总计	720.0（6次）	300.0		建议进液EC：1900.0， PH： 6.3

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	180	50.0	晴	假设@06:45（未用传感器）
07:45	180	50.0	晴	假设@07:45（未用传感器）
09:45	180	50.0	晴	假设@09:45（未用传感器）
11:00	180	50.0	晴	假设@11:00（未用传感器）
12:20	180	50.0	晴	假设@12:20（未用传感器）
13:30	180	50.0	晴	假设@13:30（未用传感器）
14:40	180	50.0	晴	假设@14:40（未用传感器）
总计	1260.0（7次）	350.0		建议进液EC: 1560.0， PH: 5.8

上次灌溉时长(180.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉99.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	210	50.0	多云	假设@08:45 (未用传感器)
10:00	210	50.0	阴	假设@10:00 (未用传感器)
11:25	210	50.0	阴	假设@11:25 (未用传感器)
13:30	210	50.0	阴	假设@13:30 (未用传感器)
15:15	210	50.0	多云	假设@15:15 (未用传感器)
总计	1050.0 (5次)	250.0		建议进液EC: 1560.0, PH: 5.6

上次灌溉时长 (210.0) 与预期 (91.0) 不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉116.0 ml.
large discrepancy for begining water status (15:111.0), set to 35.0 ml.

