




FgArea: [' 0']


NC11 P3-12


2025-04-10 (Day 8)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P3-12_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	114	50.0	晴	假设@01:00 (未用传感器)
02:00	114	50.0	晴	假设@02:00 (未用传感器)
03:00	114	50.0	晴	预期@03:00 (未用传感器)
总计	342.0 (3次)	150.0		建议进液EC: 1948.0, PH: 6.0














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:35	120	50.0	阴	假设@07:35（未用传感器）
14:55	120	50.0	晴	假设@14:55（未用传感器）
总计	240.0（2次）	100.0		建议进液EC：2000.0， PH： 6.0

上次灌溉时长(120.0)与预期(98.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉61.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:55	120	50.0	多云	假设@06:55（未用传感器）
总计	120.0（1次）	50.0		建议进液EC：2000.0， PH： 6.3

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:55	120	50.0	多云	假设@06:55（未用传感器）
07:55	120	50.0	多云	假设@07:55（未用传感器）
总计	240.0（2次）	100.0		建议进液EC：1900.0， PH： 6.5

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40（未用传感器）
总计	120.0（1次）	50.0		建议进液EC：1900.0， PH： 6.3

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.

