





FgArea: [' 0']
NC11 P3-13
2025-05-21 (Day 51)










1 VI vs Du









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P3-13 0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:30	319	150.0	晴	预期@07:30 未知程序 (未用传感器)
07:55	319	150.0	晴	预期@07:55 未知程序 (未用传感器)
09:10	319	150.0	晴	预期@09:10 未知程序 (未用传感器)
10:10	319	150.0	晴	预期@10:10 未知程序 (未用传感器)
11:00	319	150.0	晴	预期@11:00 未知程序 (未用传感器)
11:50	319	150.0	晴	预期@11:50 未知程序 (未用传感器)
12:35	319	150.0	晴	预期@12:35 未知程序 (未用传感器)
13:20	319	150.0	晴	预期@13:20 未知程序 (未用传感器)
14:10	319	150.0	晴	预期@14:10 未知程序 (未用传感器)
15:05	319	150.0	晴	预期@15:05 未知程序 (未用传感器)
16:10	319	150.0	晴	预期@16:10 未知程序 (未用传感器)
总计	3509.0 (11次)	1650.0		建议进液EC: 2080.0, PH: 5.6


昨天进回液EC数据缺失。
回液EC 5630.0 太高，建议用低EC肥液冲洗基质
进回液EC差 (2040.0 vs 5630.0) 过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:00	294	150.0	晴	假设@08:00 自动 (未用传感器)
08:30	294	150.0	晴	假设@08:30 自动 (未用传感器)
09:20	294	150.0	晴	假设@09:20 自动 (未用传感器)
10:00	294	150.0	晴	假设@10:00 自动 (未用传感器)
10:35	294	150.0	晴	假设@10:35 自动 (未用传感器)
11:15	294	150.0	晴	假设@11:15 自动 (未用传感器)
12:15	294	150.0	晴	假设@12:15 自动 (未用传感器)
13:05	294	150.0	晴	假设@13:05 自动 (未用传感器)
13:55	294	150.0	晴	假设@13:55 自动 (未用传感器)
15:25	294	150.0	多云	假设@15:25 自动 (未用传感器)
总计	2940.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 5.6


施肥机灌溉量与预期值不符 (191.0 : 138.0), 可能由于一阀多区不均匀
默认实际灌溉138.0 ml.
回液EC 5825.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2285.0 vs 5825.0) 过高




m=445, FV0=0




m=550, FV0=0




m=610, FV0=0




m=710, FV0=0



m=765, FV0=0




m=825, FV0=0




m


m=660, FV0=0




m=445, FV0=0




m=550, FV0=0




m=660, FV0=0



m=710, FV0=0







m=765, FV0=0




m

m


m




$m=825$, $FV0=0$




$m=940$, $FV0=0$





















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	294	150.0	阴	假设@07:10 自动 (未用传感器)
07:35	294	150.0	阴	假设@07:35 自动 (未用传感器)
08:30	294	150.0	多云	假设@08:30 自动 (未用传感器)
09:15	294	150.0	多云	假设@09:15 自动 (未用传感器)
09:55	294	150.0	多云	假设@09:55 自动 (未用传感器)
10:30	294	150.0	多云	假设@10:30 自动 (未用传感器)
11:10	294	150.0	晴	假设@11:10 自动 (未用传感器)
12:05	294	150.0	晴	假设@12:05 自动 (未用传感器)
13:00	294	150.0	晴	假设@13:00 自动 (未用传感器)
13:45	294	150.0	晴	假设@13:45 自动 (未用传感器)
15:00	294	150.0	晴	假设@15:00 自动 (未用传感器)
16:00	294	150.0	晴	假设@16:00 自动 (未用传感器)
总计	3528.0 (12次)	1800.0		建议进液EC: 2080.0, PH: 5.6

施肥机灌溉量与预期值不符 (191.0 : 138.0), 可能由于一阀多区不均匀
默认实际灌溉138.0 ml.
昨天灌溉EC (2535.0) 与设定EC (2000.0) 偏差较大, 请检查
回液EC 6265.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2535.0 vs 6265.0) 过高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:00	300	150.0	多云	假设@08:00 自动（未用传感器）
08:30	300	150.0	多云	假设@08:30 自动（未用传感器）
09:50	300	150.0	多云	假设@09:50 自动（未用传感器）
11:10	300	150.0	晴	假设@11:10 自动（未用传感器）
12:30	300	150.0	晴	假设@12:30 自动（未用传感器）
13:50	300	150.0	多云	假设@13:50 自动（未用传感器）
15:05	300	150.0	多云	假设@15:05 自动（未用传感器）
总计	2100.0（7次）	1050.0		建议进液EC: 2080.0， PH: 5.6

施肥机灌溉量与预期值不符（195.0 : 141.0），可能由于一阀多区不均匀
默认实际灌溉141.0 ml.
昨天灌溉EC（2665.0）与设定EC（2000.0）偏差较大，请检查
回液EC 6190.0 太高，建议用低EC肥液冲洗基质
进回液EC差 (2665.0 vs 6190.0) 过高







m=885, FV0=0




m=935, FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:50	294	150.0	多云	假设@07:50 自动（未用传感器）
08:15	294	150.0	多云	假设@08:15 自动（未用传感器）
09:20	294	150.0	多云	假设@09:20 自动（未用传感器）
10:15	294	150.0	多云	假设@10:15 自动（未用传感器）
11:20	294	150.0	晴	假设@11:20 自动（未用传感器）
12:35	294	150.0	晴	假设@12:35 自动（未用传感器）
13:35	294	150.0	晴	假设@13:35 自动（未用传感器）
14:45	294	150.0	晴	假设@14:45 自动（未用传感器）
总计	2352.0（8次）	1200.0		建议进液EC: 2080.0, PH: 5.6

施肥机灌溉量与预期值不符（191.0 : 141.0），可能由于一阀多区不均匀
默认实际灌溉141.0 ml.
昨天灌溉EC（2660.0）与设定EC（2000.0）偏差较大，请检查
回液EC 5730.0 太高，建议用低EC肥液冲洗基质
进回液EC差 (2660.0 vs 5730.0) 过高



$m=865$, $FV0=0$



$m=925$, $FV0=0$

