




FgArea: [' 0']


NC11 P3-13


2025-04-08 (Day 8)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-13_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
04:55	200	80.0	晴	预期@04:55 (未用传感器)
05:55	200	80.0	晴	预期@05:55 (未用传感器)
06:55	200	80.0	晴	预期@06:55 (未用传感器)
08:30	200	80.0	晴	预期@08:30 (未用传感器)
09:55	200	80.0	晴	预期@09:55 (未用传感器)
11:00	200	80.0	晴	预期@11:00 (未用传感器)
12:00	200	80.0	晴	预期@12:00 (未用传感器)
13:00	200	80.0	晴	预期@13:00 (未用传感器)
14:00	200	80.0	晴	预期@14:00 (未用传感器)
15:10	200	80.0	晴	预期@15:10 (未用传感器)
总计	2000.0 (10次)	800.0		建议进液EC: 1848.0, PH: 6.3







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
05:55	120	70.0	多云	假设@05:55（未用传感器）
06:50	120	70.0	多云	假设@06:50（未用传感器）
07:45	120	70.0	多云	假设@07:45（未用传感器）
08:40	120	70.0	多云	假设@08:40（未用传感器）
09:35	120	70.0	多云	假设@09:35（未用传感器）
10:25	120	70.0	多云	假设@10:25（未用传感器）
11:15	120	70.0	晴	假设@11:15（未用传感器）
12:25	120	70.0	晴	假设@12:25（未用传感器）
13:45	120	70.0	晴	假设@13:45（未用传感器）
15:00	120	70.0	晴	假设@15:00（未用传感器）
总计	1200.0（10次）	700.0		建议进液EC：1900.0， PH：6.4

施肥机灌溉量与预期值不符（66.0：50.0），可能由于一阀多区不均匀
上次灌溉时长(120.0)与预期(167.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉50.0 ml.
进回液EC差 (2105.0 vs 2935.0) 偏高
























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	60.0	晴	假设@06:40（未用传感器）
07:35	120	60.0	多云	假设@07:35（未用传感器）
08:30	120	60.0	晴	假设@08:30（未用传感器）
09:25	120	60.0	晴	假设@09:25（未用传感器）
10:15	120	60.0	晴	假设@10:15（未用传感器）
11:05	120	60.0	晴	假设@11:05（未用传感器）
12:05	120	60.0	晴	假设@12:05（未用传感器）
13:25	120	60.0	晴	假设@13:25（未用传感器）
14:45	120	60.0	多云	假设@14:45（未用传感器）
16:10	120	60.0	多云	假设@16:10（未用传感器）
总计	1200.0（10次）	600.0		建议进液EC：1900.0， PH： 6.1

施肥机灌溉量与预期值不符（66.0：54.0），可能由于一阀多区不均匀
上次灌溉时长(120.0)与预期(133.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉54.0 ml.























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	180	70.0	晴	假设@06:45（未用传感器）
07:25	180	70.0	晴	假设@07:25（未用传感器）
08:05	180	70.0	晴	假设@08:05（未用传感器）
09:00	180	70.0	晴	假设@09:00（未用传感器）
09:45	180	70.0	晴	假设@09:45（未用传感器）
10:25	180	70.0	晴	假设@10:25（未用传感器）
11:05	180	70.0	晴	假设@11:05（未用传感器）
12:00	180	70.0	晴	假设@12:00（未用传感器）
13:10	180	70.0	晴	假设@13:10（未用传感器）
14:10	180	70.0	晴	假设@14:10（未用传感器）
14:55	180	70.0	晴	假设@14:55（未用传感器）
15:50	180	70.0	晴	假设@15:50（未用传感器）
总计	2160.0（12次）	840.0		建议进液EC: 1560.0, PH: 6.0

上次灌溉时长(180.0)与预期(152.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉83.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	70.0	多云	假设@06:45（未用传感器）
07:40	210	70.0	多云	假设@07:40（未用传感器）
09:05	210	70.0	阴	假设@09:05（未用传感器）
09:55	210	70.0	阴	假设@09:55（未用传感器）
10:45	210	70.0	阴	假设@10:45（未用传感器）
11:30	210	70.0	阴	假设@11:30（未用传感器）
12:30	210	70.0	阴	假设@12:30（未用传感器）
13:40	210	70.0	阴	假设@13:40（未用传感器）
14:40	210	70.0	多云	假设@14:40（未用传感器）
15:40	210	70.0	多云	假设@15:40（未用传感器）
总计	2100.0（10次）	700.0		建议进液EC：1560.0， PH： 6.0

上次灌溉时长(210.0)与预期(146.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉101.0 ml.

