




FgArea: [' 0']


NC11 P3-13


2025-04-09 (Day 9)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot for P3-13_0





FgDaily








P3-13_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	128	50.0	阴	假设@01:00 (未用传感器)
02:00	128	50.0	阴	假设@02:00 (未用传感器)
03:15	128	50.0	阴	预期@03:15 (未用传感器)
09:40	128	50.0	阴	预期@09:40 (未用传感器)
12:05	128	50.0	阴	预期@12:05 (未用传感器)
总计	640.0 (5次)	250.0		建议进液EC: 1840.0, PH: 6.0


unusual large postFgEt from yesterday (171), set to 150.0 ml.
进回液EC差 (2155.0 vs 3135.0) 偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	120	50.0	晴	假设@01:00（未用传感器）
02:00	120	50.0	晴	假设@02:00（未用传感器）
03:00	120	50.0	多云	假设@03:00（未用传感器）
08:10	120	50.0	多云	假设@08:10（未用传感器）
09:15	120	50.0	晴	假设@09:15（未用传感器）
10:15	120	50.0	晴	假设@10:15（未用传感器）
11:15	120	50.0	多云	假设@11:15（未用传感器）
12:20	120	50.0	多云	假设@12:20（未用传感器）
13:35	120	50.0	多云	假设@13:35（未用传感器）
15:00	120	50.0	阴	假设@15:00（未用传感器）
总计	1200.0（10次）	500.0		建议进液EC：1848.0， PH： 6.3

施肥机灌溉量与预期值不符（66.0：50.0），可能由于一阀多区不均匀
默认实际灌溉50.0 ml.
unusual large postFgEt from yesterday (167), set to 150.0 ml.
进回液EC差 (2140.0 vs 3045.0) 偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	70.0	多云	假设@06:40 (未用传感器)
07:30	120	70.0	多云	假设@07:30 (未用传感器)
08:20	120	70.0	多云	假设@08:20 (未用传感器)
09:10	120	70.0	多云	假设@09:10 (未用传感器)
10:00	120	70.0	多云	假设@10:00 (未用传感器)
10:50	120	70.0	多云	假设@10:50 (未用传感器)
11:45	120	70.0	晴	假设@11:45 (未用传感器)
13:00	120	70.0	晴	假设@13:00 (未用传感器)
14:15	120	70.0	晴	假设@14:15 (未用传感器)
15:30	120	70.0	晴	假设@15:30 (未用传感器)
总计	1200.0 (10次)	700.0		建议进液EC: 1900.0, PH: 6.4

施肥机灌溉量与预期值不符 (66.0 : 50.0), 可能由于一阀多区不均匀
上次灌溉时长(120.0)与预期(167.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉50.0 ml.
进回液EC差 (2105.0 vs 2935.0) 偏高

























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	60.0	晴	假设@06:40（未用传感器）
07:35	120	60.0	多云	假设@07:35（未用传感器）
08:30	120	60.0	晴	假设@08:30（未用传感器）
09:25	120	60.0	晴	假设@09:25（未用传感器）
10:15	120	60.0	晴	假设@10:15（未用传感器）
11:05	120	60.0	晴	假设@11:05（未用传感器）
12:10	120	60.0	晴	假设@12:10（未用传感器）
13:30	120	60.0	晴	假设@13:30（未用传感器）
14:50	120	60.0	多云	假设@14:50（未用传感器）
16:20	120	60.0	多云	假设@16:20（未用传感器）
总计	1200.0（10次）	600.0		建议进液EC：1900.0， PH： 6.1

施肥机灌溉量与预期值不符（66.0：54.0），可能由于一阀多区不均匀
上次灌溉时长(120.0)与预期(133.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉54.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	180	70.0	晴	假设@06:45（未用传感器）
07:25	180	70.0	晴	假设@07:25（未用传感器）
08:05	180	70.0	晴	假设@08:05（未用传感器）
09:00	180	70.0	晴	假设@09:00（未用传感器）
09:45	180	70.0	晴	假设@09:45（未用传感器）
10:25	180	70.0	晴	假设@10:25（未用传感器）
11:05	180	70.0	晴	假设@11:05（未用传感器）
12:00	180	70.0	晴	假设@12:00（未用传感器）
13:10	180	70.0	晴	假设@13:10（未用传感器）
14:10	180	70.0	晴	假设@14:10（未用传感器）
14:55	180	70.0	晴	假设@14:55（未用传感器）
15:50	180	70.0	晴	假设@15:50（未用传感器）
总计	2160.0（12次）	840.0		建议进液EC: 1560.0, PH: 6.0

上次灌溉时长(180.0)与预期(152.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉83.0 ml.

