




FgArea: [' 0']


NC11 P3-14


2025-05-10 (Day 40)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]








Trend plot for P3-14 0
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:25	283	150.0	阴	预期@07:25 未知程序 (未用传感器)
08:20	283	150.0	阴	预期@08:20 未知程序 (未用传感器)
09:15	283	150.0	晴	预期@09:15 未知程序 (未用传感器)
10:05	283	150.0	晴	预期@10:05 未知程序 (未用传感器)
11:05	283	150.0	晴	预期@11:05 未知程序 (未用传感器)
11:55	283	150.0	晴	预期@11:55 未知程序 (未用传感器)
12:45	283	150.0	晴	预期@12:45 未知程序 (未用传感器)
13:35	283	150.0	晴	预期@13:35 未知程序 (未用传感器)
14:30	283	150.0	晴	预期@14:30 未知程序 (未用传感器)
15:35	283	150.0	晴	预期@15:35 未知程序 (未用传感器)
总计	2830.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC (2665.0) 与设定EC (2000.0) 偏差较大, 请检查










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:00	288	150.0	阴	假设@10:00 自动（未用传感器）
11:00	288	150.0	小雨	假设@11:00 自动（未用传感器）
12:00	288	150.0	小雨	假设@12:00 自动（未用传感器）
总计	864.0（3次）	450.0		建议进液EC: 2080.0, PH: 6.0

施肥机灌溉量与预期值不符（187.0 : 150.0），可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	288	150.0	多云	假设@07:00 自动（未用传感器）
08:35	288	150.0	多云	假设@08:35 自动（未用传感器）
10:35	288	150.0	多云	假设@10:35 自动（未用传感器）
12:00	288	150.0	晴	假设@12:00 自动（未用传感器）
13:10	288	150.0	多云	假设@13:10 自动（未用传感器）
14:20	288	150.0	多云	假设@14:20 自动（未用传感器）
总计	1728.0（6次）	900.0		建议进液EC：2080.0， PH：6.0

施肥机灌溉量与预期值不符（187.0：150.0），可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查







$m=905$, $FV0=0$




$m=1010$, $FV0=0$







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	288	150.0	晴	假设@08:30 自动（未用传感器）
09:30	288	150.0	多云	假设@09:30 自动（未用传感器）
10:45	288	150.0	晴	假设@10:45 自动（未用传感器）
12:05	288	150.0	晴	假设@12:05 自动（未用传感器）
13:10	288	150.0	晴	假设@13:10 自动（未用传感器）
14:25	288	150.0	晴	假设@14:25 自动（未用传感器）
15:35	288	150.0	晴	假设@15:35 自动（未用传感器）
总计	2016.0（7次）	1050.0		建议进液EC: 2080.0, PH: 6.0

施肥机灌溉量与预期值不符（187.0 : 150.0），可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差 (2575.0 vs 3410.0) 偏高







m=885, FV0=0




m=925, FV0=0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	250	130.0	晴	假设@07:10 自动（未用传感器）
08:10	250	130.0	晴	假设@08:10 自动（未用传感器）
09:50	250	130.0	晴	假设@09:50 自动（未用传感器）
11:15	250	130.0	晴	假设@11:15 自动（未用传感器）
12:35	250	130.0	晴	假设@12:35 自动（未用传感器）
13:35	250	130.0	晴	假设@13:35 自动（未用传感器）
14:35	250	130.0	多云	假设@14:35 自动（未用传感器）
15:50	250	130.0	多云	假设@15:50 自动（未用传感器）
总计	2000.0（8次）	1040.0		建议进液EC：2080.0， PH： 6.0

施肥机灌溉量与预期值不符（162.0：130.0），可能由于一阀多区不均匀
默认实际灌溉130.0 ml.
昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差 (2565.0 vs 3650.0) 偏高







m=805, FV0=0



m=860, FV0=0



m=950, FV0=0



m=975, FV0=0

