




FgArea: [' 0']


NC11 P3-15


2025-04-11 (Day 11)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]



Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'EC0:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-15_0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:15	135	50.0	晴	预期@10:15（未用传感器）
总计	135.0（1次）	50.0		建议进液EC：1840.0， PH： 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:40	120	50.0	多云	假设@09:40（未用传感器）
总计	120.0（1次）	50.0		建议进液EC: 1840.0, PH: 6.0

施肥机灌溉量与预期值不符（29.0 ： 21.0），可能由于一阀多区不均匀
上次灌溉时长(52.0)与预期(125.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉21.0 ml.
进回液EC差 (2190.0 vs 3260.0) 偏高







$m=1105$, $FV0=0$




$m=1145$, $FV0=0$







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	120	50.0	阴	假设@06:45（未用传感器）
07:45	120	50.0	阴	假设@07:45（未用传感器）
总计	240.0（2次）	100.0		建议进液EC：1860.0， PH： 6.0

施肥机灌溉量与预期值不符（66.0 ： 50.0），可能由于一阀多区不均匀
默认实际灌溉50.0 ml.
进回液EC差 (2155.0 vs 3130.0) 偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
02:10	120	50.0	晴	假设@02:10 (未用传感器)
03:10	120	50.0	多云	假设@03:10 (未用传感器)
04:10	120	50.0	晴	假设@04:10 (未用传感器)
08:50	120	50.0	多云	假设@08:50 (未用传感器)
10:55	120	50.0	晴	假设@10:55 (未用传感器)
12:25	120	50.0	多云	假设@12:25 (未用传感器)
14:10	120	50.0	多云	假设@14:10 (未用传感器)
总计	840.0 (7次)	350.0		建议进液EC: 1852.0, PH: 6.1

施肥机灌溉量与预期值不符 (66.0 : 50.0)，可能由于一阀多区不均匀
默认实际灌溉50.0 ml.
unusual large postFgEt from yesterday (151), set to 150.0 ml.
进回液EC差 (2140.0 vs 3110.0) 偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:15	120	50.0	阴	假设@01:15 (未用传感器)
02:15	120	50.0	阴	假设@02:15 (未用传感器)
03:15	120	50.0	阴	假设@03:15 (未用传感器)
07:25	120	50.0	多云	假设@07:25 (未用传感器)
09:10	120	50.0	多云	假设@09:10 (未用传感器)
10:35	120	50.0	多云	假设@10:35 (未用传感器)
11:40	120	50.0	晴	假设@11:40 (未用传感器)
12:30	120	50.0	晴	假设@12:30 (未用传感器)
13:25	120	50.0	晴	假设@13:25 (未用传感器)
14:20	120	50.0	晴	假设@14:20 (未用传感器)
15:20	120	50.0	晴	假设@15:20 (未用传感器)
总计	1320.0 (11次)	550.0		建议进液EC: 1895.0, PH: 6.2

施肥机灌溉量与预期值不符 (66.0 : 50.0), 可能由于一阀多区不均匀
默认实际灌溉50.0 ml.
large discrepancy for begining water status (172:96.0), set to 150.0 ml.
进回液EC差 (2105.0 vs 2995.0) 偏高

