




FgArea: [' 0']


NC11 P3-15


2025-05-25 (Day 55)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P3-15 0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:10	294	150.0	晴	预期@07:10 未知程序 (未用传感器)
07:35	294	150.0	晴	预期@07:35 未知程序 (未用传感器)
08:40	294	150.0	晴	预期@08:40 未知程序 (未用传感器)
09:45	294	150.0	晴	预期@09:45 未知程序 (未用传感器)
10:35	294	150.0	晴	预期@10:35 未知程序 (未用传感器)
11:20	294	150.0	晴	预期@11:20 未知程序 (未用传感器)
12:05	294	150.0	晴	预期@12:05 未知程序 (未用传感器)
12:50	294	150.0	晴	预期@12:50 未知程序 (未用传感器)
13:35	294	150.0	晴	预期@13:35 未知程序 (未用传感器)
14:20	294	150.0	晴	预期@14:20 未知程序 (未用传感器)
15:10	294	150.0	晴	预期@15:10 未知程序 (未用传感器)
16:10	294	150.0	晴	预期@16:10 未知程序 (未用传感器)
总计	3528.0 (12次)	1800.0		建议进液EC: 2080.0, PH: 5.8








时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:15	294	150.0	晴	假设@07:15 自动 (未用传感器)
07:40	294	150.0	晴	假设@07:40 自动 (未用传感器)
08:05	294	150.0	晴	假设@08:05 自动 (未用传感器)
08:45	294	150.0	晴	假设@08:45 自动 (未用传感器)
09:35	294	150.0	晴	假设@09:35 自动 (未用传感器)
10:25	294	150.0	晴	假设@10:25 自动 (未用传感器)
11:15	294	150.0	晴	假设@11:15 自动 (未用传感器)
12:00	294	150.0	晴	假设@12:00 自动 (未用传感器)
12:45	294	150.0	晴	假设@12:45 自动 (未用传感器)
13:25	294	150.0	晴	假设@13:25 自动 (未用传感器)
14:05	294	150.0	晴	假设@14:05 自动 (未用传感器)
14:50	294	150.0	晴	假设@14:50 自动 (未用传感器)
15:45	294	150.0	晴	假设@15:45 自动 (未用传感器)
17:00	294	150.0	晴	假设@17:00 自动 (未用传感器)
总计	4116.0 (14次)	2100.0		建议进液EC: 2080.0, PH: 5.8

施肥机灌溉量与预期值不符 (191.0 : 150.0)，可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
large discrepancy for begining water status (341:32.0), set to 341 ml.
进回液EC差 (2223.0 vs 4393.0) 过高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:55	300	150.0	阴	假设@06:55 自动（未用传感器）
07:20	300	150.0	多云	假设@07:20 自动（未用传感器）
07:45	300	150.0	多云	假设@07:45 自动（未用传感器）
08:50	300	150.0	多云	假设@08:50 自动（未用传感器）
09:40	300	150.0	多云	假设@09:40 自动（未用传感器）
10:40	300	150.0	多云	假设@10:40 自动（未用传感器）
11:40	300	150.0	多云	假设@11:40 自动（未用传感器）
12:25	300	150.0	多云	假设@12:25 自动（未用传感器）
13:10	300	150.0	阴	假设@13:10 自动（未用传感器）
14:00	300	150.0	阴	假设@14:00 自动（未用传感器）
14:40	300	150.0	阴	假设@14:40 自动（未用传感器）
15:25	300	150.0	阴	假设@15:25 自动（未用传感器）
16:15	300	150.0	阴	假设@16:15 自动（未用传感器）
总计	3900.0 (13次)	1950.0		建议进液EC: 2080.0, PH: 5.8

施肥机灌溉量与预期值不符 (195.0 : 153.0)，可能由于一阀多区不均匀
默认实际灌溉153.0 ml.
large discrepancy for begining water status (314:93.0), set to 314 ml.
进回液EC差 (2080.0 vs 4413.0) 过高







m=595, FV0=0




m=655, FV0=0




m=710, FV0=0




m=770, FV0=0




m=815, FV0=0




m=875, FV0=0




m=930, FV0=0




m=990, FV0=0




















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:25	294	150.0	多云	假设@06:25 自动（未用传感器）
06:50	294	150.0	多云	假设@06:50 自动（未用传感器）
07:30	294	150.0	多云	假设@07:30 自动（未用传感器）
09:10	294	150.0	阴	假设@09:10 自动（未用传感器）
11:00	294	150.0	阴	假设@11:00 自动（未用传感器）
12:30	294	150.0	阴	假设@12:30 自动（未用传感器）
14:05	294	150.0	阴	假设@14:05 自动（未用传感器）
总计	2058.0（7次）	1050.0		建议进液EC: 2080.0, PH: 5.6

施肥机灌溉量与预期值不符（191.0 : 150.0），可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
large discrepancy for begining water status (280:30.0), set to 280 ml.
进回液EC差 (2040.0 vs 4493.0) 过高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:50	294	150.0	阴	假设@06:50 自动 (未用传感器)
07:15	294	150.0	多云	假设@07:15 自动 (未用传感器)
07:40	294	150.0	多云	假设@07:40 自动 (未用传感器)
09:15	294	150.0	多云	假设@09:15 自动 (未用传感器)
10:10	294	150.0	多云	假设@10:10 自动 (未用传感器)
11:05	294	150.0	多云	假设@11:05 自动 (未用传感器)
11:55	294	150.0	多云	假设@11:55 自动 (未用传感器)
12:40	294	150.0	多云	假设@12:40 自动 (未用传感器)
13:20	294	150.0	晴	假设@13:20 自动 (未用传感器)
14:00	294	150.0	晴	假设@14:00 自动 (未用传感器)
14:45	294	150.0	晴	假设@14:45 自动 (未用传感器)
15:30	294	150.0	晴	假设@15:30 自动 (未用传感器)
16:30	294	150.0	晴	假设@16:30 自动 (未用传感器)
总计	3822.0 (13次)	1950.0		建议进液EC: 2080.0, PH: 5.8

施肥机灌溉量与预期值不符 (191.0 : 150.0), 可能由于一阀多区不均匀
默认实际灌溉150.0 ml.
large discrepancy for begining water status (335:48.0), set to 335 ml.
进回液EC差 (2163.0 vs 4780.0) 过高

