




FgArea: [' 0']


NC11 P3-15


2025-04-09 (Day 9)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]










Trend plot forP3-15_0





FgDaily








P3-15_0














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	122	50.0	阴	预期@06:35 (未用传感器)
07:35	122	50.0	阴	预期@07:35 (未用传感器)
08:35	122	50.0	阴	预期@08:35 (未用传感器)
11:45	122	50.0	阴	预期@11:45 (未用传感器)
总计	488.0 (4次)	200.0		建议进液EC: 1840.0, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:05	120	50.0	晴	假设@01:05（未用传感器）
02:05	120	50.0	晴	假设@02:05（未用传感器）
03:05	120	50.0	多云	假设@03:05（未用传感器）
08:40	120	50.0	多云	假设@08:40（未用传感器）
10:45	120	50.0	晴	假设@10:45（未用传感器）
12:10	120	50.0	多云	假设@12:10（未用传感器）
13:45	120	50.0	多云	假设@13:45（未用传感器）
总计	840.0（7次）	350.0		建议进液EC: 1840.0, PH: 6.1

施肥机灌溉量与预期值不符（66.0：50.0），可能由于一阀多区不均匀
默认实际灌溉50.0 ml.
unusual large postFgEt from yesterday (153), set to 150.0 ml.
进回液EC差 (2140.0 vs 3110.0) 偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	120	50.0	阴	假设@01:00 (未用传感器)
02:00	120	50.0	阴	假设@02:00 (未用传感器)
03:00	120	50.0	阴	假设@03:00 (未用传感器)
07:25	120	50.0	多云	假设@07:25 (未用传感器)
09:10	120	50.0	多云	假设@09:10 (未用传感器)
10:35	120	50.0	多云	假设@10:35 (未用传感器)
11:40	120	50.0	晴	假设@11:40 (未用传感器)
12:30	120	50.0	晴	假设@12:30 (未用传感器)
13:25	120	50.0	晴	假设@13:25 (未用传感器)
14:20	120	50.0	晴	假设@14:20 (未用传感器)
15:20	120	50.0	晴	假设@15:20 (未用传感器)
总计	1320.0 (11次)	550.0		建议进液EC: 1895.0, PH: 6.2

施肥机灌溉量与预期值不符 (66.0 : 50.0), 可能由于一阀多区不均匀
默认实际灌溉50.0 ml.
large discrepancy for begining water status (174:96.0), set to 150.0 ml.
进回液EC差 (2105.0 vs 2995.0) 偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40 (未用传感器)
07:40	120	50.0	多云	假设@07:40 (未用传感器)
08:40	120	50.0	晴	假设@08:40 (未用传感器)
10:10	120	50.0	晴	假设@10:10 (未用传感器)
11:25	120	50.0	晴	假设@11:25 (未用传感器)
12:25	120	50.0	晴	假设@12:25 (未用传感器)
13:30	120	50.0	晴	假设@13:30 (未用传感器)
14:45	120	50.0	多云	假设@14:45 (未用传感器)
16:15	120	50.0	多云	假设@16:15 (未用传感器)
总计	1080.0 (9次)	450.0		建议进液EC: 1900.0, PH: 6.0

上次灌溉时长(120.0)与预期(109.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉55.0 ml.
进回液EC差(2145.0 vs 2800.0)偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	180	50.0	晴	假设@06:45（未用传感器）
07:30	180	50.0	晴	假设@07:30（未用传感器）
08:30	180	50.0	晴	假设@08:30（未用传感器）
09:35	180	50.0	晴	假设@09:35（未用传感器）
10:40	180	50.0	晴	假设@10:40（未用传感器）
11:30	180	50.0	晴	假设@11:30（未用传感器）
12:10	180	50.0	晴	假设@12:10（未用传感器）
12:50	180	50.0	晴	假设@12:50（未用传感器）
13:35	180	50.0	晴	假设@13:35（未用传感器）
14:15	180	50.0	晴	假设@14:15（未用传感器）
15:00	180	50.0	晴	假设@15:00（未用传感器）
15:50	180	50.0	晴	假设@15:50（未用传感器）
总计	2160.0（12次）	600.0		建议进液EC：1560.0， PH：5.8

上次灌溉时长(180.0)与预期(106.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉85.0 ml.
回液EC 2570.0 太高，建议用低EC肥液冲洗基质

