




FgArea: [' 0']


NC11 P3-1


2025-04-23 (Day 25)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]





Plot [' ECopt']









Plot Sensor and FgRec Data




Plot EC/PH from runoff






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-1.0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:30	170	80.0	晴	预期@07:30 (未用传感器)
08:15	170	80.0	晴	预期@08:15 (未用传感器)
09:00	170	80.0	晴	预期@09:00 (未用传感器)
09:45	170	80.0	晴	预期@09:45 (未用传感器)
10:25	170	80.0	晴	预期@10:25 (未用传感器)
11:15	170	80.0	晴	预期@11:15 (未用传感器)
12:00	170	80.0	晴	预期@12:00 (未用传感器)
12:45	170	80.0	晴	预期@12:45 (未用传感器)
13:30	170	80.0	晴	预期@13:30 (未用传感器)
14:15	170	80.0	晴	预期@14:15 (未用传感器)
15:05	170	80.0	晴	预期@15:05 (未用传感器)
总计	1870.0 (11次)	880.0		建议进液EC: 1840.0, PH: 6.0













unusual large postFgEt from yesterday (269), set to 240.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC (2535.0) 与设定EC (2000.0) 偏差较大, 请检查
回液EC 4730.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2535.0 vs 4730.0) 过高
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:35	200	70.0	晴	假设@07:35 手动 (未用传感器)
08:10	200	70.0	晴	假设@08:10 手动 (未用传感器)
08:45	200	70.0	晴	假设@08:45 手动 (未用传感器)
09:30	200	70.0	晴	假设@09:30 手动 (未用传感器)
10:30	200	70.0	晴	假设@10:30 手动 (未用传感器)
11:20	200	70.0	晴	假设@11:20 手动 (未用传感器)
12:00	200	70.0	晴	假设@12:00 手动 (未用传感器)
12:40	200	70.0	晴	假设@12:40 手动 (未用传感器)
13:20	200	70.0	晴	假设@13:20 手动 (未用传感器)
13:55	200	70.0	晴	假设@13:55 手动 (未用传感器)
14:25	200	70.0	晴	假设@14:25 手动 (未用传感器)
15:00	200	70.0	晴	假设@15:00 手动 (未用传感器)
15:40	200	70.0	晴	假设@15:40 手动 (未用传感器)
总计	2600.0 (13次)	910.0		建议进液EC: 1840.0, PH: 6.0

施肥机灌溉量与预期值不符 (129.0 : 92.0)，可能由于一阀多区不均匀
上次灌溉时长(200)与预期(152.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉92.0 ml.
昨天灌溉EC (2465.0) 与设定EC (2000.0) 偏差较大，请检查
回液EC 4629.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2465.0 vs 4629.0) 过高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:00	140	80.0	阴	假设@08:00 手动（未用传感器）
09:00	140	80.0	阴	假设@09:00 手动（未用传感器）
10:30	140	80.0	阴	假设@10:30 手动（未用传感器）
14:35	140	80.0	阴	假设@14:35 手动（未用传感器）
总计	560.0（4次）	320.0		建议进液EC: 1840.0, PH: 6.0

施肥机灌溉量与预期值不符（91.0 ： 64.0），可能由于一阀多区不均匀
上次灌溉时长(140)与预期(174.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉64.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2470.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2470.0 vs 4428.0)过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策





















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:05	140	80.0	多云	假设@07:05 手动（未用传感器）
08:05	140	80.0	多云	假设@08:05 手动（未用传感器）
09:10	140	80.0	阴	假设@09:10 手动（未用传感器）
10:10	140	80.0	阴	假设@10:10 手动（未用传感器）
11:05	140	80.0	阴	假设@11:05 手动（未用传感器）
12:00	140	80.0	阴	假设@12:00 手动（未用传感器）
12:55	140	80.0	阴	假设@12:55 手动（未用传感器）
13:50	140	80.0	阴	假设@13:50 手动（未用传感器）
14:55	140	80.0	阴	假设@14:55 手动（未用传感器）
总计	1260.0（9次）	720.0		建议进液EC: 1840.0， PH: 6.0

施肥机灌溉量与预期值不符（91.0 ： 64.0），可能由于一阀多区不均匀
上次灌溉时长(140)与预期(174.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉64.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2460.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2460.0 vs 4227.0)过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	140	80.0	多云	假设@07:40 手动（未用传感器）
08:30	140	80.0	多云	假设@08:30 手动（未用传感器）
09:20	140	80.0	多云	假设@09:20 手动（未用传感器）
10:30	140	80.0	晴	假设@10:30 手动（未用传感器）
11:30	140	80.0	晴	假设@11:30 手动（未用传感器）
12:25	140	80.0	晴	假设@12:25 手动（未用传感器）
13:15	140	80.0	晴	假设@13:15 手动（未用传感器）
13:55	140	80.0	晴	假设@13:55 手动（未用传感器）
14:40	140	80.0	晴	假设@14:40 手动（未用传感器）
15:25	140	80.0	晴	假设@15:25 手动（未用传感器）
总计	1400.0（10次）	800.0		建议进液EC: 1840.0, PH: 6.0

施肥机灌溉量与预期值不符（91.0：64.0），可能由于一阀多区不均匀
上次灌溉时长(140)与预期(174.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉64.0 ml.
昨天进回液EC数据缺失.
进回液EC差(2280.0 vs 4026.0)过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

