




FgArea: [' 0']


NC11 P3-1


2025-06-01 (Day 64)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]



Plot ['ECopt']









Plot Sensor and FgRec Data




Plot EC/PH from runoff






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-1_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	278	150.0	25.83	阴	预期@08:00 未知程序 (未用传感器)
08:35	278	150.0	25.83	阴	预期@08:35 未知程序 (未用传感器)
09:25	278	150.0	25.83	阴	预期@09:25 未知程序 (未用传感器)
10:05	278	150.0	25.83	阴	预期@10:05 未知程序 (未用传感器)
10:45	278	150.0	25.83	阴	预期@10:45 未知程序 (未用传感器)
11:20	278	150.0	25.83	阴	预期@11:20 未知程序 (未用传感器)
11:55	278	150.0	25.83	阴	预期@11:55 未知程序 (未用传感器)
12:30	278	150.0	25.83	阴	预期@12:30 未知程序 (未用传感器)
13:05	278	150.0	25.83	阴	预期@13:05 未知程序 (未用传感器)
13:35	278	150.0	25.83	阴	预期@13:35 未知程序 (未用传感器)
14:10	278	150.0	25.83	雨	预期@14:10 未知程序 (未用传感器)
14:45	278	150.0	25.83	雨	预期@14:45 未知程序 (未用传感器)
15:20	278	150.0	25.83	阴	预期@15:20 未知程序 (未用传感器)
16:05	278	150.0	25.83	雨	预期@16:05 未知程序 (未用传感器)
总计	3892.0 (14次)	2100.0			建议进液EC: 2080.0, PH: 5.6


回液EC 6213.0 太高, 建议用低EC肥液冲洗基质
进回液EC差(2007.0 vs 6213.0) 过高






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	278	150.0	25.83	阴	假设@07:20 自动（未用传感器）
08:20	278	150.0	25.83	阴	假设@08:20 自动（未用传感器）
09:20	278	150.0	25.83	阴	假设@09:20 自动（未用传感器）
10:20	278	150.0	25.83	阴	假设@10:20 自动（未用传感器）
11:20	278	150.0	25.83	阴	假设@11:20 自动（未用传感器）
13:40	278	150.0	25.83	大雨	假设@13:40 自动（未用传感器）
总计	1668.0（6次）	900.0			建议进液EC: 2080.0, PH: 5.6


large discrepancy for begining water status (345:129.0), set to 345 ml.
回液EC 6960.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2087.0 vs 6960.0) 过高




m=465, FV0=0




m=500, FV0=0




m=540, FV0=0




m=585,m FV0=0




m=635,m FV0=0




m=695,m FV0=0




m=825,m FV0=0




m=945,m FV0=0




m




m=465,m FV0=0



m=500,m FV0=0




m=540,m FV0=0




m

m=585,m FV0=0




m

m=635,m FV0=0




m

m=695,m FV0=0





m

m=825, FV0=0




m=945, FV0=0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	278	150.0	25.83	阴	假设@07:20 自动（未用传感器）
08:00	278	150.0	25.83	阴	假设@08:00 自动（未用传感器）
08:40	278	150.0	25.83	阴	假设@08:40 自动（未用传感器）
09:20	278	150.0	25.83	阴	假设@09:20 自动（未用传感器）
10:00	278	150.0	25.83	阴	假设@10:00 自动（未用传感器）
10:45	278	150.0	25.83	阴	假设@10:45 自动（未用传感器）
11:25	278	150.0	25.83	阴	假设@11:25 自动（未用传感器）
12:00	278	150.0	25.83	阴	假设@12:00 自动（未用传感器）
12:35	278	150.0	25.83	阴	假设@12:35 自动（未用传感器）
13:10	278	150.0	25.83	阴	假设@13:10 自动（未用传感器）
13:45	278	150.0	25.83	阴	假设@13:45 自动（未用传感器）
14:35	278	150.0	25.83	阴	假设@14:35 自动（未用传感器）
15:30	278	150.0	25.83	阴	假设@15:30 自动（未用传感器）
16:35	278	150.0	25.83	阴	假设@16:35 自动（未用传感器）
总计	3892.0（14次）	2100.0			建议进液EC: 2080.0, PH: 5.6

large discrepancy for begining water status (389:87.0), set to 389 ml.
回液EC 7247.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2220.0 vs 7247.0) 过高







m=605, FV0=0




m=655, FV0=0




m=700, FV0=0




m=735, FV0=0




m=770, FV0=0




m=810, FV0=0




m=850, FV0=0




m=920, FV0=0























时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	273	150.0	25.83	晴	假设@07:25 自动 (未用传感器)
07:55	273	150.0	25.83	晴	假设@07:55 自动 (未用传感器)
08:25	273	150.0	25.83	晴	假设@08:25 自动 (未用传感器)
09:10	273	150.0	25.83	多云	假设@09:10 自动 (未用传感器)
09:50	273	150.0	25.83	多云	假设@09:50 自动 (未用传感器)
10:25	273	150.0	25.83	多云	假设@10:25 自动 (未用传感器)
11:00	273	150.0	25.83	多云	假设@11:00 自动 (未用传感器)
11:35	273	150.0	25.83	多云	假设@11:35 自动 (未用传感器)
12:10	273	150.0	25.83	多云	假设@12:10 自动 (未用传感器)
12:40	273	150.0	25.83	多云	假设@12:40 自动 (未用传感器)
13:15	273	150.0	25.83	晴	假设@13:15 自动 (未用传感器)
13:45	273	150.0	25.83	晴	假设@13:45 自动 (未用传感器)
14:15	273	150.0	25.83	晴	假设@14:15 自动 (未用传感器)
14:45	273	150.0	25.83	晴	假设@14:45 自动 (未用传感器)
15:15	273	150.0	25.83	晴	假设@15:15 自动 (未用传感器)
15:45	273	150.0	25.83	晴	假设@15:45 自动 (未用传感器)
16:25	273	150.0	25.83	多云	假设@16:25 自动 (未用传感器)
17:15	273	150.0	25.83	阴	假设@17:15 自动 (未用传感器)
总计	4914.0 (18次)	2700.0			建议进液EC: 2080.0, PH: 5.6

large discrepancy for begining water status (302:112.0), set to 302 ml.
回液EC 7363.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2323.0 vs 7363.0) 过高









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	278	150.0	25.83	晴	假设@07:25 自动 (未用传感器)
07:55	278	150.0	25.83	晴	假设@07:55 自动 (未用传感器)
08:25	278	150.0	25.83	晴	假设@08:25 自动 (未用传感器)
08:55	278	150.0	25.83	晴	假设@08:55 自动 (未用传感器)
09:40	278	150.0	25.83	晴	假设@09:40 自动 (未用传感器)
10:15	278	150.0	25.83	晴	假设@10:15 自动 (未用传感器)
10:55	278	150.0	25.83	晴	假设@10:55 自动 (未用传感器)
11:30	278	150.0	25.83	晴	假设@11:30 自动 (未用传感器)
12:00	278	150.0	25.83	晴	假设@12:00 自动 (未用传感器)
12:30	278	150.0	25.83	晴	假设@12:30 自动 (未用传感器)
13:00	278	150.0	25.83	晴	假设@13:00 自动 (未用传感器)
13:30	278	150.0	25.83	晴	假设@13:30 自动 (未用传感器)
14:00	278	150.0	25.83	晴	假设@14:00 自动 (未用传感器)
14:30	278	150.0	25.83	晴	假设@14:30 自动 (未用传感器)
15:00	278	150.0	25.83	晴	假设@15:00 自动 (未用传感器)
15:30	278	150.0	25.83	晴	假设@15:30 自动 (未用传感器)
16:05	278	150.0	25.83	晴	假设@16:05 自动 (未用传感器)
16:45	278	150.0	25.83	晴	假设@16:45 自动 (未用传感器)
总计	5004.0 (18次)	2700.0			建议进液EC: 2080.0, PH: 5.6

large discrepancy for begining water status (350:84.0), set to 350 ml.
回液EC 6642.0 太高, 建议用低EC肥液冲洗基质
进回液EC差 (2400.0 vs 6642.0) 过高

