




FgArea: [' 0']


NC11 P3-1


2025-06-05 (Day 68)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]





Plot ['ECopt']









Plot Sensor and FgRec Data




Plot EC/PH from runoff






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]











FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:40	283	150.0	2.583	晴	预期@07:40 未知程序 (未用传感器)
08:10	283	150.0	2.583	阴	预期@08:10 未知程序 (未用传感器)
08:40	283	150.0	2.583	阴	预期@08:40 未知程序 (未用传感器)
09:15	283	150.0	2.583	阴	预期@09:15 未知程序 (未用传感器)
09:45	283	150.0	2.583	阴	预期@09:45 未知程序 (未用传感器)
10:15	283	150.0	2.583	阴	预期@10:15 未知程序 (未用传感器)
10:45	283	150.0	2.583	阴	预期@10:45 未知程序 (未用传感器)
11:15	283	150.0	2.583	阴	预期@11:15 未知程序 (未用传感器)
11:45	283	150.0	2.583	阴	预期@11:45 未知程序 (未用传感器)
12:15	283	150.0	2.583	阴	预期@12:15 未知程序 (未用传感器)
12:45	283	150.0	2.583	阴	预期@12:45 未知程序 (未用传感器)
13:15	283	150.0	2.583	阴	预期@13:15 未知程序 (未用传感器)
13:45	283	150.0	2.583	阴	预期@13:45 未知程序 (未用传感器)
14:15	283	150.0	2.583	阴	预期@14:15 未知程序 (未用传感器)
14:45	283	150.0	2.583	阴	预期@14:45 未知程序 (未用传感器)
15:15	283	150.0	2.583	阴	预期@15:15 未知程序 (未用传感器)
15:45	283	150.0	2.583	阴	预期@15:45 未知程序 (未用传感器)
16:15	283	150.0	2.583	阴	预期@16:15 未知程序 (未用传感器)
16:45	283	150.0	2.583	阴	预期@16:45 未知程序 (未用传感器)
17:15	283	150.0	2.583	阴	预期@17:15 未知程序 (未用传感器)
总计	5660.0 (20次)	3000.0			建议进液EC: 2080.0, PH: 5.6


昨天进回液EC数据缺失.
进回液EC差 (1773.0 vs 4440.0) 过高
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	273	150.0	2.583	晴	假设@08:35 自动（未用传感器）
09:10	273	150.0	2.583	晴	假设@09:10 自动（未用传感器）
09:45	273	150.0	2.583	晴	假设@09:45 自动（未用传感器）
10:25	273	150.0	2.583	晴	假设@10:25 自动（未用传感器）
11:10	273	150.0	2.583	晴	假设@11:10 自动（未用传感器）
11:50	273	150.0	2.583	晴	假设@11:50 自动（未用传感器）
12:25	273	150.0	2.583	晴	假设@12:25 自动（未用传感器）
13:10	273	150.0	2.583	晴	假设@13:10 自动（未用传感器）
13:50	273	150.0	2.583	晴	假设@13:50 自动（未用传感器）
14:25	273	150.0	2.583	晴	假设@14:25 自动（未用传感器）
14:55	273	150.0	2.583	晴	假设@14:55 自动（未用传感器）
15:35	273	150.0	2.583	晴	假设@15:35 自动（未用传感器）
16:20	273	150.0	2.583	晴	假设@16:20 自动（未用传感器）
总计	3549.0（13次）	1950.0			建议进液EC：2080.0， PH：5.6


large discrepancy for begining water status (30:204.0), set to 30 ml.
昨天进回液EC数据缺失.
进回液EC差(1780.0 vs 4440.0) 过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策









m=985, FV0=0




m=1040, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:25	300	150.0	2.583	晴	假设@07:25 手动（未用传感器）
08:05	300	150.0	2.583	晴	假设@08:05 手动（未用传感器）
09:10	300	150.0	2.583	晴	假设@09:10 手动（未用传感器）
09:55	300	150.0	2.583	晴	假设@09:55 手动（未用传感器）
10:45	300	150.0	2.583	晴	假设@10:45 手动（未用传感器）
11:30	300	150.0	2.583	晴	假设@11:30 手动（未用传感器）
12:10	300	150.0	2.583	晴	假设@12:10 手动（未用传感器）
12:50	300	150.0	2.583	晴	假设@12:50 手动（未用传感器）
13:35	300	150.0	2.583	晴	假设@13:35 手动（未用传感器）
14:10	300	150.0	2.583	晴	假设@14:10 手动（未用传感器）
14:45	300	150.0	2.583	晴	假设@14:45 手动（未用传感器）
15:25	300	150.0	2.583	晴	假设@15:25 手动（未用传感器）
16:10	300	150.0	2.583	晴	假设@16:10 手动（未用传感器）
总计	3900.0（13次）	1950.0			建议进液EC：2080.0， PH：5.6

昨天进回液EC数据缺失。
进回液EC差(1860.0 vs 4770.0) 过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策







m=635, FV0=0




m=680, FV0=0




m=720, FV0=0




m=765, FV0=0




m=815, FV0=0




m=865, FV0=0




m=915, FV0=0




m=970, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:15	273	150.0	2.583	晴	假设@08:15 自动 (未用传感器)
08:50	273	150.0	2.583	晴	假设@08:50 自动 (未用传感器)
09:35	273	150.0	2.583	晴	假设@09:35 自动 (未用传感器)
10:15	273	150.0	2.583	晴	假设@10:15 自动 (未用传感器)
11:05	273	150.0	2.583	晴	假设@11:05 自动 (未用传感器)
12:00	273	150.0	2.583	晴	假设@12:00 自动 (未用传感器)
12:35	273	150.0	2.583	晴	假设@12:35 自动 (未用传感器)
13:10	273	150.0	2.583	多云	假设@13:10 自动 (未用传感器)
13:40	273	150.0	2.583	多云	假设@13:40 自动 (未用传感器)
14:10	273	150.0	2.583	多云	假设@14:10 自动 (未用传感器)
14:40	273	150.0	2.583	多云	假设@14:40 自动 (未用传感器)
15:10	273	150.0	2.583	多云	假设@15:10 自动 (未用传感器)
15:45	273	150.0	2.583	多云	假设@15:45 自动 (未用传感器)
16:30	273	150.0	2.583	多云	假设@16:30 自动 (未用传感器)
总计	3822.0 (14次)	2100.0			建议进液EC: 2080.0, PH: 5.6

上次灌溉时长(600)与预期(278.0)不符, 可能由于多阀同灌按参考区灌溉默认实际灌溉324.0 ml.
回液EC 5380.0 太高, 建议用低EC肥液冲洗基质
进回液EC差(1907.0 vs 5380.0) 过高







m=780, FV0=0




m=840, FV0=0




m=905, FV0=0




m=960, FV0=0




m=1100, FV0=0



m=1165, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:55	273	150.0	2.583	雾	假设@08:55 自动（未用传感器）
10:05	273	150.0	2.583	多云	假设@10:05 自动（未用传感器）
12:25	273	150.0	2.583	阴	假设@12:25 自动（未用传感器）
13:15	273	150.0	2.583	阴	假设@13:15 自动（未用传感器）
14:05	273	150.0	2.583	阴	假设@14:05 自动（未用传感器）
15:00	273	150.0	2.583	阴	假设@15:00 自动（未用传感器）
总计	1638.0（6次）	900.0			建议进液EC：2080.0， PH： 5.6

large discrepancy for begining water status (392:48.0), set to 392 ml.
回液EC 6213.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2007.0 vs 6213.0) 过高

