




FgArea: [' 0']


NC11 P3-1


2025-04-07 (Day 9)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-1_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:25	109	50.0	晴	预期@09:25 (未用传感器)
12:25	109	50.0	晴	预期@12:25 (未用传感器)
总计	218.0 (2次)	100.0		建议进液EC: 1900.0, PH: 6.4







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40（未用传感器）
10:45	120	50.0	晴	假设@10:45（未用传感器）
总计	240.0（2次）	100.0		建议进液EC：1900.0， PH： 6.1

施肥机灌溉量与预期值不符（77.0 ： 56.0），可能由于一阀多区不均匀
上次灌溉时长(120.0)与预期(106.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉56.0 ml.
large discrepancy for begining water status (27:225.0)， set to 66.0 ml.









时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:30	180	50.0	晴	假设@10:30（未用传感器）
总计	180.0（1次）	50.0		建议进液EC：2024.0， PH： 5.8


施肥机灌溉量与预期值不符（116.0 ： 86.0），可能由于一阀多区不均匀
上次灌溉时长(180.0)与预期(104.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉86.0 ml.
回液EC（2055.0 vs 2185）偏低






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
总计	0 (0次)	0		建议进液EC: 2200.0, PH: 5.8

施肥机灌溉量与预期值不符 (135.0 : 99.0)，可能由于一阀多区不均匀
上次灌溉时长(210.0)与预期(106.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉99.0 ml.
回液EC (1765.0 vs 2185) 偏低





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
总计	0 (0次)	0		建议进液EC: 2200.0, PH: 5.8

施肥机灌溉量与预期值不符 (135.0 : 101.0)，可能由于一阀多区不均匀
上次灌溉时长(210.0)与预期(104.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉101.0 ml.
回液EC (1665.0 vs 2185) 偏低

