




FgArea: [' 0']


NC11 P3-2


2025-04-09 (Day 11)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]



Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forP3-2_0





FgDaily




P3-2_0












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:40	98	50.0	阴	预期@09:40 (未用传感器)
总计	98.0 (1次)	50.0		建议进液EC: 1900.0, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:45	120	50.0	晴	假设@09:45（未用传感器）
总计	120.0（1次）	50.0		建议进液EC：1952.0， PH： 6.1

施肥机灌溉量与预期值不符（77.0 ： 64.0），可能由于一阀多区不均匀
上次灌溉时长(120.0)与预期(94.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉64.0 ml.
进回液EC差(2140.0 vs 2800.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:45	120	50.0	多云	假设@09:45（未用传感器）
总计	120.0（1次）	50.0		建议进液EC：1900.0， PH： 6.1

上次灌溉时长(120.0)与预期(82.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉73.0 ml.
回液PH（7.0）偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
10:30	120	50.0	晴	假设@10:30（未用传感器）
总计	120.0（1次）	50.0		建议进液EC：1900.0， PH： 6.1

上次灌溉时长(120.0)与预期(78.0)不符，可能由于多阀同灌按参考区灌溉默认实际灌溉77.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
总计	0 (0次)	0		建议进液EC: 1900.0, PH: 5.8

上次灌溉时长(180.0)与预期(78.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉115.0 ml.

