




FgArea: [' 0']

NC11 P3-2


2025-05-16 (Day 48)










● 1 VI vs Du









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-2_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:50	245	130.0	小雨	预期@07:50 未知程序（未用传感器）
08:50	245	130.0	小雨	预期@08:50 未知程序（未用传感器）
10:15	245	130.0	小雨	预期@10:15 未知程序（未用传感器）
11:25	245	130.0	小雨	预期@11:25 未知程序（未用传感器）
12:25	245	130.0	小雨	预期@12:25 未知程序（未用传感器）
13:30	245	130.0	小雨	预期@13:30 未知程序（未用传感器）
14:40	245	130.0	小雨	预期@14:40 未知程序（未用传感器）
总计	1715.0（7次）	910.0		建议进液EC：2080.0， PH：5.8


昨天灌溉EC（2660.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2660.0 vs 4355.0) 过高




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:10	273	130.0	多云	假设@08:10 自动（未用传感器）
09:05	273	130.0	阴	假设@09:05 自动（未用传感器）
10:10	273	130.0	晴	假设@10:10 自动（未用传感器）
11:05	273	130.0	晴	假设@11:05 自动（未用传感器）
12:15	273	130.0	晴	假设@12:15 自动（未用传感器）
13:05	273	130.0	晴	假设@13:05 自动（未用传感器）
14:00	273	130.0	晴	假设@14:00 自动（未用传感器）
14:50	273	130.0	晴	假设@14:50 自动（未用传感器）
15:45	273	130.0	晴	假设@15:45 自动（未用传感器）
总计	2457.0（9次）	1170.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(278)与预期(241.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉150.0 ml.
昨天灌溉EC（2715.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2715.0 vs 4148.0)偏高







m=630, FV0=0




m=660, FV0=0




m=690, FV0=0




m=745, FV0=0




m=795,m FV0=0




m=835,m FV0=0




m=880,m FV0=0




m=915,m FV0=0




m=945,m FV0=0




m=985,m FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
12:25	273	130.0	阴	假设@12:25 自动（未用传感器）
13:05	273	130.0	多云	假设@13:05 自动（未用传感器）
13:45	273	130.0	多云	假设@13:45 自动（未用传感器）
14:35	273	130.0	多云	假设@14:35 自动（未用传感器）
15:30	273	130.0	多云	假设@15:30 自动（未用传感器）
总计	1365.0（5次）	650.0		建议进液EC：2080.0， PH： 6.0


上次灌溉时长(273)与预期(232.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉153.0 ml.
昨天灌溉EC（2700.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2700.0 vs 3985.0)偏高




m=800, FV0=0




m=830, FV0=0




m=860, FV0=0




m=890,m FV0=0




m=920,m FV0=0




m=970,m FV0=0




m=800,m FV0=0




m=830,m FV0=0




m=860,m FV0=0




m=890,m FV0=0




m=920,m FV0=0



m=970,m FV0=0



m=800,m FV0=0




m=830,m FV0=0



m=860,m FV0=0



m=890,m FV0=0




m=920,m FV0=0




m=970,m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:50	273	130.0	多云	假设@06:50 自动 (未用传感器)
07:40	273	130.0	晴	假设@07:40 自动 (未用传感器)
08:55	273	130.0	晴	假设@08:55 自动 (未用传感器)
10:10	273	130.0	晴	假设@10:10 自动 (未用传感器)
11:05	273	130.0	晴	假设@11:05 自动 (未用传感器)
11:55	273	130.0	晴	假设@11:55 自动 (未用传感器)
12:45	273	130.0	晴	假设@12:45 自动 (未用传感器)
13:25	273	130.0	晴	假设@13:25 自动 (未用传感器)
14:15	273	130.0	晴	假设@14:15 自动 (未用传感器)
15:05	273	130.0	多云	假设@15:05 自动 (未用传感器)
16:15	273	130.0	多云	假设@16:15 自动 (未用传感器)
总计	3003.0 (11次)	1430.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(273)与预期(232.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉153.0 ml.
昨天灌溉EC(2635.0)与设定EC(2000.0)偏差较大, 请检查
进回液EC差(2635.0 vs 3822.0)偏高







m=550, FV0=0




m=625, FV0=0




m=675, FV0=0




m=720, FV0=0




m=765, m FV0=0




m=805, m FV0=0




m=840, m FV0=0




m=895, m FV0=0




m=935, m FV0=0




m=990, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:05	273	130.0	多云	假设@08:05 自动 (未用传感器)
08:55	273	130.0	多云	假设@08:55 自动 (未用传感器)
10:00	273	130.0	阴	假设@10:00 自动 (未用传感器)
11:10	273	130.0	阴	假设@11:10 自动 (未用传感器)
12:00	273	130.0	阴	假设@12:00 自动 (未用传感器)
12:50	273	130.0	阴	假设@12:50 自动 (未用传感器)
13:40	273	130.0	阴	假设@13:40 自动 (未用传感器)
14:30	273	130.0	阴	假设@14:30 自动 (未用传感器)
15:25	273	130.0	阴	假设@15:25 自动 (未用传感器)
16:40	273	130.0	阴	假设@16:40 自动 (未用传感器)
总计	2730.0 (10次)	1300.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(273)与预期(232.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉153.0 ml.
昨天灌溉EC(2610.0)与设定EC(2000.0)偏差较大, 请检查
进回液EC差(2610.0 vs 3660.0)偏高







m=720, FV0=0




m=760, FV0=0




m=815, FV0=0



m=865, FV0=0



m=930, FV0=0



m=1000, FV0=0

