




FgArea: [' 0']


NC11 P3-2


2025-06-01 (Day 64)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-2_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	278	150.0	25.83	阴	预期@08:40 未知程序 (未用传感器)
09:30	278	150.0	25.83	阴	预期@09:30 未知程序 (未用传感器)
10:20	278	150.0	25.83	阴	预期@10:20 未知程序 (未用传感器)
11:10	278	150.0	25.83	阴	预期@11:10 未知程序 (未用传感器)
11:55	278	150.0	25.83	阴	预期@11:55 未知程序 (未用传感器)
12:40	278	150.0	25.83	阴	预期@12:40 未知程序 (未用传感器)
13:25	278	150.0	25.83	阴	预期@13:25 未知程序 (未用传感器)
14:15	278	150.0	25.83	雨	预期@14:15 未知程序 (未用传感器)
15:10	278	150.0	25.83	阴	预期@15:10 未知程序 (未用传感器)
16:10	278	150.0	25.83	雨	预期@16:10 未知程序 (未用传感器)
总计	2780.0 (10次)	1500.0			建议进液EC: 2080.0, PH: 6.0




时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:10	278	150.0	25.83	阴	假设@07:10 自动（未用传感器）
08:10	278	150.0	25.83	阴	假设@08:10 自动（未用传感器）
09:50	278	150.0	25.83	阴	假设@09:50 自动（未用传感器）
11:30	278	150.0	25.83	阴	假设@11:30 自动（未用传感器）
总计	1112.0 (4次)	600.0			建议进液EC: 2080.0, PH: 6.0







$m=825$, $FV0=0$





$m=945$, $FV0=0$






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	278	150.0	25.83	阴	假设@07:35 自动（未用传感器）
08:35	278	150.0	25.83	阴	假设@08:35 自动（未用传感器）
10:15	278	150.0	25.83	阴	假设@10:15 自动（未用传感器）
11:25	278	150.0	25.83	阴	假设@11:25 自动（未用传感器）
12:25	278	150.0	25.83	阴	假设@12:25 自动（未用传感器）
13:20	278	150.0	25.83	阴	假设@13:20 自动（未用传感器）
14:35	278	150.0	25.83	阴	假设@14:35 自动（未用传感器）
16:20	278	150.0	25.83	阴	假设@16:20 自动（未用传感器）
总计	2224.0 (8次)	1200.0			建议进液EC: 2080.0, PH: 6.0







m=605, FV0=0




m=655, FV0=0




m=700, FV0=0




m=735, FV0=0




m=770, FV0=0




m=810, FV0=0




m=850, FV0=0




















m=920, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:05	273	150.0	25.83	晴	假设@08:05 自动 (未用传感器)
08:55	273	150.0	25.83	晴	假设@08:55 自动 (未用传感器)
10:05	273	150.0	25.83	多云	假设@10:05 自动 (未用传感器)
11:10	273	150.0	25.83	多云	假设@11:10 自动 (未用传感器)
12:15	273	150.0	25.83	多云	假设@12:15 自动 (未用传感器)
13:10	273	150.0	25.83	晴	假设@13:10 自动 (未用传感器)
14:00	273	150.0	25.83	晴	假设@14:00 自动 (未用传感器)
15:00	273	150.0	25.83	晴	假设@15:00 自动 (未用传感器)
16:15	273	150.0	25.83	多云	假设@16:15 自动 (未用传感器)
总计	2457.0 (9次)	1350.0			建议进液EC: 2080.0, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:35	278	150.0	25.83	晴	假设@07:35 自动（未用传感器）
08:30	278	150.0	25.83	晴	假设@08:30 自动（未用传感器）
09:45	278	150.0	25.83	晴	假设@09:45 自动（未用传感器）
10:45	278	150.0	25.83	晴	假设@10:45 自动（未用传感器）
11:40	278	150.0	25.83	晴	假设@11:40 自动（未用传感器）
12:30	278	150.0	25.83	晴	假设@12:30 自动（未用传感器）
13:20	278	150.0	25.83	晴	假设@13:20 自动（未用传感器）
14:05	278	150.0	25.83	晴	假设@14:05 自动（未用传感器）
14:55	278	150.0	25.83	晴	假设@14:55 自动（未用传感器）
16:00	278	150.0	25.83	晴	假设@16:00 自动（未用传感器）
总计	2780.0（10次）	1500.0			建议进液EC：2080.0， PH：6.0

