




FgArea: [' 0']


NC11 P3-2


2025-04-06 (Day 8)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot `[['FV0EC:r-o', 'ECO:g-o']]`




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]











Trend plot forP3-2_0





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
01:00	95	60.0	晴	假设@01:00 (未用传感器)
02:00	95	60.0	晴	假设@02:00 (未用传感器)
03:00	95	60.0	晴	预期@03:00 (未用传感器)
07:00	95	60.0	晴	预期@07:00 (未用传感器)
09:15	95	60.0	晴	预期@09:15 (未用传感器)
10:35	95	60.0	晴	预期@10:35 (未用传感器)
11:45	95	60.0	晴	预期@11:45 (未用传感器)
12:55	95	60.0	晴	预期@12:55 (未用传感器)
14:10	95	60.0	晴	预期@14:10 (未用传感器)
15:40	95	60.0	晴	预期@15:40 (未用传感器)
总计	950.0 (10次)	600.0		建议进液EC: 1900.0, PH: 6.1
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	180	50.0	晴	假设@06:45（未用传感器）
07:45	180	50.0	晴	假设@07:45（未用传感器）
09:10	180	50.0	晴	假设@09:10（未用传感器）
10:35	180	50.0	晴	假设@10:35（未用传感器）
11:50	180	50.0	晴	假设@11:50（未用传感器）
13:00	180	50.0	晴	假设@13:00（未用传感器）
14:05	180	50.0	晴	假设@14:05（未用传感器）
15:20	180	50.0	晴	假设@15:20（未用传感器）
总计	1440.0（8次）	400.0		建议进液EC：1900.0， PH： 5.8

上次灌溉时长(180.0)与预期(78.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉115.0 ml.



















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	50.0	多云	假设@06:45 (未用传感器)
07:45	210	50.0	多云	假设@07:45 (未用传感器)
09:10	210	50.0	阴	假设@09:10 (未用传感器)
10:45	210	50.0	阴	假设@10:45 (未用传感器)
12:35	210	50.0	阴	假设@12:35 (未用传感器)
14:35	210	50.0	多云	假设@14:35 (未用传感器)
总计	1260.0 (6次)	300.0		建议进液EC: 2052.0, PH: 5.8


上次灌溉时长(210.0)与预期(82.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉128.0 ml.
回液EC (2085.0 vs 2185) 偏低


















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	50.0	多云	假设@06:45 (未用传感器)
08:55	210	50.0	晴	假设@08:55 (未用传感器)
10:35	210	50.0	晴	假设@10:35 (未用传感器)
12:20	210	50.0	晴	假设@12:20 (未用传感器)
13:55	210	50.0	多云	假设@13:55 (未用传感器)
总计	1050.0 (5次)	250.0		建议进液EC: 1933.0, PH: 6.0

上次灌溉时长(210.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉116.0 ml.
回液EC (2150.0 vs 2185) 偏低










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:50	900	50.0	晴	假设@06:50（未用传感器）
09:05	900	50.0	晴	假设@09:05（未用传感器）
10:45	900	50.0	晴	假设@10:45（未用传感器）
12:10	900	50.0	晴	假设@12:10（未用传感器）
13:30	900	50.0	晴	假设@13:30（未用传感器）
14:55	900	50.0	晴	假设@14:55（未用传感器）
总计	5400.0（6次）	300.0		建议进液EC：1900.0， PH： 5.8

施肥机灌溉量与预期值不符（193.0 ： 159.0），可能由于一阀多区不均匀
上次灌溉时长(300.0)与预期(94.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉159.0 ml.





$m=750$, $FV0=0$



$m=840$, $FV0=0$

