


FgArea: [' 0']


NC11 P3-3

2025-04-25 (Day 27)





Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]











Trend plot forP3-3_0





FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:35	231	150.0	晴	预期@07:35 未知程序（未用传感器）
08:35	231	150.0	晴	预期@08:35 未知程序（未用传感器）
09:35	231	150.0	晴	预期@09:35 未知程序（未用传感器）
10:35	231	150.0	晴	预期@10:35 未知程序（未用传感器）
11:40	231	150.0	晴	预期@11:40 未知程序（未用传感器）
12:45	231	150.0	晴	预期@12:45 未知程序（未用传感器）
13:55	231	150.0	晴	预期@13:55 未知程序（未用传感器）
15:20	231	150.0	晴	预期@15:20 未知程序（未用传感器）
总计	1848.0 (8次)	1200.0		建议进液EC: 2080.0, PH: 6.5


昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策




















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:05	240	130.0	晴	假设@07:05 手动 (未用传感器)
08:00	240	130.0	晴	假设@08:00 手动 (未用传感器)
08:55	240	130.0	晴	假设@08:55 手动 (未用传感器)
09:45	240	130.0	晴	假设@09:45 手动 (未用传感器)
10:35	240	130.0	晴	假设@10:35 手动 (未用传感器)
11:25	240	130.0	晴	假设@11:25 手动 (未用传感器)
12:15	240	130.0	晴	假设@12:15 手动 (未用传感器)
13:05	240	130.0	晴	假设@13:05 手动 (未用传感器)
14:10	240	130.0	晴	假设@14:10 手动 (未用传感器)
15:35	240	130.0	晴	假设@15:35 手动 (未用传感器)
总计	2400.0 (10次)	1300.0		建议进液EC: 2080.0, PH: 6.5

上次灌溉时长(240)与预期(200.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉156.0 ml.
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	210	130.0	晴	假设@08:30 手动（未用传感器）
09:25	210	130.0	晴	假设@09:25 手动（未用传感器）
10:30	210	130.0	晴	假设@10:30 手动（未用传感器）
11:30	210	130.0	晴	假设@11:30 手动（未用传感器）
12:20	210	130.0	晴	假设@12:20 手动（未用传感器）
13:15	210	130.0	晴	假设@13:15 手动（未用传感器）
14:20	210	130.0	晴	假设@14:20 手动（未用传感器）
15:50	210	130.0	多云	假设@15:50 手动（未用传感器）
总计	1680.0 (8次)	1040.0		建议进液EC: 2000.0, PH: 6.5

昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:15	200	120.0	晴	假设@06:15 手动 (未用传感器)
07:10	200	120.0	晴	假设@07:10 手动 (未用传感器)
08:05	200	120.0	晴	假设@08:05 手动 (未用传感器)
09:30	200	120.0	晴	假设@09:30 手动 (未用传感器)
10:35	200	120.0	晴	假设@10:35 手动 (未用传感器)
11:30	200	120.0	晴	假设@11:30 手动 (未用传感器)
12:20	200	120.0	晴	假设@12:20 手动 (未用传感器)
13:10	200	120.0	晴	假设@13:10 手动 (未用传感器)
14:10	200	120.0	晴	假设@14:10 手动 (未用传感器)
15:35	200	120.0	晴	假设@15:35 手动 (未用传感器)
总计	2000.0 (10次)	1200.0		建议进液EC: 1900.0, PH: 6.5

昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	140	110.0	阴	假设@08:15 手动（未用传感器）
09:15	140	110.0	阴	假设@09:15 手动（未用传感器）
10:15	140	110.0	阴	假设@10:15 手动（未用传感器）
11:15	140	110.0	阴	假设@11:15 手动（未用传感器）
总计	560.0（4次）	440.0		建议进液EC: 2000.0, PH: 6.5

上次灌溉时长(140)与预期(169.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉91.0 ml.
unusual large postFgEt from yesterday (380), set to 330.0 ml.
昨天进回液EC数据缺失.
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

