




FgArea: [' 0']


NC11 P3-3

2025-05-02 (Day 34)












Warning: col ['FR'] missing




Warning: col ['setVI'] missing

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot `[[ 'FV0EC:r-o', 'ECO:g-o' ]]`




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [['FVOPH:r-o', 'PH0:g-o']]





Trend plot forP3-3_0





FgDaily













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:50	234	150.0	阴	预期@07:50 未知程序 (未用传感器)
08:55	234	150.0	阴	预期@08:55 未知程序 (未用传感器)
10:25	234	150.0	阴	预期@10:25 未知程序 (未用传感器)
11:35	234	150.0	阴	预期@11:35 未知程序 (未用传感器)
12:40	234	150.0	阴	预期@12:40 未知程序 (未用传感器)
13:50	234	150.0	阴	预期@13:50 未知程序 (未用传感器)
15:10	234	150.0	阴	预期@15:10 未知程序 (未用传感器)
总计	1638.0 (7次)	1050.0		建议进液EC: 2080.0, PH: 6.5


昨天进回液EC数据缺失.
昨天灌溉EC (2725.0) 与设定EC (2000.0) 偏差较大, 请检查
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:40	234	150.0	多云	假设@08:40 自动（未用传感器）
09:40	234	150.0	多云	假设@09:40 自动（未用传感器）
10:40	234	150.0	多云	假设@10:40 自动（未用传感器）
11:40	234	150.0	晴	假设@11:40 自动（未用传感器）
12:40	234	150.0	晴	假设@12:40 自动（未用传感器）
13:45	234	150.0	晴	假设@13:45 自动（未用传感器）
15:15	234	150.0	晴	假设@15:15 自动（未用传感器）
总计	1638.0（7次）	1050.0		建议进液EC：2080.0， PH： 6.5

上次灌溉时长(300)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉192.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2830.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策







m=820, FV0=0




m=915, FV0=0




m=1055, FV0=0




m=1060, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	212	150.0	多云	假设@07:00 自动（未用传感器）
08:00	212	150.0	多云	假设@08:00 自动（未用传感器）
09:00	212	150.0	阴	假设@09:00 自动（未用传感器）
10:00	212	150.0	阴	假设@10:00 自动（未用传感器）
11:00	212	150.0	阴	假设@11:00 自动（未用传感器）
12:00	212	150.0	阴	假设@12:00 自动（未用传感器）
13:05	212	150.0	阴	假设@13:05 自动（未用传感器）
总计	1484.0（7次）	1050.0		建议进液EC：2080.0， PH： 6.5

上次灌溉时长(212)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉136.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2830.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	212	150.0	多云	假设@06:45 自动 (未用传感器)
07:40	212	150.0	阴	假设@07:40 自动 (未用传感器)
08:35	212	150.0	多云	假设@08:35 自动 (未用传感器)
09:30	212	150.0	晴	假设@09:30 自动 (未用传感器)
10:25	212	150.0	晴	假设@10:25 自动 (未用传感器)
11:20	212	150.0	晴	假设@11:20 自动 (未用传感器)
12:15	212	150.0	晴	假设@12:15 自动 (未用传感器)
13:35	212	150.0	晴	假设@13:35 自动 (未用传感器)
14:45	212	150.0	晴	假设@14:45 自动 (未用传感器)
16:10	212	150.0	晴	假设@16:10 自动 (未用传感器)
总计	2120.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 6.5

上次灌溉时长(300)与预期(234.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉192.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC(2830.0)与设定EC(2000.0)偏差较大, 请检查
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策







m=675, FV0=0




m=845, FV0=0




m=915, FV0=0




m=1040, FV0=0




m=1060, FV0=0



m=1160, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	210	150.0	晴	假设@07:00 手动（未用传感器）
08:00	210	150.0	晴	假设@08:00 手动（未用传感器）
09:00	210	150.0	晴	假设@09:00 手动（未用传感器）
10:00	210	150.0	晴	假设@10:00 手动（未用传感器）
11:00	210	150.0	晴	假设@11:00 手动（未用传感器）
11:55	210	150.0	晴	假设@11:55 手动（未用传感器）
12:50	210	150.0	晴	假设@12:50 手动（未用传感器）
13:45	210	150.0	晴	假设@13:45 手动（未用传感器）
15:05	210	150.0	晴	假设@15:05 手动（未用传感器）
总计	1890.0（9次）	1350.0		建议进液EC：2080.0， PH：6.5

上次灌溉时长(210)与预期(234.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉134.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2830.0）与设定EC（2000.0）偏差较大，请检查
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

