




FgArea: [' 0']


NC11 P3-3

2025-05-09 (Day 41)











Warning: col ['FR'] missing




Warning: col ['setVI'] missing


The image shows a blank plot area with a white background and a black border. The x-axis and y-axis both range from 0.0 to 1.0, with major tick marks at intervals of 0.2. A warning message is displayed in the lower-left quadrant of the plot area.

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o', ' PH0:g-o']]





Trend plot for P3-3 0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	268	150.0	雨	预期@07:45 未知程序 (未用传感器)
08:45	268	150.0	雨	预期@08:45 未知程序 (未用传感器)
10:15	268	150.0	雨	预期@10:15 未知程序 (未用传感器)
11:25	268	150.0	雨	预期@11:25 未知程序 (未用传感器)
12:30	268	150.0	雨	预期@12:30 未知程序 (未用传感器)
13:40	268	150.0	雨	预期@13:40 未知程序 (未用传感器)
15:00	268	150.0	雨	预期@15:00 未知程序 (未用传感器)
总计	1876.0 (7次)	1050.0		建议进液EC: 2080.0, PH: 5.8


昨天灌溉EC (2620.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2620.0 vs 3725.0) 偏高




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	278	150.0	多云	假设@07:40 自动（未用传感器）
08:40	278	150.0	多云	假设@08:40 自动（未用传感器）
10:25	278	150.0	多云	假设@10:25 自动（未用传感器）
11:30	278	150.0	晴	假设@11:30 自动（未用传感器）
12:30	278	150.0	晴	假设@12:30 自动（未用传感器）
13:35	278	150.0	多云	假设@13:35 自动（未用传感器）
15:00	278	150.0	阴	假设@15:00 自动（未用传感器）
总计	1946.0（7次）	1050.0		建议进液EC：2080.0， PH：5.6

昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2625.0 vs 3845.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	278	150.0	雾	假设@07:20 自动（未用传感器）
08:20	278	150.0	晴	假设@08:20 自动（未用传感器）
09:25	278	150.0	多云	假设@09:25 自动（未用传感器）
10:30	278	150.0	晴	假设@10:30 自动（未用传感器）
11:30	278	150.0	晴	假设@11:30 自动（未用传感器）
12:25	278	150.0	晴	假设@12:25 自动（未用传感器）
13:20	278	150.0	晴	假设@13:20 自动（未用传感器）
14:40	278	150.0	晴	假设@14:40 自动（未用传感器）
总计	2224.0 (8次)	1200.0		建议进液EC: 2080.0, PH: 5.6

昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2575.0 vs 3610.0)偏高







m=705, FV0=0




m=755, FV0=0




m=800, FV0=0




m=875, FV0=0




m=930, FV0=0




m=1010, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	278	150.0	晴	假设@07:45 自动（未用传感器）
08:45	278	150.0	晴	假设@08:45 自动（未用传感器）
10:00	278	150.0	阴	假设@10:00 自动（未用传感器）
11:00	278	150.0	晴	假设@11:00 自动（未用传感器）
12:00	278	150.0	晴	假设@12:00 自动（未用传感器）
12:55	278	150.0	晴	假设@12:55 自动（未用传感器）
13:50	278	150.0	晴	假设@13:50 自动（未用传感器）
15:05	278	150.0	多云	假设@15:05 自动（未用传感器）
总计	2224.0 (8次)	1200.0		建议进液EC: 2080.0, PH: 5.8

昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2565.0 vs 3780.0)偏高







m=690, FV0=0




m=735, FV0=0




m=795, FV0=0




m=845, FV0=0




m=915, m FV0=0




m=995, m FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
13:05	278	150.0	阴	假设@13:05 自动（未用传感器）
17:05	278	150.0	阴	假设@17:05 自动（未用传感器）
总计	556.0（2次）	300.0		建议进液EC: 2080.0, PH: 5.8



昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查
回液EC 5400.0 太高，建议用低EC肥液冲洗基质
进回液EC差(2610.0 vs 5400.0) 过高



m=435, FV0=0



m=495, FV0=0



m=435, m FV0=0

m=495, m FV0=0

m

m

