




FgArea: [' 0']

NC11 P3-3

2025-05-11 (Day 43)










Warning: col ['FR'] missing




Warning: col ['setVI'] missing


The image shows a blank plot area with a white background and a black border. The x-axis and y-axis are both labeled from 0.0 to 1.0 in increments of 0.2. A warning message is displayed in the lower-left quadrant of the plot area.

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data




Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [['FVOPH:r-o', 'PH0:g-o']]





Trend plot forP3-3_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	283	150.0	晴	预期@07:20 未知程序（未用传感器）
08:15	283	150.0	晴	预期@08:15 未知程序（未用传感器）
09:20	283	150.0	晴	预期@09:20 未知程序（未用传感器）
10:25	283	150.0	晴	预期@10:25 未知程序（未用传感器）
11:20	283	150.0	晴	预期@11:20 未知程序（未用传感器）
12:10	283	150.0	晴	预期@12:10 未知程序（未用传感器）
13:00	283	150.0	晴	预期@13:00 未知程序（未用传感器）
13:55	283	150.0	晴	预期@13:55 未知程序（未用传感器）
14:55	283	150.0	晴	预期@14:55 未知程序（未用传感器）
总计	2547.0（9次）	1350.0		建议进液EC：2080.0， PH： 5.6


昨天灌溉EC（2650.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2650.0 vs 4130.0)偏高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	278	150.0	阴	假设@08:20 自动 (未用传感器)
09:05	278	150.0	阴	假设@09:05 自动 (未用传感器)
10:05	278	150.0	多云	假设@10:05 自动 (未用传感器)
11:00	278	150.0	晴	假设@11:00 自动 (未用传感器)
11:45	278	150.0	晴	假设@11:45 自动 (未用传感器)
12:30	278	150.0	晴	假设@12:30 自动 (未用传感器)
13:10	278	150.0	晴	假设@13:10 自动 (未用传感器)
13:55	278	150.0	晴	假设@13:55 自动 (未用传感器)
14:55	278	150.0	晴	假设@14:55 自动 (未用传感器)
16:00	278	150.0	晴	假设@16:00 自动 (未用传感器)
总计	2780.0 (10次)	1500.0		建议进液EC: 2080.0, PH: 5.8

昨天灌溉EC (2665.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2665.0 vs 3775.0) 偏高







m=635, FV0=0




m=700, FV0=0




m=745, FV0=0




m=795, FV0=0




m=835, m FV0=0




m=880, m FV0=0




m=935, m FV0=0




m=1000, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
11:10	268	150.0	小雨	假设@11:10 自动（未用传感器）
12:10	268	150.0	小雨	假设@12:10 自动（未用传感器）
总计	536.0（2次）	300.0		建议进液EC：2080.0， PH： 5.8



昨天灌溉EC（2620.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2620.0 vs 3725.0)偏高





m=515, FV0=0




m=670, FV0=0




m=515, m FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:40	278	150.0	多云	假设@07:40 自动（未用传感器）
08:40	278	150.0	多云	假设@08:40 自动（未用传感器）
10:15	278	150.0	多云	假设@10:15 自动（未用传感器）
11:15	278	150.0	晴	假设@11:15 自动（未用传感器）
12:15	278	150.0	晴	假设@12:15 自动（未用传感器）
13:15	278	150.0	多云	假设@13:15 自动（未用传感器）
14:15	278	150.0	多云	假设@14:15 自动（未用传感器）
总计	1946.0（7次）	1050.0		建议进液EC：2080.0， PH：5.6

昨天灌溉EC（2625.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2625.0 vs 3845.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:20	278	150.0	雾	假设@07:20 自动（未用传感器）
08:20	278	150.0	晴	假设@08:20 自动（未用传感器）
09:20	278	150.0	多云	假设@09:20 自动（未用传感器）
10:20	278	150.0	晴	假设@10:20 自动（未用传感器）
11:15	278	150.0	晴	假设@11:15 自动（未用传感器）
12:10	278	150.0	晴	假设@12:10 自动（未用传感器）
13:05	278	150.0	晴	假设@13:05 自动（未用传感器）
14:00	278	150.0	晴	假设@14:00 自动（未用传感器）
15:10	278	150.0	晴	假设@15:10 自动（未用传感器）
总计	2502.0（9次）	1350.0		建议进液EC：2080.0， PH：5.6

昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2575.0 vs 3610.0)偏高







m=705, FV0=0




m=755, FV0=0




m=800, FV0=0



m=875, FV0=0



m=930, FV0=0



m=1010, FV0=0

