




FgArea: [' 0']


NC11 P3-3


2025-06-03 (Day 66)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-3_0







FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	278	150.0	2.583	晴	预期@08:35 未知程序（未用传感器）
09:40	278	150.0	2.583	晴	预期@09:40 未知程序（未用传感器）
10:45	278	150.0	2.583	晴	预期@10:45 未知程序（未用传感器）
11:45	278	150.0	2.583	晴	预期@11:45 未知程序（未用传感器）
12:40	278	150.0	2.583	晴	预期@12:40 未知程序（未用传感器）
13:35	278	150.0	2.583	晴	预期@13:35 未知程序（未用传感器）
14:35	278	150.0	2.583	晴	预期@14:35 未知程序（未用传感器）
15:45	278	150.0	2.583	晴	预期@15:45 未知程序（未用传感器）
总计	2224.0（8次）	1200.0			建议进液EC：2080.0， PH：6.0


昨天进回液EC数据缺失。
进回液EC差(1860.0 vs 3635.0) 过高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策






















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	273	150.0	2.583	晴	假设@08:00 自动（未用传感器）
08:50	273	150.0	2.583	晴	假设@08:50 自动（未用传感器）
09:50	273	150.0	2.583	晴	假设@09:50 自动（未用传感器）
10:35	273	150.0	2.583	晴	假设@10:35 自动（未用传感器）
11:40	273	150.0	2.583	晴	假设@11:40 自动（未用传感器）
12:30	273	150.0	2.583	晴	假设@12:30 自动（未用传感器）
13:10	273	150.0	2.583	多云	假设@13:10 自动（未用传感器）
13:55	273	150.0	2.583	多云	假设@13:55 自动（未用传感器）
14:55	273	150.0	2.583	多云	假设@14:55 自动（未用传感器）
16:05	273	150.0	2.583	多云	假设@16:05 自动（未用传感器）
总计	2730.0（10次）	1500.0			建议进液EC：2080.0， PH：6.0

上次灌溉时长(600)与预期(273.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉330.0 ml.
进回液EC差(1907.0 vs 3900.0)过高







m=780, FV0=0




m=840, FV0=0




m=905, FV0=0




m=960, FV0=0




m=1100, FV0=0





m=1165, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:40	273	150.0	2.583	雾	假设@08:40 自动（未用传感器）
09:40	273	150.0	2.583	多云	假设@09:40 自动（未用传感器）
10:40	273	150.0	2.583	多云	假设@10:40 自动（未用传感器）
11:40	273	150.0	2.583	阴	假设@11:40 自动（未用传感器）
13:35	273	150.0	2.583	阴	假设@13:35 自动（未用传感器）
15:35	273	150.0	2.583	阴	假设@15:35 自动（未用传感器）
总计	1638.0（6次）	900.0			建议进液EC：2080.0， PH： 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:20	278	150.0	2.583	阴	假设@06:20 自动 (未用传感器)
07:20	278	150.0	2.583	阴	假设@07:20 自动 (未用传感器)
08:20	278	150.0	2.583	阴	假设@08:20 自动 (未用传感器)
09:20	278	150.0	2.583	阴	假设@09:20 自动 (未用传感器)
10:40	278	150.0	2.583	阴	假设@10:40 自动 (未用传感器)
12:05	278	150.0	2.583	阴	假设@12:05 自动 (未用传感器)
14:50	278	150.0	2.583	小雨	假设@14:50 自动 (未用传感器)
总计	1946.0 (7次)	1050.0			建议进液EC: 2080.0, PH: 6.0







$m=825$, $FV0=0$





$m=945$, $FV0=0$






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:35	278	150.0	2.583	阴	假设@06:35 自动（未用传感器）
07:25	278	150.0	2.583	阴	假设@07:25 自动（未用传感器）
08:15	278	150.0	2.583	阴	假设@08:15 自动（未用传感器）
09:15	278	150.0	2.583	阴	假设@09:15 自动（未用传感器）
10:30	278	150.0	2.583	阴	假设@10:30 自动（未用传感器）
11:25	278	150.0	2.583	阴	假设@11:25 自动（未用传感器）
12:10	278	150.0	2.583	阴	假设@12:10 自动（未用传感器）
12:55	278	150.0	2.583	阴	假设@12:55 自动（未用传感器）
13:45	278	150.0	2.583	阴	假设@13:45 自动（未用传感器）
15:05	278	150.0	2.583	阴	假设@15:05 自动（未用传感器）
16:35	278	150.0	2.583	阴	假设@16:35 自动（未用传感器）
总计	3058.0（11次）	1650.0			建议进液EC: 2080.0, PH: 6.0







m=605, FV0=0




m=655, FV0=0




m=700, FV0=0




m=735, FV0=0




m=770,m FV0=0



m=810,m FV0=0



m=850,m FV0=0



m=920,m FV0=0

