




FgArea: [' 0' ]


NC11 P3-4


2025-06-01 (Day 64)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water\_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]




Plot ['VI\_pcterr', 'VO\_pcterr', 'VN\_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o' ]]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]





Trend plot forP3-4\_0








# FgDaily

















| 时间    | 灌溉时长(秒)      | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                      |
|-------|--------------|-----------|-----------|----|-------------------------|
| 07:50 | 268          | 150.0     | 25.83     | 阴  | 预期@07:50 未知程序 (未用传感器)   |
| 08:30 | 268          | 150.0     | 25.83     | 阴  | 预期@08:30 未知程序 (未用传感器)   |
| 09:30 | 268          | 150.0     | 25.83     | 阴  | 预期@09:30 未知程序 (未用传感器)   |
| 10:15 | 268          | 150.0     | 25.83     | 阴  | 预期@10:15 未知程序 (未用传感器)   |
| 10:55 | 268          | 150.0     | 25.83     | 阴  | 预期@10:55 未知程序 (未用传感器)   |
| 11:35 | 268          | 150.0     | 25.83     | 阴  | 预期@11:35 未知程序 (未用传感器)   |
| 12:15 | 268          | 150.0     | 25.83     | 阴  | 预期@12:15 未知程序 (未用传感器)   |
| 12:50 | 268          | 150.0     | 25.83     | 阴  | 预期@12:50 未知程序 (未用传感器)   |
| 13:30 | 268          | 150.0     | 25.83     | 阴  | 预期@13:30 未知程序 (未用传感器)   |
| 14:10 | 268          | 150.0     | 25.83     | 雨  | 预期@14:10 未知程序 (未用传感器)   |
| 14:50 | 268          | 150.0     | 25.83     | 雨  | 预期@14:50 未知程序 (未用传感器)   |
| 15:35 | 268          | 150.0     | 25.83     | 阴  | 预期@15:35 未知程序 (未用传感器)   |
| 16:30 | 268          | 150.0     | 25.83     | 雨  | 预期@16:30 未知程序 (未用传感器)   |
| 总计    | 3484.0 (13次) | 1950.0    |           |    | 建议进液EC: 2080.0, PH: 6.0 |







| 时间    | 灌溉时长(秒)    | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                     |
|-------|------------|-----------|-----------|----|------------------------|
| 06:45 | 278        | 150.0     | 25.83     | 阴  | 假设@06:45 自动（未用传感器）     |
| 07:45 | 278        | 150.0     | 25.83     | 阴  | 假设@07:45 自动（未用传感器）     |
| 08:45 | 278        | 150.0     | 25.83     | 阴  | 假设@08:45 自动（未用传感器）     |
| 09:45 | 278        | 150.0     | 25.83     | 阴  | 假设@09:45 自动（未用传感器）     |
| 10:45 | 278        | 150.0     | 25.83     | 阴  | 假设@10:45 自动（未用传感器）     |
| 11:50 | 278        | 150.0     | 25.83     | 阴  | 假设@11:50 自动（未用传感器）     |
| 总计    | 1668.0（6次） | 900.0     |           |    | 建议进液EC：2080.0， PH： 6.0 |

回液EC 5503.0 太高，建议用低EC肥液冲洗基质  
进回液EC差(2087.0 vs 5503.0) 过高







$m=825$ ,  $FV0=0$




$m=945$ ,  $FV0=0$





















| 时间    | 灌溉时长(秒)      | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                      |
|-------|--------------|-----------|-----------|----|-------------------------|
| 06:25 | 278          | 150.0     | 25.83     | 阴  | 假设@06:25 自动 (未用传感器)     |
| 07:15 | 278          | 150.0     | 25.83     | 阴  | 假设@07:15 自动 (未用传感器)     |
| 08:00 | 278          | 150.0     | 25.83     | 阴  | 假设@08:00 自动 (未用传感器)     |
| 08:55 | 278          | 150.0     | 25.83     | 阴  | 假设@08:55 自动 (未用传感器)     |
| 10:10 | 278          | 150.0     | 25.83     | 阴  | 假设@10:10 自动 (未用传感器)     |
| 11:00 | 278          | 150.0     | 25.83     | 阴  | 假设@11:00 自动 (未用传感器)     |
| 11:40 | 278          | 150.0     | 25.83     | 阴  | 假设@11:40 自动 (未用传感器)     |
| 12:20 | 278          | 150.0     | 25.83     | 阴  | 假设@12:20 自动 (未用传感器)     |
| 13:05 | 278          | 150.0     | 25.83     | 阴  | 假设@13:05 自动 (未用传感器)     |
| 13:50 | 278          | 150.0     | 25.83     | 阴  | 假设@13:50 自动 (未用传感器)     |
| 14:55 | 278          | 150.0     | 25.83     | 阴  | 假设@14:55 自动 (未用传感器)     |
| 16:10 | 278          | 150.0     | 25.83     | 阴  | 假设@16:10 自动 (未用传感器)     |
| 总计    | 3336.0 (12次) | 1800.0    |           |    | 建议进液EC: 2080.0, PH: 6.0 |

回液EC 5717.0 太高, 建议用低EC肥液冲洗基质  
进回液EC差 (2220.0 vs 5717.0) 过高







m=605, FV0=0




m=655, FV0=0




m=700, FV0=0




m=735, FV0=0




m=770, m FV0=0




m=810, m FV0=0




m=850, m FV0=0



m=920, m FV0=0






















| 时间    | 灌溉时长(秒)      | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                      |
|-------|--------------|-----------|-----------|----|-------------------------|
| 07:15 | 273          | 150.0     | 25.83     | 晴  | 假设@07:15 自动 (未用传感器)     |
| 07:50 | 273          | 150.0     | 25.83     | 晴  | 假设@07:50 自动 (未用传感器)     |
| 08:25 | 273          | 150.0     | 25.83     | 晴  | 假设@08:25 自动 (未用传感器)     |
| 09:00 | 273          | 150.0     | 25.83     | 多云 | 假设@09:00 自动 (未用传感器)     |
| 09:45 | 273          | 150.0     | 25.83     | 多云 | 假设@09:45 自动 (未用传感器)     |
| 10:25 | 273          | 150.0     | 25.83     | 多云 | 假设@10:25 自动 (未用传感器)     |
| 11:05 | 273          | 150.0     | 25.83     | 多云 | 假设@11:05 自动 (未用传感器)     |
| 11:45 | 273          | 150.0     | 25.83     | 多云 | 假设@11:45 自动 (未用传感器)     |
| 12:25 | 273          | 150.0     | 25.83     | 多云 | 假设@12:25 自动 (未用传感器)     |
| 13:05 | 273          | 150.0     | 25.83     | 晴  | 假设@13:05 自动 (未用传感器)     |
| 13:40 | 273          | 150.0     | 25.83     | 晴  | 假设@13:40 自动 (未用传感器)     |
| 14:10 | 273          | 150.0     | 25.83     | 晴  | 假设@14:10 自动 (未用传感器)     |
| 14:40 | 273          | 150.0     | 25.83     | 晴  | 假设@14:40 自动 (未用传感器)     |
| 15:15 | 273          | 150.0     | 25.83     | 晴  | 假设@15:15 自动 (未用传感器)     |
| 15:55 | 273          | 150.0     | 25.83     | 晴  | 假设@15:55 自动 (未用传感器)     |
| 16:55 | 273          | 150.0     | 25.83     | 多云 | 执行中@16:55 自动 (未用传感器)    |
| 总计    | 4368.0 (16次) | 2400.0    |           |    | 建议进液EC: 2080.0, PH: 6.0 |

回液EC 5690.0 太高，建议用低EC肥液冲洗基质  
进回液EC差 (2323.0 vs 5690.0) 过高









| 时间    | 灌溉时长(秒)      | 灌溉量(毫升/株) | 灌溉总量(方/次) | 天气 | 注释                      |
|-------|--------------|-----------|-----------|----|-------------------------|
| 07:15 | 278          | 150.0     | 25.83     | 晴  | 假设@07:15 自动 (未用传感器)     |
| 07:50 | 278          | 150.0     | 25.83     | 晴  | 假设@07:50 自动 (未用传感器)     |
| 08:25 | 278          | 150.0     | 25.83     | 晴  | 假设@08:25 自动 (未用传感器)     |
| 09:00 | 278          | 150.0     | 25.83     | 晴  | 假设@09:00 自动 (未用传感器)     |
| 09:30 | 278          | 150.0     | 25.83     | 晴  | 假设@09:30 自动 (未用传感器)     |
| 10:10 | 278          | 150.0     | 25.83     | 晴  | 假设@10:10 自动 (未用传感器)     |
| 10:45 | 278          | 150.0     | 25.83     | 晴  | 假设@10:45 自动 (未用传感器)     |
| 11:20 | 278          | 150.0     | 25.83     | 晴  | 假设@11:20 自动 (未用传感器)     |
| 11:55 | 278          | 150.0     | 25.83     | 晴  | 假设@11:55 自动 (未用传感器)     |
| 12:30 | 278          | 150.0     | 25.83     | 晴  | 假设@12:30 自动 (未用传感器)     |
| 13:05 | 278          | 150.0     | 25.83     | 晴  | 假设@13:05 自动 (未用传感器)     |
| 13:40 | 278          | 150.0     | 25.83     | 晴  | 假设@13:40 自动 (未用传感器)     |
| 14:10 | 278          | 150.0     | 25.83     | 晴  | 假设@14:10 自动 (未用传感器)     |
| 14:40 | 278          | 150.0     | 25.83     | 晴  | 假设@14:40 自动 (未用传感器)     |
| 15:10 | 278          | 150.0     | 25.83     | 晴  | 假设@15:10 自动 (未用传感器)     |
| 15:40 | 278          | 150.0     | 25.83     | 晴  | 假设@15:40 自动 (未用传感器)     |
| 16:15 | 278          | 150.0     | 25.83     | 晴  | 假设@16:15 自动 (未用传感器)     |
| 16:55 | 278          | 150.0     | 25.83     | 晴  | 假设@16:55 自动 (未用传感器)     |
| 总计    | 5004.0 (18次) | 2700.0    |           |    | 建议进液EC: 2080.0, PH: 5.8 |

回液EC 5590.0 太高，建议用低EC肥液冲洗基质  
进回液EC差(2400.0 vs 5590.0) 过高

