




FgArea: [' 0']


NC11 P3-4


2025-06-15 (Day 78)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'EcParam', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o', ' PH0:g-o']]











FgDaily


















时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:35	283	150.0	2.583	中雨	预期@08:35 未知程序 (未用传感器)
09:30	283	150.0	2.583	中雨	预期@09:30 未知程序 (未用传感器)
10:30	283	150.0	2.583	中雨	预期@10:30 未知程序 (未用传感器)
11:25	283	150.0	2.583	中雨	预期@11:25 未知程序 (未用传感器)
12:15	283	150.0	2.583	中雨	预期@12:15 未知程序 (未用传感器)
13:05	283	150.0	2.583	中雨	预期@13:05 未知程序 (未用传感器)
14:00	283	150.0	2.583	中雨	预期@14:00 未知程序 (未用传感器)
14:55	283	150.0	2.583	中雨	预期@14:55 未知程序 (未用传感器)
16:00	283	150.0	2.583	小雨	预期@16:00 未知程序 (未用传感器)
总计	2547.0 (9次)	1350.0			建议进液EC: 2200, PH: 6.0






时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
08:00	273	150.0	2.583	阴	假设@08:00 自动（未用传感器）
09:00	273	150.0	2.583	阴	假设@09:00 自动（未用传感器）
10:05	273	150.0	2.583	阴	假设@10:05 自动（未用传感器）
11:15	273	150.0	2.583	阴	假设@11:15 自动（未用传感器）
12:15	273	150.0	2.583	阴	假设@12:15 自动（未用传感器）
总计	1365.0 (5次)	750.0			建议进液EC: 2200, PH: 6.0









时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
05:45	273	150.0	2.583	阴	假设@05:45 自动（未用传感器）
06:45	273	150.0	2.583	多云	假设@06:45 自动（未用传感器）
07:45	273	150.0	2.583	多云	假设@07:45 自动（未用传感器）
09:05	273	150.0	2.583	多云	假设@09:05 自动（未用传感器）
10:55	273	150.0	2.583	阴	假设@10:55 自动（未用传感器）
13:20	273	150.0	2.583	阴	假设@13:20 自动（未用传感器）
14:20	273	150.0	2.583	阴	假设@14:20 自动（未用传感器）
15:25	273	150.0	2.583	阴	假设@15:25 自动（未用传感器）
总计	2184.0 (8次)	1200.0			建议进液EC: 2200, PH: 6.0







$m=880$, $FV0=0$




$m=920$, $FV0=0$







时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
06:55	283	150.0	2.583	阴	假设@06:55 自动（未用传感器）
07:55	283	150.0	2.583	阴	假设@07:55 自动（未用传感器）
12:40	283	150.0	2.583	大雨	假设@12:40 自动（未用传感器）
13:40	283	150.0	2.583	阴	假设@13:40 自动（未用传感器）
14:35	283	150.0	2.583	阴	假设@14:35 自动（未用传感器）
15:30	283	150.0	2.583	多云	假设@15:30 自动（未用传感器）
总计	1698.0（6次）	900.0			建议进液EC: 2200, PH: 6.0

模型建议今天进液PH 6.005
进回液EC差(1803.0 vs 3790.0) 过高
模型建议今天进液EC 2200.0










时间	灌溉时长(秒)	灌溉量(毫升/株)	灌溉总量(方/次)	天气	注释
07:20	283	150.0	2.583	晴	假设@07:20 自动（未用传感器）
07:55	283	150.0	2.583	晴	假设@07:55 自动（未用传感器）
09:05	283	150.0	2.583	晴	假设@09:05 自动（未用传感器）
09:50	283	150.0	2.583	晴	假设@09:50 自动（未用传感器）
10:35	283	150.0	2.583	晴	假设@10:35 自动（未用传感器）
11:15	283	150.0	2.583	晴	假设@11:15 自动（未用传感器）
11:55	283	150.0	2.583	晴	假设@11:55 自动（未用传感器）
12:30	283	150.0	2.583	晴	假设@12:30 自动（未用传感器）
13:10	283	150.0	2.583	晴	假设@13:10 自动（未用传感器）
13:50	283	150.0	2.583	晴	假设@13:50 自动（未用传感器）
14:20	283	150.0	2.583	晴	假设@14:20 自动（未用传感器）
14:55	283	150.0	2.583	晴	假设@14:55 自动（未用传感器）
15:30	283	150.0	2.583	晴	假设@15:30 自动（未用传感器）
16:15	283	150.0	2.583	晴	假设@16:15 自动（未用传感器）
17:10	283	150.0	2.583	晴	假设@17:10 自动（未用传感器）
总计	4245.0（15次）	2250.0			建议进液EC: 2200, PH: 6.0


模型建议今天进液PH 6.005
进回液EC差(1847.0 vs 4147.0) 过高
模型建议今天进液EC 2200.0







$m=940$, $FV0=0$



$m=990$, $FV0=0$

