




FgArea: [' 0']


NC11 P3-5

2025-05-06 (Day 38)












Warning: col ['FR'] missing

A square plot area with a white background and a black border. The x-axis and y-axis are both labeled from 0.0 to 1.0 in increments of 0.2. The plot area is empty except for a warning message.


Warning: col ['setVI'] missing

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o', ' PH0:g-o']]





Trend plot forP3-5_0





FgDaily














时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	278	150.0	晴	预期@07:00 未知程序（未用传感器）
08:00	278	150.0	晴	预期@08:00 未知程序（未用传感器）
09:05	278	150.0	晴	预期@09:05 未知程序（未用传感器）
10:20	278	150.0	晴	预期@10:20 未知程序（未用传感器）
11:25	278	150.0	晴	预期@11:25 未知程序（未用传感器）
12:25	278	150.0	晴	预期@12:25 未知程序（未用传感器）
13:25	278	150.0	晴	预期@13:25 未知程序（未用传感器）
14:30	278	150.0	晴	预期@14:30 未知程序（未用传感器）
15:45	278	150.0	晴	预期@15:45 未知程序（未用传感器）
总计	2502.0 (9次)	1350.0		建议进液EC: 2080.0, PH: 5.8







昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
13:05	278	150.0	阴	假设@13:05 自动（未用传感器）
总计	278.0（1次）	150.0		建议进液EC：2080.0， PH： 6.0



































时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:45	234	150.0	多云	假设@08:45 自动（未用传感器）
09:45	234	150.0	多云	假设@09:45 自动（未用传感器）
10:45	234	150.0	多云	假设@10:45 自动（未用传感器）
11:45	234	150.0	晴	假设@11:45 自动（未用传感器）
12:45	234	150.0	多云	假设@12:45 自动（未用传感器）
13:45	234	150.0	多云	假设@13:45 自动（未用传感器）
14:45	234	150.0	多云	假设@14:45 自动（未用传感器）
总计	1638.0（7次）	1050.0		建议进液EC：2080.0， PH： 5.8

上次灌溉时长(234)与预期(259.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉136.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 3455.0)偏高



























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:00	234	150.0	晴	假设@09:00 自动（未用传感器）
10:00	234	150.0	晴	假设@10:00 自动（未用传感器）
11:00	234	150.0	晴	假设@11:00 自动（未用传感器）
12:00	234	150.0	晴	假设@12:00 自动（未用传感器）
13:00	234	150.0	晴	假设@13:00 自动（未用传感器）
14:30	234	150.0	晴	假设@14:30 自动（未用传感器）
总计	1404.0（6次）	900.0		建议进液EC：2080.0， PH： 5.6

昨天灌溉EC（2595.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2595.0 vs 3640.0)偏高







$m=750$, $FV0=0$




$m=805$, $FV0=0$




$m=875$, $FV0=0$



$m=1000$, $FV0=0$





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:15	234	150.0	阴	假设@09:15 自动（未用传感器）
10:40	234	150.0	阴	假设@10:40 自动（未用传感器）
12:35	234	150.0	阴	假设@12:35 自动（未用传感器）
总计	702.0（3次）	450.0		建议进液EC: 2080.0, PH: 5.6

昨天灌溉EC（2700.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2700.0 vs 3730.0)偏高

