




FgArea: [' 0']


NC11 P3-5

2025-05-07 (Day 39)











Warning: col ['FR'] missing




Warning: col ['setVI'] missing


The image shows a blank plot area with a white background and a black border. The x-axis and y-axis both range from 0.0 to 1.0, with major tick marks at intervals of 0.2. A warning message is displayed in the lower-left quadrant of the plot area.

1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]





Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-5_0






















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:05	241	130.0	晴	预期@07:05 未知程序（未用传感器）
08:05	241	130.0	晴	预期@08:05 未知程序（未用传感器）
09:55	241	130.0	晴	预期@09:55 未知程序（未用传感器）
11:15	241	130.0	晴	预期@11:15 未知程序（未用传感器）
12:30	241	130.0	晴	预期@12:30 未知程序（未用传感器）
13:45	241	130.0	晴	预期@13:45 未知程序（未用传感器）
15:10	241	130.0	晴	预期@15:10 未知程序（未用传感器）
总计	1687.0（7次）	910.0		建议进液EC：2080.0， PH： 5.8


昨天灌溉EC（2575.0）与设定EC（2000.0）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	278	150.0	晴	假设@08:55 自动（未用传感器）
09:55	278	150.0	晴	假设@09:55 自动（未用传感器）
11:00	278	150.0	晴	假设@11:00 自动（未用传感器）
12:05	278	150.0	晴	假设@12:05 自动（未用传感器）
13:20	278	150.0	晴	假设@13:20 自动（未用传感器）
14:35	278	150.0	多云	假设@14:35 自动（未用传感器）
16:00	278	150.0	多云	假设@16:00 自动（未用传感器）
总计	1946.0（7次）	1050.0		建议进液EC：2080.0， PH： 5.8

昨天灌溉EC（2565.0）与设定EC（2000.0）偏差较大，请检查







m=690, FV0=0




m=735, FV0=0




m=795, FV0=0




m=845, FV0=0




m=915, m FV0=0










m=995, m FV0=0






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
12:40	278	150.0	阵雨	假设@12:40 自动（未用传感器）
总计	278.0（1次）	150.0		建议进液EC：2080.0， PH： 6.0



































时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:55	234	150.0	多云	假设@08:55 自动（未用传感器）
09:55	234	150.0	多云	假设@09:55 自动（未用传感器）
10:55	234	150.0	多云	假设@10:55 自动（未用传感器）
12:00	234	150.0	多云	假设@12:00 自动（未用传感器）
13:10	234	150.0	多云	假设@13:10 自动（未用传感器）
14:20	234	150.0	多云	假设@14:20 自动（未用传感器）
总计	1404.0（6次）	900.0		建议进液EC：2080.0， PH：5.8

上次灌溉时长(234)与预期(259.0)不符，可能由于多阀同灌按参考区灌溉默认实际灌溉136.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 3455.0)偏高


























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:05	234	150.0	晴	假设@09:05 自动（未用传感器）
10:05	234	150.0	晴	假设@10:05 自动（未用传感器）
11:10	234	150.0	晴	假设@11:10 自动（未用传感器）
12:20	234	150.0	晴	假设@12:20 自动（未用传感器）
13:45	234	150.0	晴	假设@13:45 自动（未用传感器）
15:50	234	150.0	晴	假设@15:50 自动（未用传感器）
总计	1404.0（6次）	900.0		建议进液EC: 2080.0, PH: 5.6

昨天灌溉EC（2595.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2595.0 vs 3640.0)偏高







m=750, FV0=0



m=805, FV0=0



m=875, FV0=0



m=1000, FV0=0

