




FgArea: [' 0']


NC11 P3-6


2025-04-08 (Day 10)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [['FV0EC:r-o', 'ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-6_0







FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	93	50.0	晴	预期@06:35 (未用传感器)
07:35	93	50.0	晴	预期@07:35 (未用传感器)
09:35	93	50.0	晴	预期@09:35 (未用传感器)
12:15	93	50.0	晴	预期@12:15 (未用传感器)
总计	372.0 (4次)	200.0		建议进液EC: 1900.0, PH: 6.3







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	多云	假设@06:40（未用传感器）
07:40	120	50.0	多云	假设@07:40（未用传感器）
10:15	120	50.0	多云	假设@10:15（未用传感器）
12:50	120	50.0	晴	假设@12:50（未用传感器）
14:55	120	50.0	晴	假设@14:55（未用传感器）
总计	600.0（5次）	250.0		建议进液EC：1900.0， PH： 6.5

上次灌溉时长(120.0)与预期(93.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉65.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40（未用传感器）
09:35	120	50.0	晴	假设@09:35（未用传感器）
12:20	120	50.0	晴	假设@12:20（未用传感器）
总计	360.0（3次）	150.0		建议进液EC：1900.0， PH： 6.3

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:35	180	50.0	晴	假设@07:35（未用传感器）
10:20	180	50.0	晴	假设@10:20（未用传感器）
13:00	180	50.0	晴	假设@13:00（未用传感器）
总计	540.0（3次）	150.0		建议进液EC：1900.0， PH：5.8

上次灌溉时长(180.0)与预期(89.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉101.0 ml.





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	50.0	多云	假设@06:45（未用传感器）
07:50	210	50.0	多云	假设@07:50（未用传感器）
12:40	210	50.0	阴	假设@12:40（未用传感器）
总计	630.0（3次）	150.0		建议进液EC：2080.0， PH： 5.8

上次灌溉时长(210.0)与预期(89.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉118.0 ml.
large discrepancy for begining water status (47:210.0), set to 80.0 ml.
回液EC（1995.0 vs 2185）偏低

