




FgArea: [' 0']


NC11 P3-6


2025-04-09 (Day 11)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], 'LAI', 'optEtRate']




Plot [['setVI_ETcl', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']



Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o', ' ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-6_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	93	50.0	阴	预期@06:35 (未用传感器)
08:25	93	50.0	阴	预期@08:25 (未用传感器)
11:05	93	50.0	阴	预期@11:05 (未用传感器)
13:10	93	50.0	晴	预期@13:10 (未用传感器)
总计	372.0 (4次)	200.0		建议进液EC: 1900.0, PH: 6.0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	多云	假设@06:40（未用传感器）
08:10	120	50.0	多云	假设@08:10（未用传感器）
11:10	120	50.0	多云	假设@11:10（未用传感器）
13:35	120	50.0	多云	假设@13:35（未用传感器）
总计	480.0（4次）	200.0		建议进液EC：1900.0， PH： 6.3

上次灌溉时长(120.0)与预期(93.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉65.0 ml.
进回液EC差(2140.0 vs 2830.0)偏高










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	多云	假设@06:40 (未用传感器)
07:40	120	50.0	多云	假设@07:40 (未用传感器)
10:25	120	50.0	多云	假设@10:25 (未用传感器)
13:00	120	50.0	晴	假设@13:00 (未用传感器)
总计	480.0 (4次)	200.0		建议进液EC: 1900.0, PH: 6.5

上次灌溉时长(120.0)与预期(93.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉65.0 ml.










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	120	50.0	晴	假设@06:40（未用传感器）
09:35	120	50.0	晴	假设@09:35（未用传感器）
12:20	120	50.0	晴	假设@12:20（未用传感器）
总计	360.0（3次）	150.0		建议进液EC：1900.0， PH： 6.3

上次灌溉时长(120.0)与预期(91.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉66.0 ml.







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:35	180	50.0	晴	假设@07:35（未用传感器）
10:20	180	50.0	晴	假设@10:20（未用传感器）
13:00	180	50.0	晴	假设@13:00（未用传感器）
总计	540.0（3次）	150.0		建议进液EC: 1900.0, PH: 5.8

上次灌溉时长(180.0)与预期(89.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉101.0 ml.

