




FgArea: [' 0']


NC11 P3-6


2025-04-23 (Day 25)

















1 (fgArea = NA)












Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot forP3-6.0







FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
02:05	182	100.0	晴	假设@02:05（未用传感器）
03:05	182	100.0	晴	预期@03:05（未用传感器）
04:05	182	100.0	晴	预期@04:05（未用传感器）
07:35	182	100.0	晴	预期@07:35（未用传感器）
09:25	182	100.0	晴	预期@09:25（未用传感器）
10:35	182	100.0	晴	预期@10:35（未用传感器）
11:30	182	100.0	晴	预期@11:30（未用传感器）
12:25	182	100.0	晴	预期@12:25（未用传感器）
13:20	182	100.0	晴	预期@13:20（未用传感器）
14:20	182	100.0	晴	预期@14:20（未用传感器）
15:30	182	100.0	晴	预期@15:30（未用传感器）
总计	2002.0（11次）	1100.0		建议进液EC：1840.0， PH： 6.0













unusual large postFgEt from yesterday (364), set to 300.0 ml.
昨天灌溉EC（2535.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2535.0 vs 4282.0)过高




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:15	200	90.0	晴	假设@06:15 手动 (未用传感器)
07:05	200	90.0	晴	假设@07:05 手动 (未用传感器)
07:55	200	90.0	晴	假设@07:55 手动 (未用传感器)
09:10	200	90.0	晴	假设@09:10 手动 (未用传感器)
10:20	200	90.0	晴	假设@10:20 手动 (未用传感器)
11:25	200	90.0	晴	假设@11:25 手动 (未用传感器)
12:20	200	90.0	晴	假设@12:20 手动 (未用传感器)
13:05	200	90.0	晴	假设@13:05 手动 (未用传感器)
13:45	200	90.0	晴	假设@13:45 手动 (未用传感器)
14:25	200	90.0	晴	假设@14:25 手动 (未用传感器)
15:10	200	90.0	晴	假设@15:10 手动 (未用传感器)
16:00	200	90.0	晴	假设@16:00 手动 (未用传感器)
总计	2400.0 (12次)	1080.0		建议进液EC: 1840.0, PH: 6.0

上次灌溉时长(200)与预期(167.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉108.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC (2465.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差(2465.0 vs 3988.0) 过高
昨天灌溉进排液EC/PH值缺失, 可能影响模型决策

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
02:30	140	80.0	阴	假设@02:30 手动（未用传感器）
03:30	140	80.0	阴	假设@03:30 手动（未用传感器）
07:00	140	80.0	阴	假设@07:00 手动（未用传感器）
08:00	140	80.0	阴	假设@08:00 手动（未用传感器）
12:20	140	80.0	阴	假设@12:20 手动（未用传感器）
总计	700.0（5次）	400.0		建议进液EC: 1840.0, PH: 6.0

昨天灌溉EC（2470.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2470.0 vs 3718.0)偏高




















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	140	80.0	晴	假设@06:35 手动（未用传感器）
07:35	140	80.0	多云	假设@07:35 手动（未用传感器）
08:40	140	80.0	多云	假设@08:40 手动（未用传感器）
10:05	140	80.0	阴	假设@10:05 手动（未用传感器）
11:10	140	80.0	阴	假设@11:10 手动（未用传感器）
12:15	140	80.0	阴	假设@12:15 手动（未用传感器）
13:30	140	80.0	阴	假设@13:30 手动（未用传感器）
15:05	140	80.0	阴	假设@15:05 手动（未用传感器）
总计	1120.0（8次）	640.0		建议进液EC：1840.0， PH：5.8

large discrepancy for begining water status (120:246.0), set to 145.0 ml.
昨天进回液EC数据缺失.
昨天灌溉EC（2460.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2460.0 vs 3475.0)偏高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	140	70.0	多云	假设@07:00 手动（未用传感器）
07:55	140	70.0	多云	假设@07:55 手动（未用传感器）
08:50	140	70.0	多云	假设@08:50 手动（未用传感器）
10:20	140	70.0	晴	假设@10:20 手动（未用传感器）
11:30	140	70.0	晴	假设@11:30 手动（未用传感器）
12:40	140	70.0	晴	假设@12:40 手动（未用传感器）
13:35	140	70.0	晴	假设@13:35 手动（未用传感器）
14:25	140	70.0	晴	假设@14:25 手动（未用传感器）
15:20	140	70.0	晴	假设@15:20 手动（未用传感器）
总计	1260.0（9次）	630.0		建议进液EC: 1840.0， PH: 5.7

昨天进回液EC数据缺失。
进回液EC差 (2280.0 vs 3232.0) 偏高
昨天灌溉进排液EC/PH值缺失，可能影响模型决策

