






FgArea: [' 0']
NC11 P3-6
2025-04-27 (Day 29)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data





Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P3-6_0








FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	185	100.0	晴	预期@07:00 未知程序（未用传感器）
08:00	185	100.0	晴	预期@08:00 未知程序（未用传感器）
09:00	185	100.0	晴	预期@09:00 未知程序（未用传感器）
10:00	185	100.0	晴	预期@10:00 未知程序（未用传感器）
11:20	185	100.0	晴	预期@11:20 未知程序（未用传感器）
12:30	185	100.0	晴	预期@12:30 未知程序（未用传感器）
13:40	185	100.0	晴	预期@13:40 未知程序（未用传感器）
15:00	185	100.0	晴	预期@15:00 未知程序（未用传感器）
总计	1480.0 (8次)	800.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	210	90.0	晴	假设@06:45 手动（未用传感器）
07:45	210	90.0	晴	假设@07:45 手动（未用传感器）
08:45	210	90.0	多云	假设@08:45 手动（未用传感器）
09:50	210	90.0	阴	假设@09:50 手动（未用传感器）
11:35	210	90.0	晴	假设@11:35 手动（未用传感器）
12:50	210	90.0	晴	假设@12:50 手动（未用传感器）
13:55	210	90.0	晴	假设@13:55 手动（未用传感器）
15:10	210	90.0	晴	假设@15:10 手动（未用传感器）
总计	1680.0（8次）	720.0		建议进液EC：2080.0， PH： 6.0

上次灌溉时长(210)与预期(164.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉116.0 ml.
昨天灌溉EC（2600.0）与设定EC（2000.0）偏差较大，请检查










时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:25	210	90.0	晴	假设@07:25 手动（未用传感器）
08:15	210	90.0	晴	假设@08:15 手动（未用传感器）
09:05	210	90.0	晴	假设@09:05 手动（未用传感器）
09:55	210	90.0	晴	假设@09:55 手动（未用传感器）
10:45	210	90.0	晴	假设@10:45 手动（未用传感器）
12:10	210	90.0	晴	假设@12:10 手动（未用传感器）
13:20	210	90.0	晴	假设@13:20 手动（未用传感器）
14:10	210	90.0	晴	假设@14:10 手动（未用传感器）
15:10	210	90.0	晴	假设@15:10 手动（未用传感器）
总计	1890.0（9次）	810.0		建议进液EC: 2080.0， PH: 6.0

上次灌溉时长(210)与预期(167.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉113.0 ml.
昨天灌溉EC（2580.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2580.0 vs 3905.0)偏高

























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	240	80.0	晴	假设@07:00 手动（未用传感器）
07:50	240	80.0	晴	假设@07:50 手动（未用传感器）
08:40	240	80.0	晴	假设@08:40 手动（未用传感器）
09:30	240	80.0	晴	假设@09:30 手动（未用传感器）
10:20	240	80.0	晴	假设@10:20 手动（未用传感器）
11:25	240	80.0	晴	假设@11:25 手动（未用传感器）
12:20	240	80.0	晴	假设@12:20 手动（未用传感器）
13:25	240	80.0	晴	假设@13:25 手动（未用传感器）
14:10	240	80.0	晴	假设@14:10 手动（未用传感器）
15:00	240	80.0	晴	假设@15:00 手动（未用传感器）
15:50	240	80.0	晴	假设@15:50 手动（未用传感器）
总计	2640.0（11次）	880.0		建议进液EC: 2080.0, PH: 6.0

上次灌溉时长(240)与预期(148.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉130.0 ml.
large discrepancy for begining water status (301:219.0), set to 240.0 ml.
昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 4480.0)过高







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:40	210	80.0	晴	假设@06:40 手动 (未用传感器)
07:30	210	80.0	晴	假设@07:30 手动 (未用传感器)
09:00	210	80.0	晴	假设@09:00 手动 (未用传感器)
10:05	210	80.0	晴	假设@10:05 手动 (未用传感器)
11:05	210	80.0	晴	假设@11:05 手动 (未用传感器)
12:00	210	80.0	晴	假设@12:00 手动 (未用传感器)
12:45	210	80.0	晴	假设@12:45 手动 (未用传感器)
13:30	210	80.0	晴	假设@13:30 手动 (未用传感器)
14:10	210	80.0	晴	假设@14:10 手动 (未用传感器)
14:50	210	80.0	晴	假设@14:50 手动 (未用传感器)
15:45	210	80.0	多云	假设@15:45 手动 (未用传感器)
总计	2310.0 (11次)	880.0		建议进液EC: 1840.0, PH: 6.0

上次灌溉时长(210)与预期(145.0)不符, 可能由于多阀同灌按参考区灌溉
默认实际灌溉116.0 ml.
large discrepancy for begining water status (87:234.0), set to 116.0 ml.
昨天灌溉EC (2535.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差(2535.0 vs 4282.0) 过高

