




FgArea: [' 0']

NC11 P3-6

2025-05-05 (Day 37)







● 1 VI vs Du

1400

1200

1000

800

600

400

200

500

1000


1500


2000


2500

3000


DU









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o', ' PH0:g-o']]





Trend plot for P3-6_0







FgDaily
















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	236	130.0	雨	预期@07:00 未知程序 (未用传感器)
08:00	236	130.0	雨	预期@08:00 未知程序 (未用传感器)
09:35	236	130.0	雨	预期@09:35 未知程序 (未用传感器)
10:45	236	130.0	雨	预期@10:45 未知程序 (未用传感器)
11:40	236	130.0	雨	预期@11:40 未知程序 (未用传感器)
12:35	236	130.0	雨	预期@12:35 未知程序 (未用传感器)
13:30	236	130.0	雨	预期@13:30 未知程序 (未用传感器)
14:30	236	130.0	雨	预期@14:30 未知程序 (未用传感器)
15:45	236	130.0	雨	预期@15:45 未知程序 (未用传感器)
总计	2124.0 (9次)	1170.0		建议进液EC: 2080.0, PH: 5.8


昨天灌溉EC (2610.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2610.0 vs 3710.0) 偏高








时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:45	234	130.0	多云	假设@07:45 自动（未用传感器）
08:40	234	130.0	多云	假设@08:40 自动（未用传感器）
09:50	234	130.0	多云	假设@09:50 自动（未用传感器）
10:55	234	130.0	多云	假设@10:55 自动（未用传感器）
11:55	234	130.0	晴	假设@11:55 自动（未用传感器）
12:45	234	130.0	多云	假设@12:45 自动（未用传感器）
13:35	234	130.0	多云	假设@13:35 自动（未用传感器）
14:20	234	130.0	多云	假设@14:20 自动（未用传感器）
15:20	234	130.0	阴	假设@15:20 自动（未用传感器）
总计	2106.0 (9次)	1170.0		建议进液EC: 2080.0, PH: 5.6

昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 3790.0)偏高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:55	234	120.0	晴	假设@07:55 自动（未用传感器）
08:50	234	120.0	晴	假设@08:50 自动（未用传感器）
09:45	234	120.0	晴	假设@09:45 自动（未用传感器）
10:50	234	120.0	晴	假设@10:50 自动（未用传感器）
11:45	234	120.0	晴	假设@11:45 自动（未用传感器）
12:35	234	120.0	晴	假设@12:35 自动（未用传感器）
13:25	234	120.0	晴	假设@13:25 自动（未用传感器）
14:30	234	120.0	晴	假设@14:30 自动（未用传感器）
15:55	234	120.0	晴	假设@15:55 自动（未用传感器）
总计	2106.0（9次）	1080.0		建议进液EC：2080.0， PH：5.6

昨天灌溉EC（2595.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2595.0 vs 3925.0)偏高







m=750, FV0=0




m=805, FV0=0




m=875, FV0=0




m=1000, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	234	120.0	阴	假设@08:30 自动（未用传感器）
09:30	234	120.0	阴	假设@09:30 自动（未用传感器）
11:30	234	120.0	阴	假设@11:30 自动（未用传感器）
13:15	234	120.0	阴	假设@13:15 自动（未用传感器）
15:20	234	120.0	阴	假设@15:20 自动（未用传感器）
总计	1170.0 (5次)	600.0		建议进液EC: 2080.0, PH: 5.7

昨天灌溉EC（2700.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2700.0 vs 3980.0)偏高
























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:55	234	110.0	多云	假设@07:55 自动（未用传感器）
08:45	234	110.0	多云	假设@08:45 自动（未用传感器）
09:55	234	110.0	多云	假设@09:55 自动（未用传感器）
11:10	234	110.0	晴	假设@11:10 自动（未用传感器）
12:10	234	110.0	晴	假设@12:10 自动（未用传感器）
13:05	234	110.0	晴	假设@13:05 自动（未用传感器）
13:50	234	110.0	晴	假设@13:50 自动（未用传感器）
14:35	234	110.0	晴	假设@14:35 自动（未用传感器）
15:30	234	110.0	晴	假设@15:30 自动（未用传感器）
总计	2106.0（9次）	990.0		建议进液EC：2080.0， PH：6.0

上次灌溉时长(300)与预期(204.0)不符，可能由于多阀同灌按参考区灌溉
默认实际灌溉162.0 ml.
昨天灌溉EC（2757.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2757.0 vs 3930.0)偏高







m=820, FV0=0



m=915, FV0=0



m=1055, FV0=0



m=1060, FV0=0

