




FgArea: [' 0']

NC11 P3-6

2025-05-06 (Day 38)







● 1 VI vs Du

1400

1200

1000

800

600

400

200

500

1000


1500


2000


2500

3000


DU









1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FVOEC:r-o' , ' ECO:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]




Trend plot forP3-6_0





FgDaily








P3-6_0













时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:35	232	130.0	晴	预期@06:35 未知程序 (未用传感器)
07:30	232	130.0	晴	预期@07:30 未知程序 (未用传感器)
08:30	232	130.0	晴	预期@08:30 未知程序 (未用传感器)
09:45	232	130.0	晴	预期@09:45 未知程序 (未用传感器)
10:45	232	130.0	晴	预期@10:45 未知程序 (未用传感器)
11:35	232	130.0	晴	预期@11:35 未知程序 (未用传感器)
12:25	232	130.0	晴	预期@12:25 未知程序 (未用传感器)
13:15	232	130.0	晴	预期@13:15 未知程序 (未用传感器)
14:05	232	130.0	晴	预期@14:05 未知程序 (未用传感器)
15:00	232	130.0	晴	预期@15:00 未知程序 (未用传感器)
16:10	232	130.0	晴	预期@16:10 未知程序 (未用传感器)
总计	2552.0 (11次)	1430.0		建议进液EC: 2080.0, PH: 6.0


昨天灌溉EC (2565.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2565.0 vs 3635.0) 偏高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
12:55	278	130.0	阵雨	假设@12:55 自动（未用传感器）
13:55	278	130.0	阴	假设@13:55 自动（未用传感器）
总计	556.0（2次）	260.0		建议进液EC: 2080.0, PH: 5.8

上次灌溉时长(278)与预期(236.0)不符，可能由于多阀同灌按参考区灌溉默认实际灌溉153.0 ml.
昨天灌溉EC（2610.0）与设定EC（2000.0）偏差较大，请检查进回液EC差(2610.0 vs 3710.0)偏高











时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:15	234	130.0	多云	假设@08:15 自动（未用传感器）
09:05	234	130.0	多云	假设@09:05 自动（未用传感器）
10:05	234	130.0	多云	假设@10:05 自动（未用传感器）
11:05	234	130.0	晴	假设@11:05 自动（未用传感器）
12:00	234	130.0	多云	假设@12:00 自动（未用传感器）
12:45	234	130.0	多云	假设@12:45 自动（未用传感器）
13:35	234	130.0	多云	假设@13:35 自动（未用传感器）
14:15	234	130.0	多云	假设@14:15 自动（未用传感器）
15:10	234	130.0	阴	假设@15:10 自动（未用传感器）
总计	2106.0 (9次)	1170.0		建议进液EC: 2080.0, PH: 5.6

昨天灌溉EC（2590.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2590.0 vs 3790.0)偏高












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:20	234	120.0	晴	假设@08:20 自动（未用传感器）
09:20	234	120.0	晴	假设@09:20 自动（未用传感器）
10:25	234	120.0	晴	假设@10:25 自动（未用传感器）
11:40	234	120.0	晴	假设@11:40 自动（未用传感器）
12:40	234	120.0	晴	假设@12:40 自动（未用传感器）
13:50	234	120.0	晴	假设@13:50 自动（未用传感器）
15:30	234	120.0	晴	假设@15:30 自动（未用传感器）
总计	1638.0（7次）	840.0		建议进液EC：2080.0， PH：5.6

昨天灌溉EC（2595.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2595.0 vs 3925.0)偏高







m=750, FV0=0




m=805, FV0=0




m=875, FV0=0



m=1000, FV0=0





时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
08:30	234	120.0	阴	假设@08:30 自动（未用传感器）
10:05	234	120.0	阴	假设@10:05 自动（未用传感器）
12:10	234	120.0	阴	假设@12:10 自动（未用传感器）
14:45	234	120.0	阴	假设@14:45 自动（未用传感器）
总计	936.0（4次）	480.0		建议进液EC：2080.0， PH： 5.7

昨天灌溉EC（2700.0）与设定EC（2000.0）偏差较大，请检查
进回液EC差(2700.0 vs 3980.0)偏高

