




FgArea: [' 0']


NC11 P3-6


2025-05-23 (Day 55)

















1 (fgArea = NA)










Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water_ec']]









Plot ['ECopt']




Plot Sensor and FgRec Data



Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI_ETcI', 'setVI_fgRec', 'setVI_VN', 'sISetVI']]




Plot ['VI_pcterr', 'VO_pcterr', 'VN_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]




Plot [[' FV0EC:r-o' , ' EC0:g-o']]




Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o']]





Trend plot for P3-6_0








FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:35	268	150.0	晴	预期@07:35 未知程序 (未用传感器)
08:00	268	150.0	晴	预期@08:00 未知程序 (未用传感器)
09:10	268	150.0	晴	预期@09:10 未知程序 (未用传感器)
10:05	268	150.0	晴	预期@10:05 未知程序 (未用传感器)
10:50	268	150.0	晴	预期@10:50 未知程序 (未用传感器)
11:30	268	150.0	晴	预期@11:30 未知程序 (未用传感器)
12:10	268	150.0	晴	预期@12:10 未知程序 (未用传感器)
12:50	268	150.0	晴	预期@12:50 未知程序 (未用传感器)
13:30	268	150.0	晴	预期@13:30 未知程序 (未用传感器)
14:10	268	150.0	晴	预期@14:10 未知程序 (未用传感器)
14:55	268	150.0	晴	预期@14:55 未知程序 (未用传感器)
15:45	268	150.0	晴	预期@15:45 未知程序 (未用传感器)
总计	3216.0 (12次)	1800.0		建议进液EC: 2080.0, PH: 5.6




时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
05:50	278	150.0	晴	假设@05:50 自动（未用传感器）
06:15	278	150.0	多云	假设@06:15 自动（未用传感器）
07:40	278	150.0	多云	假设@07:40 自动（未用传感器）
09:30	278	150.0	阴	假设@09:30 自动（未用传感器）
11:20	278	150.0	阴	假设@11:20 自动（未用传感器）
12:50	278	150.0	阴	假设@12:50 自动（未用传感器）
14:30	278	150.0	阴	假设@14:30 自动（未用传感器）
总计	1946.0（7次）	1050.0		建议进液EC：2080.0， PH： 5.6







$m=745$, $FV0=0$





$m=900$, $FV0=0$







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:45	278	150.0	阴	假设@06:45 自动 (未用传感器)
07:10	278	150.0	多云	假设@07:10 自动 (未用传感器)
09:00	278	150.0	多云	假设@09:00 自动 (未用传感器)
10:00	278	150.0	多云	假设@10:00 自动 (未用传感器)
10:45	278	150.0	多云	假设@10:45 自动 (未用传感器)
11:25	278	150.0	多云	假设@11:25 自动 (未用传感器)
12:05	278	150.0	多云	假设@12:05 自动 (未用传感器)
12:40	278	150.0	多云	假设@12:40 自动 (未用传感器)
13:15	278	150.0	晴	假设@13:15 自动 (未用传感器)
13:50	278	150.0	晴	假设@13:50 自动 (未用传感器)
14:25	278	150.0	晴	假设@14:25 自动 (未用传感器)
15:05	278	150.0	晴	假设@15:05 自动 (未用传感器)
15:50	278	150.0	晴	假设@15:50 自动 (未用传感器)
16:45	278	150.0	晴	假设@16:45 自动 (未用传感器)
总计	3892.0 (14次)	2100.0		建议进液EC: 2080.0, PH: 5.8












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
06:50	278	150.0	晴	假设@06:50 自动 (未用传感器)
07:25	278	150.0	多云	假设@07:25 自动 (未用传感器)
08:55	278	150.0	晴	假设@08:55 自动 (未用传感器)
09:50	278	150.0	晴	假设@09:50 自动 (未用传感器)
10:35	278	150.0	晴	假设@10:35 自动 (未用传感器)
11:20	278	150.0	晴	假设@11:20 自动 (未用传感器)
12:00	278	150.0	晴	假设@12:00 自动 (未用传感器)
12:40	278	150.0	晴	假设@12:40 自动 (未用传感器)
13:15	278	150.0	晴	假设@13:15 自动 (未用传感器)
13:50	278	150.0	晴	假设@13:50 自动 (未用传感器)
15:00	278	150.0	多云	假设@15:00 自动 (未用传感器)
16:25	278	150.0	多云	假设@16:25 自动 (未用传感器)
总计	3336.0 (12次)	1800.0		建议进液EC: 2080.0, PH: 5.9

昨天灌溉EC (2410.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2410.0 vs 4963.0) 过高







m=720, FV0=0




m=770, FV0=0




m=815, FV0=0




m=880, FV0=0







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:00	278	150.0	阴	假设@07:00 自动 (未用传感器)
07:25	278	150.0	阴	假设@07:25 自动 (未用传感器)
08:50	278	150.0	多云	假设@08:50 自动 (未用传感器)
09:45	278	150.0	多云	假设@09:45 自动 (未用传感器)
10:30	278	150.0	多云	假设@10:30 自动 (未用传感器)
11:15	278	150.0	晴	假设@11:15 自动 (未用传感器)
11:55	278	150.0	晴	假设@11:55 自动 (未用传感器)
12:35	278	150.0	晴	假设@12:35 自动 (未用传感器)
13:10	278	150.0	晴	假设@13:10 自动 (未用传感器)
13:45	278	150.0	晴	假设@13:45 自动 (未用传感器)
14:45	278	150.0	晴	假设@14:45 自动 (未用传感器)
15:30	278	150.0	晴	假设@15:30 自动 (未用传感器)
16:20	278	150.0	晴	假设@16:20 自动 (未用传感器)
总计	3614.0 (13次)	1950.0		建议进液EC: 2080.0, PH: 5.9

昨天灌溉EC (2580.0) 与设定EC (2000.0) 偏差较大, 请检查
进回液EC差 (2580.0 vs 5113.0) 过高







m=430, FV0=0




m=465, FV0=0




m=535, FV0=0




m=590, FV0=0




m=630,m FV0=0




m=670,m FV0=0




m=705,m FV0=0




m=740,m FV0=0




m=780,m FV0=0




m=830,m FV0=0




m=880,m FV0=0



m=925,m FV0=0



m=970,m FV0=0



m=1010,m FV0=0

