






FgArea: [ ' 0' ]  
NC11 P3-6  
2025-04-04 (Day 6)

















1 (fgArea = NA)














Plot [['EcFgro', 'EcFzExp', 'EcPltng', 'ECdef', 'water\_ec']]









Plot [' ECopt']




Plot Sensor and FgRec Data






Plot [['I', 'Iopt'], ['T', 'Topt'], ['RH', 'RHopt'], ['ETcl', 'optETcl'], ['LAI', 'optEtRate']]




Plot [['setVI\_ETcI', 'setVI\_fgRec', 'setVI\_VN', 'sISetVI']]



Plot ['VI\_pcterr', 'VO\_pcterr', 'VN\_pcterr']




Plot [['ECC:b-o', 'FVIEC:r-o', 'ECI:g-o']]







Plot [['FVOEC:r-o', 'ECO:g-o']]



Plot [['PHC:b-o', 'FVIPH:r-o', 'PHI:g-o']]




Plot [[' FVOPH:r-o' , ' PH0:g-o' ]]





Trend plot for P3-6.0




# FgDaily

















时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
07:30	89	50.0	阴	预期@07:30 (未用传感器)
10:45	89	50.0	阴	预期@10:45 (未用传感器)
总计	178.0 (2次)	100.0		建议进液EC: 2080.0, PH: 5.8







时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:50	210	50.0	晴	假设@09:50 (未用传感器)
总计	210.0 (1次)	50.0		建议进液EC: 1900.0, PH: 5.8

上次灌溉时长(210.0)与预期(89.0)不符, 可能由于多阀同灌按参考区灌溉默认实际灌溉118.0 ml.



























时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:55	900	50.0	晴	假设@09:55 (未用传感器)
12:45	900	50.0	晴	假设@12:45 (未用传感器)
总计	1800.0 (2次)	100.0		建议进液EC: 1840.0, PH: 5.6

上次灌溉时长(300.0)与预期(89.0)不符, 可能由于多阀同灌按参考区灌溉  
默认实际灌溉168.0 ml.  
进回液EC差(2165.0 vs 3110.0)偏高







$m=750, FV0=0$





$m=840, FV0=0$






时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:55	60	50.0	阴	假设@09:55 (未用传感器)
总计	60.0 (1次)	50.0		建议进液EC: 2000.0, PH: 5.5












时间	灌溉时长(秒)	灌溉量(毫升/株)	天气	注释
09:55	60	50.0	多云	假设@09:55 (未用传感器)
总计	60.0 (1次)	50.0		建议进液EC: 1900.0, PH: 5.5

施肥机灌溉量与预期值不符 (39.0 : 30.0), 可能由于一阀多区不均匀  
上次灌溉时长(60.0)与预期(100.0)不符, 可能由于多阀同灌按参考区灌溉  
默认实际灌溉30.0 ml.  
昨天灌溉EC (1500.0) 与设定EC (2000.0) 偏差较大, 请检查





$m=840, FV0=0$



$m=900, FV0=0$

